

**§ 414.35**

flow subject to this subpart times the concentrations in the following table.

Effluent characteristics	NSPS <sup>1</sup>	
	Maximum for any one day	Maximum for monthly average
BOD5 .....	48	18
TSS .....	115	36
pH .....	(2)	(2)

<sup>1</sup> All units except pH are milligrams per liter.  
<sup>2</sup> Within the range of 6.0 to 9.0 at all times.

**§ 414.35 Pretreatment standards for existing sources (PSES).**

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve discharges in accordance with § 414.111.

[58 FR 36892, July 9, 1993]

**§ 414.36 Pretreatment standards for new sources (PSNS).**

Except as provided in 40 CFR 403.7 any new source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve discharges in accordance with § 414.111.

[58 FR 36892, July 9, 1993]

**Subpart D—Thermoplastic Resins**

**§ 414.40 Applicability; description of the thermoplastic resins subcategory.**

The provisions of this subpart are applicable to the process wastewater discharges resulting from the manufacture of the products classified under SIC 28213 thermoplastic resins including those resins and resin groups listed below. Product groups are indicated with an asterisk (\*).

- \*Abietic Acid—Derivatives
- \*ABS Resins
- \*ABS-SAN Resins
- \*Acrylate-Methacrylate Latexes
- \*Acrylic Latex
- \*Acrylic Resins
- \*Cellulose Acetate Butyrates
- Cellulose Acetate Resin
- \*Cellulose Acetates

- \*Cellulose Acetates Propionates
- Cellulose Nitrate
- \*Ethylene-Methacrylic Acid Copolymers
- \*Ethylene-Vinyl Acetate Copolymers
- \*Fatty Acid Resins
- \*Fluorocarbon Polymers
- Nylon 11 Resin
- \*Nylon 6—66 Copolymers
- \*Nylon 6—Nylon 11 Blends
- Nylon 6 Resin
- Nylon 612 Resin
- Nylon 66 Resin
- \*Nylons
- \*Petroleum Hydrocarbon Resins
- \*Polyvinyl Pyrrolidone—Copolymers
- \*Poly(Alpha)Olefins
- Polyacrylic Acid
- \*Polyamides
- \*Polyarylamides
- Polybutadiene
- \*Polybutenes
- Polybutenyl Succinic Anhydride
- \*Polycarbonates
- \*Polyester Resins
- \*Polyester Resins, Polybutylene Terephthalate
- \*Polyester Resins, Polyoxybenzoate
- Polyethylene
- \*Polyethylene—Ethyl Acrylate Resins
- \*Polyethylene—Polyvinyl Acetate Copolymers
- Polyethylene Resin (HDPE)
- Polyethylene Resin (LPDE)
- Polyethylene Resin, Scrap
- Polyethylene Resin, Wax (Low M.W.)
- Polyethylene Resin, Latex
- Polyethylene Resins
- \*Polyethylene Resins, Compounded
- \*Polyethylene, Chlorinated
- \*Polyimides
- \*Polypropylene Resins
- Polystyrene (Crystal)
- Polystyrene (Crystal) Modified
- \*Polystyrene—Copolymers
- \*Polystyrene—Acrylic Latexes
- Polystyrene Impact Resins
- Polystyrene Latex
- Polystyrene, Expandable
- Polystyrene, Expanded
- \*Polysulfone Resins
- Polyvinyl Acetate
- \*Polyvinyl Acetate—PVC Copolymers
- \*Polyvinyl Acetate Copolymers
- \*Polyvinyl Acetate Resins
- Polyvinyl Alcohol Resin
- Polyvinyl Chloride
- Polyvinyl Chloride, Chlorinated
- \*Polyvinyl Ether-Maleic Anhydride
- \*Polyvinyl Formal Resins
- \*Polyvinylacetate—Methacrylic Copolymers
- \*Polyvinylacetate Acrylic Copolymers
- \*Polyvinylacetate-2-Ethylhexylacrylate Copolymers
- Polyvinylidene Chloride
- \*Polyvinylidene Chloride Copolymers
- \*Polyvinylidene-Vinyl Chloride Resins
- \*PVC Copolymers, Acrylates (Latex)