

The Public Health Service (PHS) strongly encourages all grant and contract recipients to provide a smoke-free workplace and promote the non-use of all tobacco products. In addition, Public Law 103-227, the Pro-Children Act of 1994, prohibits smoking in certain facilities (or in some cases, any portion of the facility) in which regular or routine education, library, day care, health care or early childhood development services are provided to children. This is consistent with the HHS mission to protect and advance the physical and mental health of the American people.

Dated: March 30, 2010.

Yvette Roubideaux,
Director, Indian Health Service.

[FR Doc. 2010-7790 Filed 4-6-10; 8:45 am]

BILLING CODE 4165-16-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

Board of Scientific Counselors, National Center for Health Statistics, (BSC, NCHS)

In accordance with section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463), the Centers for Disease Control and Prevention (CDC), National Center for Health announces the following meeting of the aforementioned committee:

Times and Dates: 11 a.m.–5:30 p.m., April 22, 2010. 8:30 a.m.–2 p.m., April 23, 2010.

Place: NCHS Headquarters, 3311 Toledo Road, Hyattsville, Maryland 20782.

Status: This meeting is open to the public; however, visitors must be processed in accordance with established Federal policies and procedures. For foreign nationals or non-US citizens, pre-approval is required (please contact Althelia Harris, 301-458-4261, adw1@cdc.gov or Virginia Cain, vcain@cdc.gov at least 10 days in advance for requirements). All visitors are required to present a valid form of picture identification issued by a State, Federal or international government. As required by the Federal Property Management Regulations, Title 41, Code of Federal Regulation, Subpart 101-20.301, all persons entering in or on Federal controlled property and their packages, briefcases, and other containers in their immediate possession are subject to being x-rayed and inspected. Federal law prohibits the knowing possession or the causing to be present of firearms, explosives and other dangerous weapons and illegal substances. The meeting room accommodates approximately 100 people.

Purpose: This committee is charged with providing advice and making recommendations to the Secretary, Department of Health and Human Services;

the Director, CDC; and the Director, NCHS, regarding the scientific and technical program goals and objectives, strategies, and priorities of NCHS.

Matters To Be Discussed: The agenda will include welcome remarks by the Director, NCHS; review of the National Survey of Family Growth program; and an open session for comments from the public.

Requests to make oral presentations should be submitted in writing to the contact person listed below. All requests must contain the name, address, telephone number, and organizational affiliation of the presenter.

Written comments should not exceed five single-spaced typed pages in length and must be received by April 15, 2010.

The agenda items are subject to change as priorities dictate.

Contact Person for More Information: Virginia S. Cain, PhD, Director of Extramural Research, NCHS/CDC, 3311 Toledo Road, Room 7211, Hyattsville, Maryland 20782, telephone (301) 458-4500, fax (301) 458-4020.

The Director, Management Analysis and Services Office, has been delegated the authority to sign **Federal Register** notices pertaining to announcements of meetings and other committee management activities for both CDC and the Agency for Toxic Substances and Disease Registry.

Dated: March 30, 2010.

Elaine L. Baker,

*Management Analysis and Services Office,
Centers for Disease Control and Prevention.*

[FR Doc. 2010-7800 Filed 4-6-10; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

[Docket No. USCG-2010-0160]

Certificate of Alternative Compliance for the Lift Boat GARY CHIASSON ELEVATOR

AGENCY: Coast Guard, DHS.

ACTION: Notice.

SUMMARY: The Coast Guard announces that a Certificate of Alternative Compliance was issued for the lift boat GARY CHIASSON ELEVATOR as required by 33 U.S.C. 1605(c) and 33 CFR 81.18.

DATES: The Certificate of Alternate Compliance was issued on March 1, 2010.

ADDRESSES: The docket for this notice is available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. You may also

find this docket on the Internet by going to <http://www.regulations.gov>, inserting USCG-2010-0160 in the "Keyword" box, and then clicking "Search."

FOR FURTHER INFORMATION CONTACT: If you have questions on this notice, call CWO2 David Mauldin, District Eight, Prevention Branch, U.S. Coast Guard, telephone 504-671-2153. If you have questions on viewing or submitting material to the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION:

Background and Purpose

A Certificate of Alternative Compliance, as allowed under Title 33 of the Code of Federal Regulations, Parts 81 and 89, has been issued for the lift boat GARY CHIASSON ELEVATOR. The Certificate of Alternative Compliance permits the masthead light to be offset from the centerline 6' to port. Placing the masthead light on the centerline as required by Rule 21 (a) of 72 COLREGS, and Rule 21 (a) of the Inland Rules Act, would result in a masthead light obstructed by the forward leg of the lift boat. In addition the sidelights may be located on the outermost edges of the top of the pilothouse. Due to the pilothouse being offset to port, the sidelights will also be offset to port. The port sidelight will be located 16.5' from the centerline and the starboard sidelight will be located 11.5' from the centerline. Both sidelights will be located greater than 10% inboard the greatest breadth of the vessel and 19' forward of the masthead light. Placing the sidelights in the locations required by Annex I, paragraph 3(b) of 72 COLREGS, and Annex I, paragraph 84.05(b) of the Inland Rules Act would expose the sidelights to probable damage from the cranes. Furthermore, the stern light may be located on the main mast above the pilothouse, 56' forward from the aft end of the vessel. Placing the stern light closer to the aft end of the vessel as required by Rule 21 (c) of 72 COLREGS, and Rule 21 (c) of the Inland Rules Act, would result in a stern light location exposed to damage from cargo and crane activity of the main deck working area of the vessel.

This notice is issued under authority of 33 U.S.C. 1605(c), and 33 CFR 81.18.

Dated: March 8, 2010.

By Direction of the Commander.

J. W. Johnson,

*Commander, U.S. Coast Guard, Chief,
Inspections and Investigations Branch, Eighth
Coast Guard District.*

[FR Doc. 2010-7814 Filed 4-6-10; 8:45 am]

BILLING CODE 9110-04-P