

BFE of 1,519 feet, referenced to the North American Vertical Datum of 1988, should have located the proposed BFE as being approximately 0.24 mile upstream of the Owltown Creek confluence.

DATES: Comments pertaining to the location descriptions for the Cartecay River BFEs are to be submitted on or before June 13, 2011.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1155, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriquez1@dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriquez1@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are minimum requirements. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Correction

In the proposed rule published at 75 FR 68744, in the November 9, 2010, issue of the **Federal Register**, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Gilmer County, Georgia, and Incorporated

Areas" addressed the flooding source Cartecay River.

The proposed rule listed the location description for the proposed BFE of 1,290 feet, referenced to the North American Vertical Datum of 1988, as being approximately 0.24 mile upstream of the confluence with Owltown Creek. The correct location of this proposed BFE is approximately 1.12 miles upstream of Holt Bridge Road. The proposed rule also listed the location description for the proposed BFE of 1,519 feet, referenced to the North American Vertical Datum of 1988, as being approximately 1.12 miles upstream of Holt Bridge Road. The correct location of this proposed BFE is approximately 0.24 mile upstream of the Owltown Creek confluence.

This proposed rule correction is reopening the comment period for the Cartecay River, for the locations of the proposed BFEs of 1,290 feet and 1,519 feet, both referenced to the North American Vertical Datum of 1988, due to the error in listing the location descriptions for these BFEs in the previously published proposed rule at 75 FR 68744.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: March 4, 2011.

Sandra K. Knight,

Deputy Federal Insurance and Mitigation Administrator, Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011-5818 Filed 3-11-11; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2008-0020; Internal Agency Docket No. FEMA-B-1069]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule; correction.

SUMMARY: On September 15, 2009, FEMA published in the **Federal Register** a proposed rule that contained an erroneous table. This notice provides corrections to that table, to be used in lieu of the information published at 74 FR 47169. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities

affected for Sanpete County, Utah, and Incorporated Areas. Specifically, it addresses the flooding source South Creek.

DATES: Comments are to be submitted on or before June 13, 2011.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1069, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriquez1@dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriquez1@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are minimum requirements. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Correction

In the proposed rule published at 74 FR 47169, in the September 15, 2009, issue of the **Federal Register**, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Sanpete County, Utah, and Incorporated Areas" addressed the flooding source South Creek. That table contained inaccurate information as to the location of referenced elevation, effective and modified elevation in feet,

and/or communities affected for that flooding source. In this notice, FEMA is publishing a table containing the

accurate information, to address these prior errors. The information provided

below should be used in lieu of that previously published.

Flooding source(s)	Location of referenced elevation **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Sanpete County, Utah, and Incorporated Areas				
South Creek	Approximately 320 feet east of 100 South Street	None	+5529	City of Manti, Unincorporated Areas of Sanpete County.
	Approximately 596 feet upstream of the Manti Creek confluence.	None	+5838	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

City of Manti

Maps are available for inspection at City Hall, 50 South Main Street, Manti, UT 84642.

Unincorporated Areas of Sanpete County

Maps are available for inspection at the Sanpete County Building and Zoning Office, 160 North Main Street, Manti, UT 84642.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: March 4, 2011.

Sandra K. Knight,

Deputy Federal Insurance and Mitigation Administrator, Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011-5819 Filed 3-11-11; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2008-0020; Internal Agency Docket No. FEMA-B-1072]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule; correction.

SUMMARY: On September 8, 2009, FEMA published in the **Federal Register** a proposed rule that contained an erroneous table. This notice provides

corrections to that table, to be used in lieu of the information published at 74 FR 46074. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities affected for Troup County, Georgia, and Incorporated Areas. Specifically, it addresses the flooding source Shoal Creek.

DATES: Comments are to be submitted on or before June 13, 2011.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1072, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriguez1@dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-4064 or (e-mail) luis.rodriguez1@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency

(FEMA) publishes proposed determinations of Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are minimum requirements. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.