

§ 225.202

mixups and assures that the correct labels are used for the medicated feed. All deliveries of medicated feeds, whether bagged or in bulk, shall be adequately labeled to assure that the feed can be properly used.

[51 FR 7390, Mar. 3, 1986]

Subpart I—Records

§ 225.202 Formula, production, and distribution records.

Records shall be maintained identifying the formulation, date of mixing, and if not for own use, date of shipment. The records shall be adequate to facilitate the recall of specific batches of medicated feed that have been distributed. Such records shall be retained on the premises for 1 year following the date of last distribution.

(Approved by the Office of Management and Budget under control number 0910-0152)

[51 FR 7390, Mar. 3, 1986]

PART 226—CURRENT GOOD MANUFACTURING PRACTICE FOR TYPE A MEDICATED ARTICLES

Subpart A—General Provisions

Sec.

226.1 Current good manufacturing practice.

226.10 Personnel.

Subpart B—Construction and Maintenance of Facilities and Equipment

226.20 Buildings.

226.30 Equipment.

Subpart C—Product Quality Control

226.40 Production and control procedures.

226.42 Components.

226.58 Laboratory controls.

Subpart D—Packaging and Labeling

226.80 Packaging and labeling.

Subpart E—Records and Reports

226.102 Master-formula and batch-production records.

226.110 Distribution records.

226.115 Complaint files.

AUTHORITY: 21 U.S.C. 351, 352, 360b, 371, 374.

SOURCE: 40 FR 14031, Mar. 27, 1975, unless otherwise noted.

21 CFR Ch. I (4-1-01 Edition)

Subpart A—General Provisions

§ 226.1 Current good manufacturing practice.

The criteria in §§226.10 through 226.115, inclusive, shall apply in determining whether the methods used in, or the facilities and controls used for the manufacture, processing, packing, or holding of a Type A medicated article(s) conform to or are operated or administered in conformity with current good manufacturing practice to assure that a Type A medicated article(s) meets the requirements of the act as to safety, and has the identity and strength, and meets the quality and purity characteristics which it purports or is represented to possess, as required by section 501(a)(2)(B) of the act. The regulations in this part 226 permit the use of precision, automatic, mechanical, or electronic equipment in the production of a Type A medicated article(s) when adequate inspection and checking procedures or other quality control procedures are used to assure proper performance.

§ 226.10 Personnel.

The key personnel and any consultants involved in the manufacture and control of the Type A medicated article(s) shall have a background of appropriate education or appropriate experience or combination thereof for assuming responsibility to assure that the Type A medicated article(s) has the proper labeling and the safety, identity, strength, quality, and purity that it purports to possess.

Subpart B—Construction and Maintenance of Facilities and Equipment

§ 226.20 Buildings.

Buildings in which Type A medicated article(s) are manufactured, processed, packaged, labeled, or held shall be maintained in a clear and orderly manner and shall be of suitable size, construction and location in relation to surroundings to facilitate maintenance and operation for their intended purpose. The building shall: