

PART 329—HABIT-FORMING DRUGS

AUTHORITY: 21 U.S.C. 352, 353, 355, 371.

Subpart A—Derivatives Designated as Habit Forming

SOURCE: 39 FR 11736, Mar. 29, 1974, unless otherwise noted.

Sec.

329.1 Habit-forming drugs which are chemical derivatives of substances specified in section 502(d) of the Federal Food, Drug, and Cosmetic Act.

Subpart A—Derivatives Designated as Habit Forming

§ 329.1 Habit-forming drugs which are chemical derivatives of substances specified in section 502(d) of the Federal Food, Drug, and Cosmetic Act.

Subpart B—Labeling

329.10 Labeling requirements for habit-forming drugs.

Each of the following chemical derivatives of a substance named in section 502(d) of the Federal Food, Drug, and Cosmetic Act is hereby designated as habit forming:

Subpart C—Exemptions

329.20 Exemption of certain habit-forming drugs from prescription requirements.

Chemical description of derivative	Common or official name of chemical derivative or its salts	Some trade or other names of chemical derivative or its salts ¹
PARENT SUBSTANCE—BARBITURIC ACID		
5-Allyl-5-sec-butylbarbituric acid ²	Talbutal	Lotusate.
5-Allyl-5-cyclopentenylbarbituric acid	Cyclopal. Cyclophen. Sandoptal.
5-Allyl-5-isobutylbarbituric acid	Allylbarbituric acid
.....	Allylisobutylbarbituric acid..
5-Allyl-5-isopropylbarbituric acid	Aprobarbital	Alurate.
.....	Allylisopropylbarbituric acid	Numal.
.....	Allylisopropylmalonylurea..
5-Allyl-5-isopropyl-1-methylbarbituric acid	Narconumal.
5-Allyl-5-(1-methylbutyl)barbituric acid	Secobarbital sodium	Seconal Sodium.
.....	Soluble secobarbital	Evronal Sodium.
5-Allyl-5-(1-methylbutyl)-2-thiobarbituric acid	Sodium thiamylal	Surital Sodium.
5-Allyl-1-methyl-5-(1-methyl-2-pentynyl) barbituric acid.	Sodium methohexital	Brevital Sodium.
5-(2-Bromoallyl)-5-isopropyl-1-methylbarbituric acid.	Eunarcon.
5-(2-Bromoallyl)-5-(1-methylbutyl)-barbituric acid.	β-Bromoallyl sec-amylbarbituric acid ..	Sigmodal. Rectidon. R239.
5-sec-Butyl-5-(2-bromoallyl)-barbituric acid	Butallylonal	Pernoston. Pernocton.
5-(1-Cyclohepten-1-yl)-5-ethylbarbituric acid	Heptabarbital	Medomin.
5,5-Diallylbarbituric acid	Diallyl barbituric acid	Dial. Allobarbital. Allobarbitone. Curral. Diadol. Deba.
5,5-Diethylbarbituric acid	Barbital	Dormonal.
.....	Barbitone	Hypnogene.
.....	Diethylbarbituric acid	Malonal.
.....	Diethylmalonylurea	Medinal. Sedeval. Veronal. Uronal. Vesperial.
5,5-Diethyl-1-methylbarbituric acid	Metharbital	Gemonil.
1,5-Dimethyl-5-(1-cyclohexenyl)-barbituric acid	Hexobarbital sodium	Cyclonal Sodium. Dorico Soluble. Evipal Sodium. Evipan Sodium. Hexanastab. Hexobarbitone Sodium. Methenexyl Sodium.
5,5-Dipropylbarbituric acid	Dipropylbarbituric acid	Proponal.
5-Ethyl-5-butylbarbituric acid	Butethal	Etoval.

Food and Drug Administration, HHS

§ 329.1

Chemical description of derivative	Common or official name of chemical derivative or its salts	Some trade or other names of chemical derivative or its salts ¹
5-Ethyl-5-sec-butylbarbituric acid	Butobarbital	Neonal Butobarbital. Soneryl.
5-Ethyl-5-(1-cyclohexenyl)-barbituric acid	Butabarbital sodium	Butisol Sodium.
	Cyclobarbital	Cyclobarbitone. Namuron. Palinum. Phanodorm. Phanodorn. Tetrahydro phenobarbital.
5-Ethyl-5-cyclopentenyl-barbituric acid	Pentalen.
5-Ethyl-5-hexylbarbituric acid	Hexethal sodium	Hebaral. Ortal Sodium.
5-Ethyl-5-isoamylbarbituric acid	Amobarbital	Amytal.
5-Ethyl-5-isopropylbarbituric acid	Probarbital	Ipral.
5-Ethyl-5-(1-methylbutyl)-barbituric acid	Pentobarbital sodium	844.
	Soluble pentobarbital	Embutal. Nembutal. Napethal. Pentyl.
5-Ethyl-5-(1-methylbutyl)-2-thiobarbituric acid ...	Thiopental sodium	Intraval Sodium.
	Thiopentone sodium	Nesdonal Sodium. Pentothal Sodium. Thiothal Sodium.
5-Ethyl-5-(1-methyl-1-butenyl)-barbituric acid	Vinbarbital	Delvinal Sodium.
5-Ethyl-5-phenylbarbituric acid	Phenobarbital	Barbenyl.
	Phenobarbitone	Barbiphenyl.
	Phenylethylmalonylurea	Dormiral. Euneryl. Gardenal. Luminal. Nunol. Neurobarb. Phenonyl. Somonal.
5-Ethyl-5-phenyl-1-methylbarbituric acid	Mephobarbital	Mebaral. Pheimitone. Prominal.
5-Ethyl-5-(1 piperidyl)-barbituric acid	Eldoral.
5-Isopropyl-5-(2-bromoallyl)-barbituric acid	Propallylonal	Noctal. Nostal.
5-(1-Methylbutyl)-5-[2-(methylthio)ethyl]-2-thio-barbituric acid.	Methitural (sodium salt)	Methioturiate. Neraval. Thiogenal.
5-Methyl-5-phenylbarbituric acid	Phenylmethylbarbituric acid	Rutonal.
All lithium, sodium, potassium, magnesium, calcium, strontium, and ammonium salts of the foregoing chemical derivatives of barbituric acid.		
PARENT SUBSTANCE—CANNABIS (MARIHUANA)		
	Extract of cannabis. Fluid extract of cannabis. Tincture of cannabis.	
PARENT SUBSTANCE—BROMAL		
Tribromoacetaldehyde hydrate	Bromal hydrate.	
Tribromomethane	Bromoform.	
2-(Tribromomethyl)-2-propanol	Tribromo- <i>tert</i> -butyl alcohol	Acetone-Bromoform. Brometone.
PARENT SUBSTANCE—CARBROMAL		
<i>a</i> -Bromo- <i>a</i> -ethylbutyryl-acetylurea	Acetylcarbromal	A basin. Acetyl Adalin. <i>N</i> -Acetyl- <i>N</i> -bromodiethylacetylurea. <i>N</i> -Acetyl- <i>N'</i> - <i>a</i> -bromo- <i>a</i> -ethylbutyryl carbamide.

§ 329.1

21 CFR Ch. I (4–1–01 Edition)

Chemical description of derivative	Common or official name of chemical derivative or its salts	Some trade or other names of chemical derivative or its salts ¹
<i>a</i> -Bromoisovalerylurea	Bromisovalum	Bromisoval. <i>a</i> -Bromo- β -dimethyl-propanoylurea. Bromural. Bromvaletone. Brovalurea. B. V. U. Dormigene. Isobromyl. 2-Monobromoisovalerylurea. Pivadorm. Uvaleral.
<i>a</i> -Bromo- <i>a</i> , <i>a</i> -diethylacetamide	Diethylbromo acetamide	Neuronal.
<i>a</i> -Allylisovaleryl-urea	Allyl-isopropyl-acetyl-carbamide. (2-Isopropyl-4-pentenoyl)-urea. Sedormid.
PARENT SUBSTANCE—CHLORAL		
Trichloroacetaldehyde hydrate	Chloral	2,2,2-Trichloro-1,1-ethanediol.
Trichloroethylideneimine	Chloral hydrate	Trichloroethylidene glycol.
<i>N</i> -(β -Trichloro- <i>a</i> -hydroxyethyl)-formamide	Chloralimide. Chloralformamide	Chloralamide. Chloramide.
<i>a</i> -(β -trichloro- <i>a</i> -hydroxyethyl)- <i>D</i> -glucoside	<i>a</i> -Chloralose	A- <i>D</i> -Glucochloralose. Anhydro-Glucochloral. Glucochloral. Chloralosone.
2-(Trichloromethyl)-2-propanol	Chlorbutanol	Acetone chloroform.
	Chlorbutol	Chloretone.
	Chlorobutanol	Methaform. Sedaform. 1,1,1-trichloro-2-methyl 2-propanol. β , β , β -trichloro- <i>tert</i> -butylalcohol.
PARENT SUBSTANCE—COCAINE		
All salts of cocaine obtained by combining cocaine with any acid.	Cocaine hydrochloride	
	Cocainium chloride..	
PARENT SUBSTANCE—CODEINE		
Codeine methylbromide	Eucodin.	
Dihydrocodeinone	Dicodid.
Dihydrohydroxycodeinone	Eucodal	Oxycodone hydrochloride. 14-hydroxydihydrocodeinone.
All salts of the foregoing chemical derivatives of codeine obtained by combining any such derivative of codeine with any acid.		
PARENT SUBSTANCE—HEROIN		
All salts of heroin obtained by combining heroin with any acid.		
PARENT SUBSTANCE—MORPHINE		
Dihydromorphine	Paramorphan.	
Dihydromorphinone	Dihydromorphinone hydrochloride	Dilaudid. Dimorphone.
	Dihydromorphinonium chloride	Hydromorphone hydrochloride.
Ethylmorphine	Ethylmorphine hydrochloride	Dionin.
	Ethylmorphinium chloride..	
All salts of the foregoing chemical derivatives of morphine and all salts of morphine obtained by combining any such derivative or morphine with any acid.		
PARENT SUBSTANCE—OPIUM		
	Extract of opium.	

Chemical description of derivative	Common or official name of chemical derivative or its salts	Some trade or other names of chemical derivative or its salts ¹
	Fluidextract of opium. Camphorated opium tincture. Deodorized opium tincture. Laudanum. Opium tincture. Paregoric. Tincture of opium.	
PARENT SUBSTANCE—PARALDEHYDE		
Metaldehyde.		
PARENT SUBSTANCE—SULFONMETHANE		
2,2-Diethylsulfonylbutane	Sulfonethylmethane	Diethylsulfonmethylethyl-methane. Ethylsulfonal. 2,2- <i>bis</i> -(Ethylsulfonyl)-butane. Methylsufonal. Sulfonethylmethanum. Trional.
3,3-Diethylsulfonylpentane	Sulfondiethylmethane.	

¹This list of trade or other names is not a complete list of the many proprietary names under which the designated habit-forming chemical derivatives are distributed.

²The name "butalbital" is obsolete for this compound; "butalbital" is the nonproprietary name assigned by the United States Adopted Name Council and the World Health Organization for 5-allyl-5-isobutylbarbituric acid.

Subpart B—Labeling

§ 329.10 Labeling requirements for habit-forming drugs.

(a)(1) The name of a substance or derivative required to be borne on the label of a drug by section 502(d) of the act shall be the common or usual name of such substance or derivative, unless it is designated solely by a name recognized in an official compendium and such designation complies with the provisions of section 502(c).

(2) A statement on the label of a drug of the name of a constituent, which constituent is a chemical derivative of a substance named in section 502(d) of the act, shall show the substance from which such constituent is derived and that such constituent is a derivative thereof.

(b) If the drug is in tablet, capsule, ampul, or other unit form, the statement of the quantity or proportion of such substance or derivative contained therein shall express the weight or measure of such substance or derivative in each such unit. If the drug is not in such unit form the statement shall express the weight or measure of such substance or derivative in a specified unit of weight or measure of the drug. Such statement shall be in terms

which are informative to the ordinary consumer and user of the drug.

(c) The names and quantities or proportions of all such substances and derivatives, and the statement "Warning—May be habit forming", shall immediately follow (without intervening written, printed, or graphic matter) the name by which such drug is titled in the part or panel of the label thereof which is presented or displayed under customary conditions of purchase.

(d) A drug shall not be considered to be misbranded by reason of failure of its label to bear the statement "Warning—May be habit forming":

(1) If such drug is not suitable for internal use, and is distributed and sold exclusively for such external use as involves no possibility of habit formation; or

(2) If the only substance or derivative subject to section 502(d) of the act contained in such drug is chlorobutanol, which is present solely as a preservative and in a quantity not more than 0.5 percent by weight, and such drug is for parenteral use only; or

(3) If the only substance or derivative subject to section 502(d) of the act contained in such drug is chlorobutanol which is present as an analgesic or as an analgesic and a preservative in a quantity not more than 3.0 percent,