

**Federal Highway Administration, DOT**

**§ 656.5**

and IV sheeting in Standard Specifications Federal Highway Projects<sup>3</sup> (FP-79, Section for Construction of Roads and Bridges on 633).

**TABLE I—COLOR SPECIFICATION LIMITS AND REFERENCE STANDARDS, TYPES I AND II SHEETING**

Color	Chromaticity coordinates <sup>1</sup> (corner points)								Reflectance limits (percent Y) Y		Reference <sup>3</sup> standard (munsell papers)
	1		2		3		4		Minium	Max-imum	
	x	y	x	y	x	y	x	y			
White <sup>2</sup> .....	.305	.290	.350	.342	.321	.361	.276	.308	35	—	6.3Gy 6.77/0.8.
Red .....	.602	.317	.664	.336	.644	.356	.575	.356	8	12	8.2R 3.78/14.0.
Orange .....	.535	.375	.607	.393	.582	.417	.535	.399	18	30	2.5YR 5.5/14.0
Brown .....	.445	.353	.604	.396	.556	.443	.445	.386	4	9	5.OYR 3/6.
Yellow .....	.482	.450	.532	.465	.505	.494	.475	.485	29	45	1.25Y 6/12.
Green .....	.130	.369	.180	.391	.155	.460	.107	.439	3.5	9	0.65BG 2.84/8.45.
Blue .....	.147	.075	.176	.091	.176	.151	.106	.113	1.0	4	5.8PB 1.32/6.8.

<sup>1</sup> The four pairs of chromaticity coordinates determine the acceptable color in terms of the CIE 1931 standard colorimetric system measured with standard illumination source C.

<sup>2</sup> Silver white is an acceptable color designation.

<sup>3</sup> Available from Munsell Color Company, 2441 Calvert Street, Baltimore, Maryland 21218.

**TABLE II—COLOR SPECIFICATION LIMITS AND REFERENCE STANDARDS, TYPES III AND IV SHEETING**

Color	Chromaticity Coordinates <sup>1</sup> (corner points)								Reflectance limits (percent Y) Y		Reference <sup>3</sup> standard (munsell papers)
	1		2		3		4		Min.	Max.	
	x	y	x	y	x	y	x	y			
White <sup>2</sup> .....	.303	.287	.368	.353	.340	.380	.274	.316	27	.....	5.0PB 7/1.
Red .....	.613	.297	.708	.292	.636	.364	.558	.352	2.5	11	7.5R 3/12.
Orange .....	.550	.360	.630	.370	.581	.418	.516	.394	14	30	2.5YR 5.5/14.
Yellow .....	.498	.412	.557	.442	.479	.520	.438	.472	15	40	1.25Y 6/12.
Green .....	.030	.380	.166	.346	.286	.428	.201	.776	3	8	10G 3/8
Blue .....	.144	.030	.244	.202	.190	.247	.066	.208	1	10	5.8PB 1.32/6.8.

<sup>1</sup> The four pairs of chromaticity coordinates determine the acceptable color in terms of the CIE 1931 standard colorimetric system measured with standard illumination source C.

<sup>2</sup> Silver white is an acceptable color designation.

<sup>3</sup> Available from Munsell Color Company, 2441 Calvert Street, Baltimore, Maryland 21218.

**Subpart G [Reserved]**

**PART 656—CARPOOL AND VANPOOL PROJECTS**

Sec.

656.1 Purpose.

656.3 Policy.

656.5 Eligibility.

656.7 Determination of an exception.

AUTHORITY: 23 U.S.C. 146 and 315; sec. 126 of the Surface Transportation Assistance Act of 1978, Pub. L. 95-599, 92 Stat. 2689; 49 CFR 1.48(b).

SOURCE: 47 FR 43024, Sept. 30, 1982, unless otherwise noted.

**§ 656.1 Purpose.**

The purpose of this regulation is to prescribe policies and general proce-

dures for administering a program of ridesharing projects using Federal-aid primary, secondary, and urban system funds.

**§ 656.3 Policy.**

Section 126(d) of the Surface Transportation Assistance Act of 1978 declares that special effort should be made to promote commuter modes of transportation which conserve energy, reduce pollution, and reduce traffic congestion.

**§ 656.5 Eligibility.**

(a) Projects which promote ride-sharing programs need not be located on but must serve a Federal-aid system to be eligible for Federal-aid primary,

<sup>3</sup>This document is available for inspection and copying as prescribed in 49 CFR part 7, appendix D.