

sprout-damaged, or otherwise materially damaged.

(b) *Foreign material and fines.* All matter other than whole flaxseed that passes through a $\frac{5}{64}$ triangular-hole sieve, and all matter other than grains for which standards have been established under the Act, that remains in the sieved sample.

(c) *Grades.* U.S. Mixed Grain, or U.S. Sample grade Mixed Grain, and special grades.

(d) *Heat-damaged kernels.* Kernels and pieces of grain kernels for which standards have been established under the Act, that are materially discolored and damaged by heat.

(e) *Sieve— $\frac{5}{64}$ triangular-hole sieve.* A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 ($\frac{5}{64}$) inch in diameter.

PRINCIPLES GOVERNING THE
APPLICATION OF STANDARDS

§ 810.803 Basis of determination.

Each determination of damaged and heat-damaged kernels, and the percentage of each kind of grain in the mixture is made on the basis of the sample after removal of foreign material and fines. Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from foreign material and fines.

GRADES AND GRADE REQUIREMENTS

§ 810.804 Grades and grade requirements for mixed grain.

(a) *U.S. Mixed Grain (grade).* Mixed grain with not more than 15.0 percent of damaged kernels, and not more than 3.0 percent of heat-damaged kernels, and that otherwise does not meet the requirements for the grade U.S. Sample grade Mixed Grain.

(b) *U.S. Sample grade Mixed Grain.* Mixed grain that:

(1) Does not meet the requirements for the grade U.S. Mixed Grain; or

(2) Contains more than 16.0 percent moisture; or

(3) Contains 8 or more stones that have an aggregate weight in excess of

0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more *Crotalaria* seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 8 more cockleburrs (*Xanthium* spp.) or similar seeds singly or in combination, 4 or more pieces of an unknown foreign substance(s) or a recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or an equivalent quantity of other animal filth per 1,000 grams of mixed grain; or

(4) Is musty, sour, or heating; or

(5) Has any commercially objectionable foreign odor except smut or garlic; or

(6) Is otherwise of distinctly low quality.

SPECIAL GRADES AND SPECIAL GRADE
REQUIREMENTS

§ 810.805 Special grades and special grade requirements.

(a) *Blighted mixed grain.* Mixed grain in which barley predominates and that contains more than 4.0 percent of fungus-damaged and/or mold-damaged barley kernels.

(b) *Ergoty mixed grain.* (1) Mixed grain in which rye or wheat predominates and that contains more than 0.30 percent ergot, or

(2) Any other mixed grain that contains more than 0.10 percent ergot.

(c) *Garlicky mixed grain.* (1) Mixed grain in which wheat, rye, or triticale predominates, and that contains 2 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets in 1,000 grams of mixed grain; or

(2) Any other mixed grain that contains 4 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets, in 500 grams of mixed grain.

(d) *Smutty mixed grain.* (1) Mixed grain in which rye, triticale, or wheat predominates, and that contains 15 or more average size smut balls, or an equivalent quantity of smut spores in 250 grams of mixed grain, or

(2) Any other mixed grain that has the kernels covered with smut spores to give a smutty appearance in mass, or that contains more than 0.2 percent smut balls.

(e) *Treated mixed grain.* Mixed grain that has been scoured, limed, washed,

§ 810.1001

7 CFR Ch. VIII (1-1-02 Edition)

sulfured, or treated in such a manner that its true quality is not reflected by the grade designation U.S. Mixed Grain or U.S. Sample grade Mixed Grain.

[52 FR 24418, June 30, 1987, as amended at 52 FR 24441, June 30, 1987]

Subpart G—United States Standards for Oats

TERMS DEFINED

§ 810.1001 Definition of oats.

Grain that consists of 50 percent or more of oats (*Avena sativa* L. and *A. byzantina* C. Koch) and may contain, singly or in combination, not more than 25 percent of wild oats and other grains for which standards have been established under the United States Grain Standards Act.

§ 810.1002 Definition of other terms.

(a) *Fine seeds.* All matter that passes through a $\frac{5}{64}$ triangular-hole sieve after sieving according to procedures prescribed in FGIS instructions.

(b) *Foreign material.* All matter other than oats, wild oats, and other grains.

(c) *Heat-damaged kernels.* Kernels and pieces of oat kernels, other grains, and wild oats that are materially discolored and damaged by heat.

(d) *Other grains.* Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, and wheat.

(e) *Sieves*—(1) $\frac{5}{64}$ triangular-hole sieve. A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 ($\frac{5}{64}$) inch in diameter.

(2) $0.064 \times \frac{3}{8}$ oblong-hole sieve. A metal sieve 0.032 inch thick with oblong perforations 0.064 inch by 0.375 ($\frac{3}{8}$) inch.

(f) *Sound oats.* Kernels and pieces of oat kernels (except wild oats) that are not badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(g) *Wild oats.* Seeds of *Avena fatua* L. and *A. sterilis* L.

PRINCIPLES GOVERNING THE APPLICATION OF STANDARDS

§ 810.1003 Basis of determination.

Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole.

GRADES AND GRADE REQUIREMENTS

§ 810.1004 Grades and grade requirements for oats.

Grade	Minimum limits—		Maximum limits—		
	Test weight per bushel (pounds)	Sound oats (percent)	Heat-damaged kernels (percent)	Foreign material (percent)	Wild oats (percent)
U.S. No. 1	36.0	97.0	0.1	2.0	2.0
U.S. No. 2	33.0	94.0	0.3	3.0	3.0
U.S. No. 3 ¹	30.0	90.0	1.0	4.0	5.0
U.S. No. 4 ²	27.0	80.0	3.0	5.0	10.0

U.S. Sample grade—

U.S. Sample grade are oats which:

- (a) Do not meet the requirements for the grades U.S. Nos. 1, 2, 3, or 4; or
- (b) Contain 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cocklebur (*Xanthium* spp.) or similar seeds singly or in combination, 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per $1\frac{1}{8}$ to $1\frac{1}{4}$ quarts of oats; or
- (c) Have a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or
- (d) Are heating or otherwise of distinctly low quality.

¹ Oats that are slightly weathered shall be graded not higher than U.S. No. 3.

² Oats that are badly stained or materially weathered shall be graded not higher than U.S. No. 4.