

§ 90.20 Public Safety Pool.

(a) *Eligibility.* The following are eligible to hold authorizations in the Public Safety Pool.

(1) Any territory, possession, state, city, county, town or similar governmental entity is eligible to hold authorizations in the Public Safety Pool to operate radio stations for transmission of communications essential to official activities of the licensee, including:

(i) A district and an authority, but not including a school district or authority or a park district or authority except as provided for in § 90.242;

(ii) A governmental institution authorized by law to provide its own police protection;

(iii) Persons or entities engaged in the provision of basic or advanced life support services on an ongoing basis are eligible to hold authorization to operate stations for transmission of communications essential for the delivery or rendition of emergency medical services for the provision of basic or advanced life support. Applications submitted by persons or organizations (governmental or otherwise) other than the governmental body having jurisdiction over the state's emergency medical service plans must be accompanied by a statement prepared by the governmental body having jurisdiction over the state's emergency medical services plan indicating that the applicant is included in the state's emergency plan or otherwise supporting the application;

(iv) Governmental entities and governmental agencies for their own medical activities; and

(v) Governmental entities and governmental agencies for providing medical services communications to other eligible persons through direct participation in and direct operational control of the system, such as through central dispatch service.

(2) Persons or organizations other than governmental entities are eligible to hold authorizations in the Public Safety Pool to operate radio stations for transmission of communications, as listed below. When requesting frequencies not designated by a "PS" in the coordinator column of the frequency table in paragraph (c)(3) of this

section, applications must be accompanied by a statement from the governmental entity having legal jurisdiction over the area to be served, supporting the request:

(i) Persons or organizations charged with specific fire protection activities;

(ii) Persons or organizations charged with specific forestry-conservation activities;

(iii) Persons or organizations, listed below, engaged in the delivery or rendition of medical services to the public and on a secondary basis, for transmission of messages related to the efficient administration of organizations and facilities engaged in medical services operations:

(A) Hospital establishments that offer services, facilities, and beds for use beyond 24 hours in rendering medical treatment;

(B) Institutions and organizations regularly engaged in providing medical services through clinics, public health facilities, and similar establishments;

(C) Ambulance companies regularly engaged in providing medical ambulance services;

(D) Rescue organizations for the limited purpose of participation in providing medical services;

(E) Associations comprised of two or more of the organizations eligible under paragraph (a)(2)(iii) (A), (B), (C), and (D) of this section, for the purpose of active participation in and direct operational control of the medical services communication activities of such organizations; or

(F) Physicians, schools of medicine, oral surgeons, and associations of physicians or oral surgeons;

(iv) Persons or organizations operating a rescue squad for transmission of messages pertaining to the safety of life or property and urgent messages necessary for the rendition of an efficient emergency rescue service.

(A) Each rescue squad will normally be authorized to operate one base station, and a number of mobile units (excluding hand carried mobile units) not exceeding the number of vehicles actually used in emergency rescue operations.

(B) In addition, each rescue squad will be authorized to operate a number

of hand carried mobile units not exceeding two such units for each radio equipped vehicle actually used in emergency rescue operations.

(v) *Persons with disabilities.* The initial application from a person claiming eligibility under this paragraph shall be accompanied by a statement from a physician attesting to the condition of the applicant or the applicant's child (or ward in case of guardianship).

(A) Any person having a hearing deficiency such that average hearing threshold levels are 90 dB above ANSI (American National Standards Institute) 1969 or ISO (International Standards Organization) 1964 levels and such other persons who submit medical certification of similar hearing deficiency.

(B) Any person having visual acuity corrected to no better than 20/200 in the better eye or having a field of vision of less than 20 degrees.

(C) Any person, who, through loss of limbs or motor function, is confined to a wheelchair, or is non-ambulatory.

(D) Any person actively awaiting an organ transplant.

(E) Parents or guardians of persons under 18 years eligible under paragraphs (a)(2)(v)(A), (a)(2)(v)(B), (a)(2)(v)(C) of this section, or institutions devoted to the care or training of those persons.

(vi) A veterinarian, veterinary clinic, or a school of veterinary medicine for the transmission of messages pertaining to the care and treatment of animals. Each licensee may be authorized to operate one base station and two mobile units. Additional base stations or mobile units will be authorized only on a showing of need.

(vii) Organizations established for disaster relief purposes having an emergency radio communications plan for the transmission of communications relating to the safety of life or property, the establishment and maintenance of temporary relief facilities, and the alleviation of the emergency situation during periods of actual or impending emergency, or disaster, and until substantially normal conditions are restored. In addition, the stations may be used for training exercises, incidental to the emergency communications plan, and for operational communications of the disaster relief organi-

zation or its chapter affiliates. The initial application from a disaster relief organization shall be accompanied by a copy of the charter or other authority under which the organization was established and a copy of its communications plan. The plan shall fully describe the operation of the radio facilities and describe the method of integration into other communications facilities which normally would be available to assist in the alleviation of the emergency condition.

(viii) Persons or organizations operating school buses on a regular basis over regular routes for the transmission of messages pertaining to either the efficient operation of the school bus service or the safety or general welfare of the students they are engaged in transporting. Each school bus operator may be authorized to operate one base station and a number of mobile units not in excess of the total of the number of buses and maintenance vehicles regularly engaged in the school bus operation. Additional base stations or mobile units will be authorized only in exceptional circumstances when the applicant can show a specific need.

(ix) Persons or organizations operating beach patrols having responsibility for life-saving activities for the transmission of messages required for the safety of life or property.

(x) Persons or organizations maintaining establishment in isolated areas where public communications facilities are not available and where the use of radio is the only feasible means of establishing communication with a center of population, or other point from which emergency assistance might be obtained if needed, for the transmission of messages only during an actual or impending emergency endangering life, health or property for the transmission of essential communications arising from the emergency. The transmission of routine or non-emergency communications is strictly prohibited.

(A) *Special eligibility showing.* The initial application requesting a station authorization for an establishment in an isolated area shall be accompanied by a statement describing the status of public communication facilities in the

area of the applicant's establishment; the results of any attempts the applicant may have made to obtain public communication service, and; in the event radio communications service is to be furnished under paragraph (a)(2)(x)(C)(2) of this section, a copy of the agreement involved must be submitted.

(B) *Class and number of stations available.* Persons or organizations in this category may be authorized to operate not more than one fixed station at any isolated establishment and not more than one fixed station in a center of population.

(C) *Communication service rendered and received.* (1) The licensee of a station at any establishment in an isolated area shall make the communication facilities of such station available at no charge to any person desiring the transmission of any communication permitted by paragraph (a) of this section.

(2) For the purpose of providing the communications link desired the licensee of a station at an establishment in an isolated area either may be the licensee of a similar station at another location or may obtain communication service under a mutual agreement from the licensee of any station in the Public Safety Pool or any other station which is authorized to communicate with the fixed station.

(xi) A communications common carrier operating communications circuits that normally carry essential communication of such a nature that their disruption would endanger life or public property is eligible to hold authorizations for standby radio facilities for the transmission of messages only during periods when the normal circuits are inoperative due to circumstances beyond the control of the user. During such periods the radio facilities may be used to transmit any communication which would be carried by the regular circuit. Initial applications for authorization to operate a standby radio facility must include a statement describing radio communication facilities desired, the proposed method of operation, a description of the messages normally being carried, and an explanation of how their disruption will endanger life or public property.

(xii) Communications common carriers for radio facilities to be used in effecting expeditious repairs to interruption of public communications facilities where such interruptions have resulted in disabling intercity circuits or service to a multiplicity of subscribers in a general area. Stations authorized under this section may be used only when no other means of communication is readily available, for the transmission of messages relating to the safety of life and property and messages which are necessary for the efficient restoration of the public communication facilities which have been disrupted.

(xiii) Persons or entities engaged in the provision of basic or advanced life support services on an ongoing basis are eligible to hold authorization to operate stations for transmission of communications essential for the delivery or rendition of emergency medical services for the provision of basic or advanced life support. Applications submitted by persons or organizations (governmental or otherwise) other than the governmental body having jurisdiction over the state's emergency medical service plans must be accompanied by a statement prepared by the governmental body having jurisdiction over the state's emergency medical services plan indicating that the applicant is included in the state's emergency plan or otherwise supporting the application.

(b) *International police radio-communication.* Police licensees which are located in close proximity to the borders of the United States may be authorized to communicate internationally. Request for such authority shall be written and signed and submitted in duplicate. The request shall include information as to the station with which communication will be conducted, and the frequency, power, emission, etc., that will be used. If authorized, such international communication must be conducted in accordance with Article 5 of the Inter-American Radio Agreement, Washington, DC, 1949, which reads as follows:

Article 5. *Police radio stations.* When the American countries authorize their police

§ 90.20

47 CFR Ch. I (10-1-02 Edition)

radio stations to exchange emergency information by radio with similar stations of another country, the following rules shall be applied.

(a) Only police radio stations located close to the boundaries of contiguous countries shall be allowed to exchange this information.

(b) In general, only important police messages shall be handled, such as those which would lose their value, because of slowness and time limitations if sent on other communication systems.

(c) Frequencies used for radiotelephone communications with mobile police units shall not be used for radiotelegraph communications.

(d) Radiotelephone communications shall be conducted only on frequencies assigned for radiotelephony.

(e) Radiotelegraph communications shall be conducted on the following frequencies: 2804 kHz calling, 2808 kHz working, 2812 kHz working, 5195 kHz day calling, 5185 kHz day working, 5140 kHz day working.

(f) The characteristics of police radio stations authorized to exchange information shall be notified to the International Telecommunication Union, Geneva, Switzerland.

(g) The abbreviations contained in Appendix 9 of the Atlantic City Radio Regulations shall be used to the greatest possible extent. Service indications are as follows: "P", priority, for messages that are to be sent immediately, regardless of the number of other messages on file. If no service indication is given, the messages are to be transmitted in the order of receipt.

(h) The message shall contain the preamble, address, text and signature, as follows:

Preamble. The preamble of the message shall consist of the following: The serial number preceded by the letters "NR", service indications, as appropriate; the group count according to standard cable count system; the letters "CK", followed by numerals indicating the number of words contained in the text of the message; Office and country of origin (not abbreviations); Day, month, and hour of filing;

Address. The address must be as complete as possible and shall include the name of the addressee with any supplementary particulars necessary for immediate delivery of the message;

Text. The text may be either in plain language or code;

Signature. The signature shall include the name and title of the person originating the message.

(c) *Public Safety frequencies.* (1) The following table indicates frequencies available for assignment to Public Safety stations, together with the class of station(s) to which they are normally assigned, the specific assignment limitations which are explained in paragraph (d) of this section, and the certified frequency coordinator for each frequency:

(2)(i) The letter symbol(s) listed in the Coordinator column of the frequency table in paragraph (c)(3) of this section specifies the frequency coordinator(s) for each frequency as follows:

(ii) Frequencies without any coordinator specified may be coordinated by any coordinator certified in the Public Safety Pool.

- PF—Fire Coordinator
- PH—Highway Maintenance Coordinator
- PM—Emergency Medical Coordinator
- PO—Forestry-Conservation Coordinator
- PP—Police Coordinator
- PS—Special Emergency Coordinator
- PX—Any Public Safety Coordinator, except the Special Emergency Coordinator

(3) *Frequencies.*

PUBLIC SAFETY POOL FREQUENCY TABLE

Frequency or band	Class of station(s)	Limitations	Coordinator
Kilohertz			
530	1	PX
1610	Base (T.I.S.) ...	1	PX
1630	Base or mobile	PF
1722do	2, 3	PP
1730do	2, 3	PP
2212do	4	PO
2226do	4	PO
2236do	4	PO
2244do	4	PO
2366do	2, 4	PP
2382do	2	PP
2390do	2, 4	PP
2406do	2	PP
2430do	2	PP
2442do	2	PP
2450do	2	PP
2458do	2	PP
2482do	2	PP
2490do	2, 3	PP
2726do	5	PX, PS
3201do	PS
2000 to 3000 ...	Fixed	75	PS
2000 to 10,000	Fixed, base, or mobile.	6	PX
Megahertz			
30.86	Base or mobile	7	PO
30.90do	7	PO
30.94do	7	PO
30.98do	7	PO
31.02do	7	PO
31.06do	7, 8, 9	PO
31.10do	7, 8, 9	PO
31.14do	7, 8, 9	PO
31.18do	8, 9	PO
31.22do	8, 9	PO
31.26do	8, 9	PO
31.30do	8, 9	PO

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
31.34do	8, 9	PO
31.38do	8, 9	PO
31.42do	8, 9	PO
31.46do	8, 9	PO
31.50do	8, 9	PO
31.54do	8, 9	PO
31.58do	8, 9	PO
31.62do	8, 9	PO
31.66do	8, 9	PO
31.70do	8, 9	PO
31.74do	8, 9	PO
31.78do	8, 9	PO
31.82do	8, 9	PO
31.86do	8, 9	PO
31.90do	8, 9	PO
31.94do	8, 9	PO
31.98do	8, 9	PO
33.02do	10	PH, PS
33.04do	PS
33.06do	10	PH, PS
33.08do	PS
33.10do	10	PH, PS
33.42	Mobile or fixed	11	PF
33.44	Base or mobile	PF
33.46	Mobile	PF
33.48	Base or mobile	PF
33.50	Mobile	PF
33.52	Base or mobile	PF
33.54	Mobile	PF
33.56	Base or mobile	PF
33.58	Mobile	PF
33.60	Base or mobile	PF
33.62	Mobile	PF
33.64	Base or mobile	PF
33.66	Mobile	PF
33.68	Base or mobile	PF
33.70do	PF
33.72do	PF
33.74do	PF
33.76do	PF
33.78do	PF
33.80do	PF
33.82do	PF
33.84do	PF
33.86do	PF
33.88do	PF
33.90do	PF
33.92do	PF
33.94do	PF
33.96do	PF
33.98do	PF
35.02	Mobile	12, 77	PS
35.64	Base	13	PS
35.68do	13	PS
37.02	Mobile	PP
37.04	Base or mobile	PP
37.06do	PP
37.08do	PP
37.10do	PX
37.12do	PP
37.14do	PP
37.16do	PP
37.18do	PX
37.20do	PP
37.22do	PP
37.24do	PP
37.26do	PX
37.28do	PP
37.30do	PP
37.32do	PP

Frequency or band	Class of station(s)	Limitations	Coordinator
37.34	Mobile	PP
37.36	Base or mobile	PP
37.38	Mobile	PP
37.40	Base or mobile	PP
37.42	Mobile	PP
37.90	Base or mobile	10	PH, PS
37.92do	PH
37.94do	10	PH, PS
37.96do	PH
37.98do	10	PH, PS
39.02do	PP
39.04do	PP
39.06do	14	PX
39.08do	PP
39.10do	PX
39.12do	PP
39.14do	PP
39.16do	PP
39.18do	PX
39.20do	PP
39.22do	PP
39.24do	PP
39.26	Mobile	PP
39.28	Base or mobile	PP
39.30	Mobile	PP
39.32	Base or mobile	PP
39.34	Mobile	PP
39.36	Base or mobile	PP
39.38	Mobile	PP
39.40	Base or mobile	PP
39.42do	PP
39.44do	PP
39.46do	15	PP
39.48do	PP
39.50do	PX
39.52do	PP
39.54do	PP
39.56do	PP
39.58do	PX
39.60do	PP
39.62do	PP
39.64do	PP
39.66	Mobile	PP
39.68	Base or mobile	PP
39.70	Mobile	PP
39.72	Base or mobile	PP
39.74	Mobile	PP
39.76	Base or mobile	PP
39.78	Mobile	PP
39.80	Base or mobile	PP
39.82do	PX
39.84do	PP
39.86do	PP
39.88do	PP
39.90do	PX
39.92do	PP
39.94do	PP
39.96do	PP
39.98do	PX
42.02do	2, 3, 16	PP
42.04do	2, 3, 16	PP
42.06do	2, 3, 16	PP
42.08do	2, 3, 16	PP
42.10do	2, 3, 16	PP
42.12do	2, 3, 16	PP
42.14do	2, 3, 16	PP
42.16do	2, 3, 16	PP
42.18	Mobile	2, 16	PP
42.20do	2, 16	PP
42.22do	2, 16	PP

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
42.24do	2, 16	PP
42.26do	2, 16	PP
42.28do	2, 16	PP
42.30do	2, 16	PP
42.32	Base or mobile	2, 3, 16	PP
42.34do	2, 3, 16	PP
42.36do	2, 3, 16	PP
42.38do	2, 3, 16	PP
42.40do	2, 3, 16, 27	PP
42.42do	2, 3, 16	PP
42.44do	2, 3, 16	PP
42.46do	2, 3, 16	PP
42.48do	2, 3, 16	PP
42.50do	2, 3, 16	PP
42.52do	2, 3, 16	PP
42.54do	2, 3, 16	PP
42.56do	2, 3, 16	PP
42.58do	2, 3, 16	PP
42.60do	2, 3, 16	PP
42.62do	2, 3, 16	PP
42.64do	2, 3, 16	PP
42.66	Mobile	2, 16	PP
42.68do	2, 16	PP
42.70do	2, 16	PP
42.72do	2, 16	PP
42.74do	2, 16	PP
42.76do	2, 16	PP
42.78do	2, 16	PP
42.80	Base or mobile	13	PP
42.82do	2, 3, 16	PP
42.84do	2, 3, 16	PP
42.86do	2, 3, 16	PP
42.88do	2, 3, 16	PP
42.90do	2, 3, 16	PP
42.92do	2, 3, 16	PP
42.94do	2, 3, 16	PP
43.64	Base	13, 18	PS
43.68do	13	PS
44.62	Base or mobile	2, 3, 16	PP
44.64do		PO
44.66do	2, 3, 16	PP
44.68do		PO
44.70do	2, 3, 16	PP
44.72do		PO
44.74do	2, 3, 16	PP
44.76do		PO
44.78	Mobile	2, 16	PP
44.80	Base or mobile		PO
44.82	Mobile	2, 16	PP
44.84	Base or mobile		PO
44.86	Mobile	2, 16	PP
44.88	Base or mobile		PO
44.90	Mobile	2, 16	PP
44.92	Base or mobile		PO
44.94do	2, 3, 16	PP
44.96do		PO
44.98do	2, 3, 16	PP
45.00do		PO
45.02do	2, 3, 16	PP
45.04do		PO
45.06do	2, 3, 16	PP
45.08do		PX
45.10do		PP
45.12do		PX
45.14do		PP
45.16do		PX
45.18do		PP
45.20do		PX
45.22do		PP

Frequency or band	Class of station(s)	Limitations	Coordinator
45.24do		PX
45.26	Mobile		PP
45.28	Base or mobile		PX
45.30	Mobile		PP
45.32	Base or mobile		PX
45.34	Mobile		PP
45.36	Base or mobile		PX
45.38	Mobile		PP
45.40	Base or mobile		PX
45.42do		PP
45.44do		PX
45.46do		PP
45.48do		PX
45.50do		PP
45.52do		PX
45.54do		PP
45.56do		PX
45.58do		PP
45.60do		PX
45.62do		PP
45.64do		PX
45.66do		PP
45.68do		PH
45.70do		PP
45.72do		PH
45.74	Mobile		PP
45.76	Base or mobile		PH
45.78	Mobile		PP
45.80	Base or mobile		PH
45.82	Mobile		PP
45.84	Base or mobile		PH
45.86do	15	PP
45.88do	19	PF
45.90do	20	PP
45.92do	10	PS
45.94do		PP
45.96do	10	PS
45.98do		PP
46.00do	10	PS
46.02do		PP
46.04do	10	PS
46.06do		PF
46.08do		PF
46.10do		PF
46.12do		PF
46.14do		PF
46.16do		PF
46.18do		PF
46.20do		PF
46.22	Mobile		PF
46.24do		PF
46.26do		PF
46.28do		PF
46.30	Mobile or fixed	11	PF
46.32	Mobile		PF
46.34do		PF
46.36	Base or mobile		PF
46.38do		PF
46.40do		PF
46.42do		PF
46.44do		PF
46.46do		PF
46.48do		PF
46.50do		PF
46.52do		PX
46.54do		PX
46.56do		PX
46.58do		PX
47.02do	21, 22	PH
47.04do	21, 22	PH

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
47.06do	21, 22	PH
47.08do	21, 22	PH
47.10do	21, 22	PH
47.12do	21, 22	PH
47.14do	21, 22	PH
47.16do	21, 22	PH
47.18do	21, 22	PH
47.20do	21, 22	PH
47.22do	21, 22	PH
47.24do	21, 22	PH
47.26do	21, 22	PH
47.28do	21, 22	PH
47.30do	21, 22	PH
47.32do	21, 22	PH
47.34do	21, 22	PH
47.36do	21, 22	PH
47.38do	21, 22	PH
47.40do	21, 22	PH
47.42do	10, 23	PS
47.46do	10	PS
47.50do	10	PS
47.54do	10	PS
47.58do	10	PS
47.62do	10	PS
47.66do	10	PS
72.00 to 76.00	Operational fixed.	24	
72.44	Mobile	25	PF
72.48do	25	PF
72.52do	25	PF
72.56do	25	PF
72.6do	25	PF
75.44do	25	PF
75.48do	25	PF
75.52do	25	PF
75.56do	25	PF
75.6do	25	PF
150 to 170	Base or mobile	26	
150.775	Mobile		PM
150.7825do	27	PM
150.790do		PM
150.7975do		PM
150.805do		PM
150.995	Base or mobile	28	PH
151.0025do	27, 28	PH
151.010do	28	PH
151.0175do	27, 28	PH
151.025do	28	PH
151.0325do	27, 28	PH
151.040do	28	PH
151.0475do	27, 28	PH
151.055do	28	PH
151.0625do	27, 28	PH
151.070do	28	PH
151.0775do	27, 28	PH
151.085do	28	PH
151.0925do	27, 28	PH
151.100do	28	PH
151.1075do	27, 28	PH
151.115do	28	PH
151.1225do	27, 28	PH
151.130do	28, 81	PH
151.1375do	27, 28, 80	PH
151.145do	28, 81	PO
151.1525do	27, 28	PO
151.160do	28	PO
151.1675do	27, 28	PO
151.175do	28	PO
151.1825do	27, 28	PO
151.190do	28	PO

Frequency or band	Class of station(s)	Limitations	Coordinator
151.1975do	27, 28	PO
151.205do	28	PO
151.2125do	27, 28	PO
151.220do	28	PO
151.2275do	27, 28	PO
151.235do	28	PO
151.2425do	27, 28	PO
151.250do	28	PO
151.2575do	27, 28	PO
151.265do	28	PO
151.2725do	27, 28	PO
151.280do	28	PO
151.2875do	27, 28	PO
151.295do	28	PO
151.3025do	27, 28	PO
151.310do	28	PO
151.3175do	27, 28	PO
151.325do	28	PO
151.3325do	27, 28	PO
151.340do	28	PO
151.3475do	27, 28	PO
151.355do	28	PO
151.3625do	27, 28	PO
151.370do	28	PO
151.3775do	27, 28	PO
151.385do	28	PO
151.3925do	27, 28	PO
151.400do	28	PO
151.4075do	27, 28	PO
151.415do	28	PO
151.4225do	27, 28	PO
151.430do	28	PO
151.4375do	27, 28	PO
151.445do	28	PO
151.4525do	27, 28	PO
151.460do	28	PO
151.4675do	27, 28	PO
151.475do	28	PO
151.4825do	27, 28	PO
151.490do	7, 28	PO
151.4975do	7, 27, 28	PO
152.0075	Base	13, 19, 30	PS
153.740	Mobile		PX
153.7475do	27	PX
153.755do		PX
153.7625do	27	PX
153.770do		PF
153.7775do	27	PF
153.785do		PX
153.7925do	27	PX
153.800do		PX
153.8075do	27	PX
153.815do		PX
153.8225do	27	PX
153.830do	31	PF
153.8375do	27, 31	PF
153.845do		PX
153.8525do	27	PX
153.860do		PX
153.8675do	27	PX
153.875do		PX
153.8825do	27	PX
153.890do		PF
153.8975do	27	PF
153.905do		PX
153.9125do	27	PX
153.920do		PX
153.9275do	27	PX
153.935do		PX
153.9425do	27	PX

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
153.950do	PF
153.9575do	27	PF
153.965do	PX
153.9725do	27	PX
153.980do	PX
153.9875do	27	PX
153.995do	PX
154.0025do	27	PX
154.010do	PF
154.0175do	27	PF
154.025	Base or mobile	PX
154.0325do	27	PX
154.040do	28	PX
154.0475do	27, 28	PX
154.055do	28	PX
154.0625do	27, 28	PX
154.070	Mobile	28	PF
154.0775do	27, 28	PF
154.085	Base or mobile	28	PX
154.0925do	27, 28	PX
154.100do	28	PX
154.1075do	27, 28	PX
154.115do	28	PX
154.1225do	27, 28	PX
154.130do	28	PF
154.1375do	27, 28	PF
154.145do	28	PF
154.1525do	27, 28	PF
154.160do	28	PF
154.1675do	27, 28	PF
154.175do	28	PF
154.1825do	27, 28	PF
154.190do	28	PF
154.1975do	27, 28	PF
154.205do	28	PF
154.2125do	27, 28	PF
154.220do	28	PF
154.2275do	27, 28	PF
154.235do	28	PF
154.2425do	27, 28	PF
154.250do	28	PF
154.2575do	27, 28	PF
154.265do	19, 28	PF
154.2725do	19, 27, 28	PF
154.280do	19, 28	PF
154.2875do	19, 27, 28	PF
154.295do	19, 28	PF
154.3025do	19, 27, 28	PF
154.310do	28	PF
154.3175do	27, 28	PF
154.325do	28	PF
154.3325do	27, 28	PF
154.340do	28	PF
154.3475do	27, 28	PF
154.355do	28	PF
154.3625do	27, 28	PF
154.370do	28	PF
154.3775do	27, 28	PF
154.385do	28	PF
154.3925do	27, 28	PF
154.400do	28	PF
154.4075do	27, 28	PF
154.415do	28	PF
154.4225do	27, 28	PF
154.430do	28	PF
154.4375do	27, 28	PF
154.445do	28, 81	PF
154.4525do	27, 28, 80	PF
154.45625	Fixed or mobile	32, 33, 34, 35	PX

Frequency or band	Class of station(s)	Limitations	Coordinator
154.46375do	33, 34, 35, 36, 37	PX
154.47125do	33, 34, 35, 36	PX
154.47875do	33, 34, 35, 37	PX
154.650	Mobile	PP
154.6575do	27	PP
154.665	Base or mobile	16	PP
154.6725do	16, 27	PP
154.680do	16	PP
154.6875do	16, 27	PP
154.695do	16	PP
154.7025do	16, 27	PP
154.710	Mobile	PP
154.7175do	27	PP
154.725	Base or mobile	PP
154.7325do	27	PP
154.740do	PP
154.7475do	27	PP
154.755do	PP
154.7625do	27	PP
154.770	Mobile	PP
154.7775do	27	PP
154.785	Base or mobile	PP
154.7925do	27	PP
154.800do	PP
154.8075do	27	PP
154.815do	PP
154.8225do	27	PP
154.830	Mobile	PP
154.8375do	27	PP
154.845	Base or mobile	PP
154.8525do	27	PP
154.860do	PP
154.8675do	27	PP
154.875do	PP
154.8825do	27	PP
154.890	Mobile	PP
154.8975do	27	PP
154.905	Base or mobile	16	PP
154.9125do	16, 27	PP
154.920do	16	PP
154.9275do	16, 27	PP
154.935do	16	PP
154.9425do	16, 27	PP
154.950	Mobile	PP
154.9575do	27	PP
154.965	Base or mobile	PX
154.9725do	27	PX
154.980do	PX
154.9875do	27	PX
154.995do	PX
155.0025do	27	PX
155.010do	PP
155.0175do	27	PP
155.025do	PX
155.0325do	27	PX
155.040do	PX
155.0475do	27	PX
155.055do	PX
155.0625do	27	PX
155.070do	PP
155.0775do	27	PP
155.085do	PX
155.0925do	27	PX
155.100do	PX
155.1075do	27	PX
155.115do	PX
155.1225do	27	PX

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
155.130do	PP
155.1375do	27	PP
155.145do	PX
155.1525do	27	PX
155.160do	10	PS
155.1675do	10, 27	PS
155.175do	10	PS
155.1825do	10, 27	PS
155.190do	PP
155.1975do	27	PP
155.205do	10	PS
155.2125do	10, 27	PS
155.220do	10	PS
155.2275do	10, 27	PS
155.235do	10	PS
155.2425do	10, 27	PS
155.250do	PP
155.2575do	27	PP
155.265do	10	PS
155.2725do	10, 27	PS
155.280do	10	PS
155.2875do	10, 27	PS
155.295do	10	PS
155.3025do	10, 27	PS
155.310do	PP
155.3175do	27	PP
155.325do	38, 39	PM
155.3325do	27, 38, 39	PM
155.340do	39, 40	PM
155.3475do	27, 39, 40	PM
155.355do	38, 39	PM
155.3625do	27, 38, 39	PM
155.370do	PP
155.3775do	27	PP
155.385do	38, 39	PM
155.3925do	27, 38, 39	PM
155.400do	38, 39	PM
155.4075do	27, 38, 39	PM
155.415do	PP
155.4225do	27	PP
155.430do	PP
155.4375do	27	PP
155.445do	16	PP
155.4525do	16, 27	PP
155.460do	16	PP
155.4675do	16, 27	PP
155.475do	41	PP
155.4825do	27, 41	PP
155.490do	PP
155.4975do	27	PP
155.505do	16	PP
155.5125do	16, 27	PP
155.520do	PP
155.5275do	27	PP
155.535do	PP
155.5425do	27	PP
155.550do	PP
155.5575do	27	PP
155.565do	PP
155.5725do	27	PP
155.580do	PP
155.5875do	27	PP
155.595do	PP
155.6025do	27	PP
155.610do	PP
155.6175do	27	PP
155.625do	PP
155.6325do	27	PP
155.640do	PP
155.6475do	27	PP

Frequency or band	Class of station(s)	Limitations	Coordinator
155.655do	PP
155.6625do	27	PP
155.670do	PP
155.6775do	27	PP
155.685do	PP
155.6925do	27	PP
155.700do	PP
155.7075do	27	PP
155.715do	PX
155.7225do	27	PX
155.730do	PP
155.7375do	27	PP
155.745do	81	PX
155.7525do	27, 80, 83	PX
155.760do	81	PX
155.7675do	27	PX
155.775do	PX
155.7825do	27	PX
155.790do	PP
155.7975do	27	PP
155.805do	PX
155.8125do	27	PX
155.820do	PX
155.8275do	27	PX
155.835do	PX
155.8425do	27	PX
155.850	Mobile	PP
155.8575do	27	PP
155.865	Base or mobile	PX
155.8725do	27	PX
155.880do	PX
155.8875do	27	PX
155.895do	PX
155.9025do	27	PX
155.910	Mobile	PP
155.9175do	27	PP
155.925	Base or mobile	PX
155.9325do	27	PX
155.940do	PX
155.9475do	27	PX
155.955do	PX
155.9625do	27	PX
155.970	Mobile	PP
155.9775do	27	PP
155.985do	PX
155.9925do	27	PX
156.000do	PX
156.0075do	27	PX
156.015do	PX
156.0225do	27	PX
156.030do	PP
156.0375do	27	PP
156.045do	42	PH
156.0525do	27, 42	PH
156.060do	42	PH
156.0675do	27, 42	PH
156.075do	PH
156.0825do	27	PH
156.090do	PP
156.0975do	27	PP
156.105	Base or mobile	PH
156.1125do	27	PH
156.120do	PH
156.1275do	27	PH
156.135do	PH
156.1425do	27	PH
156.150	Mobile	PP
156.1575do	27	PP
156.165	Base or mobile	42, 43	PH
156.1725do	27, 42, 43	PH

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
156.180do	42, 43	PH
156.1875do	27, 42, 43	PH
156.195do	43	PH
156.2025do	27, 43	PH
156.210do		PP
156.2175do	27	PP
156.225do	43	PH
156.2325do	27, 43	PH
156.240do	43, 79	PH
157.450do	13, 45, 30	PS
158.7225do	44	PP
158.730do	81	PP
158.7375do	27, 80	PP
158.745	Base or mobile	81	PX
158.7525do	27	PX
158.760do		PX
158.7675do	27	PX
158.775do		PX
158.7825do	27	PX
158.790	Base or mobile		PP
158.7975do	27	PP
158.805	Base and mobile.		PX
158.8125do	27	PX
158.820do		PX
158.8275do	27	PX
158.835do		PX
158.8425do	27	PX
158.850	Base or mobile		PP
158.8575do	27	PP
158.865	Mobile		PX
158.8725do	27	PX
158.880do		PX
158.8875do	27	PX
158.895do		PX
158.9025do	27	PX
158.910do		PP
158.9175do	27	PP
158.925do		PX
158.9325do	27	PX
158.940do		PX
158.9475do	27	PX
158.955do		PX
158.9625do	27	PX
158.970do		PP
158.9775do	27	PP
158.985do	43	PH
158.9925do	27, 43	PH
159.000do	43	PH
159.0075do	27, 43	PH
159.015do	43	PH
159.0225do	27, 43	PH
159.030do		PP
159.0375do	27	PP
159.045do	43	PH
159.0525do	27, 43	PH
159.060do	43	PH
159.0675do	27, 43	PH
159.075do	43	PH
159.0825do	27, 43	PH
159.090	Base or mobile		PP
159.0975do	27	PP
159.105do	43	PH
159.1125do	27, 43	PH
159.120do	43	PH
159.1275do	27, 43	PH
159.135do	43	PH
159.1425do	27, 43	PH
159.150do		PP
159.1575do	27	PP

Frequency or band	Class of station(s)	Limitations	Coordinator
159.165do	43	PH
159.1725do	27, 43	PH
159.180do		PH
159.1875do	27	PH
159.195do		PH
159.2025do	27	PH
159.210do		PP
159.2175do	27	PP
159.225do		PO
159.2325do	27	PO
159.240do	46	PO
159.2475do	27, 46	PO
159.255do	46	PO
159.2625do	27, 46	PO
159.270do	46	PO
159.2775do	27, 46	PO
159.285do	46	PO
159.2925do	27, 46	PO
159.300do	46	PO
159.3075do	27, 46	PO
159.315do	46	PO
159.3225do	27, 46	PO
159.330do	46	PO
159.3375do	27, 46	PO
159.345do	46	PO
159.3525do	27, 46	PO
159.360do	46	PO
159.3675do	27, 46	PO
159.375do	46	PO
159.3825do	27, 46	PO
159.390do	46	PO
159.3975do	27, 46	PO
159.405do	46	PO
159.4125do	27, 46	PO
159.420do	46	PO
159.4275do	27, 46	PO
159.435do	46	PO
159.4425do	27, 46	PO
159.450do		PO
159.4575do	27	PO
159.465do	81	PO
158.4725do	27, 80	PO
163.250do	13, 30	PS
166.250do	47	PF
169 to 172	Mobile		48
170.150	Base or mobile		47
170.425do	9, 49, 50	PO
170.475do	9, 49, 51	PO
170.575do	9, 49, 50	PO
171.425do	9, 49, 51	PO
171.475do	9, 50, 52	PO
171.575do	9, 49, 51	PO
172.225do	9, 49, 50	PO
172.275do	9, 51, 52	PO
172.375do	9, 49, 50	PO
173.075do	53	PP
173.20375	Fixed or mobile	33, 34, 35, 36	PX
173.210do	34, 35, 36, 54	PX
173.2375do	32, 33, 34, 35	PX
173.2625do	32, 33, 34, 35	PX
173.2875do	32, 33, 34, 35	PX
173.3125do	32, 33, 34, 35	PX
173.3375do	32, 33, 34, 35	PX

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
173.3625do	32, 33, 34, 35.	PX
173.390do	34, 35, 36, 54.	PX
173.39625do	33, 34, 35, 36.	PX
220 to 222	Base and mobile.	55	
220.8025	Base	55	PP, PS
220.8075do	55	PP, PS
220.8125do	55	PP, PS
220.8175do	55	PP, PS
220.8225do	55	PP, PS
220.8275do	55	PP, PS
220.8325do	55	PP, PS
220.8375do	55	PP, PS
220.8425do	55	PP, PS
220.8475do	55	PP, PS
220.9025do	55	PM
220.9075do	55	PM
220.9125do	55	PM
220.9175do	55	PM
220.9225do	55	PM
221.8025	Mobile	55	PP, PS
221.8075do	55	PP, PS
221.8125do	55	PP, PS
221.8175do	55	PP, PS
221.8225do	55	PP, PS
221.8275do	55	PP, PS
221.8325do	55	PP, PS
221.8375do	55	PP, PS
221.8425do	55	PP, PS
221.8475do	55	PP, PS
221.9025do	55	PM
221.9075do	55	PM
221.9125do	55	PM
221.9175do	55	PM
221.9225do	55	PM
450 to 470	Fixed, base, or mobile.	26, 56	
453.0125	Mobile	57, 78	PX
453.03125	Base or mobile	44, 59, 60, 61, 62.	PM
453.0375do	27, 59, 60, 61, 62.	PX
453.04375do	44, 59, 60, 61, 62.	PM
453.050do		PX
453.05625do	44	PX
453.0625do	27	PX
453.06875do	44	PX
453.075	Central control, fixed base, or mobile.	58, 59, 60, 61, 62.	PM
453.08125	Base or mobile	44, 59, 60, 61, 62.	PM
453.0875do	27, 59, 60, 61, 62.	PX
453.09375do	44, 59, 60, 61, 62.	PM
453.100do		PX
453.10625do	44	PX
453.1125do	27	PX
453.11875do	44	PX
453.125	Central control, fixed base, or mobile.	58, 59, 60, 61, 62.	PM
453.13125	Base or mobile	44, 59, 60, 61, 62.	PM

Frequency or band	Class of station(s)	Limitations	Coordinator
453.1375do	27, 59, 60, 61, 62.	PX
453.14375do	44, 59, 60, 61, 62.	PM
453.150do		PX
453.15625do	44	PX
453.1625do	27	PX
453.16875do	44	PX
453.175	Central control, fixed base, or mobile.	58, 59, 60, 61, 62.	PM
453.18125	Base or mobile	44, 59, 60, 61, 62.	PM
453.1875do	27, 59, 60, 61, 62.	PX
453.19375do	44, 59, 60, 61, 62.	PM
453.200do	81	PX
453.20625do	44, 82	PX
453.2125do	27, 80, 83	PX
453.21875do	44, 82	PX
453.225do	81	PX
453.23125do	44	PX
453.2375do	27	PX
453.24375do	44	PX
453.250do		PX
453.25625do	44	PX
453.2625do	27	PX
453.26875do	44	PX
453.275do		PX
453.28125do	44	PX
453.2875do	27	PX
453.29375do	44	PX
453.300do		PX
453.30625do	44	PX
453.3125do	27	PX
453.31875do	44	PX
453.325do		PX
453.33125do	44	PX
453.3375do	27	PX
453.34375do	44	PX
453.350do		PX
453.35625do	44	PX
453.3625do	27	PX
453.36875do	44	PX
453.375do		PX
453.38125do	44	PX
453.3875do	27	PX
453.39375do	44	PX
453.400do		PX
453.40625do	44	PX
453.4125do	27	PX
453.41875do	44	PX
453.425do		PX
453.43125do	44	PX
453.4375do	27	PX
453.44375do	44	PX
453.450do	81	PX
453.45625do	44, 82	PX
453.4625do	27, 80	PX
453.46875do	44, 82	PX
453.475do	81	PX
453.48125do	44	PX
453.4875do	27	PX
453.49375do	44	PX
453.500do		PX
453.50625do	44	PX
453.5125do	27	PX
453.51875do	44	PX
453.525do		PX

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
453.53125do	44	PX
453.5375do	27	PX
453.54375do	44	PX
453.550do	PX
453.55625do	44	PX
453.5625do	27	PX
453.56875do	44	PX
453.575do	PX
453.58125do	44	PX
453.5875do	27	PX
453.59375do	44	PX
453.600do	PX
453.60625do	44	PX
453.6125do	27	PX
453.61875do	44	PX
453.625do	PX
453.63125do	44	PX
453.6375do	27	PX
453.64375do	44	PX
453.650do	PX
453.65625do	44	PX
453.6625do	27	PX
453.66875do	44	PX
453.675do	PX
453.68125do	44	PX
453.6875do	27	PX
453.69375do	44	PX
453.700do	81	PX
453.70625do	44, 82	PX
453.7125do	27, 80	PX
453.71875do	44, 82	PX
453.725do	81	PX
453.73125do	44	PX
453.7375do	27	PX
453.74375do	44	PX
453.750do	PX
453.75625do	44	PX
453.7625do	27	PX
453.76875do	44	PX
453.775do	PX
453.78125do	44	PX
453.7875do	27	PX
453.79375do	44	PX
453.800do	PX
453.80625do	44	PX
453.8125do	27	PX
453.81875do	44	PX
453.825do	PX
453.83125do	44	PX
453.8375do	27	PX
453.84375do	44	PX
453.850do	81	PX
453.85625do	44, 82	PX
453.8625do	27, 80	PX
453.86875do	44, 82	PX
453.875do	81	PX
453.88125do	44	PX
453.8875do	27	PX
453.89375do	44	PX
453.900do	PX
453.90625do	44	PX
453.9125do	27	PX
453.91875do	44	PX
453.925do	PX
453.93125do	44	PX
453.9375do	27	PX
453.94375do	44	PX
453.950do	PX
453.95625do	44	PX
453.9625do	27	PX

Frequency or band	Class of station(s)	Limitations	Coordinator
453.96875do	44	PX
453.975do	PX
453.98125do	44	PX
453.9875do	27	PX
453.99375do	44	PX
458.0125	Mobile	57	PS
458.025	Central control, fixed base, or mobile.	58, 59, 61, 62, 63.	PM
458.03125	Mobile	44, 59, 61, 62.	PM
458.0375do	27, 59, 61, 62.	PX
458.04375do	44, 59, 61, 62.	PM
458.050do	PX
458.05625do	44	PX
458.0625do	27	PX
458.06875do	44	PX
458.075	Central control, fixed base, or mobile.	58, 59, 61, 62, 63.	PM
458.08125	Mobile	44, 59, 61, 62.	PM
458.0875do	27, 59, 61, 62.	PX
458.09375do	44, 59, 61, 62.	PM
458.100do	PX
458.10625do	44	PX
458.1125do	27	PX
458.11875do	44	PX
458.125	Central control, fixed base, or mobile.	58, 59, 61, 62, 63.	PM
458.13125	Mobile	44, 59, 61, 62.	PM
458.1375do	27, 59, 61, 62.	PX
458.14375do	44, 59, 61, 62.	PM
458.150do	PX
458.15625do	44	PX
458.1625do	27	PX
458.16875do	44	PX
458.175	Central control, fixed base, or mobile.	58, 59, 61, 62, 63.	PM
458.18125	Mobile	44, 59, 61, 62.	PM
458.1875do	27, 59, 61, 62.	PX
458.19375do	44, 59, 61, 62.	PM
458.200do	81	PX
458.20625do	44, 82	PX
458.2125do	27, 80, 83	PX
458.21875do	44, 82	PX
458.225do	81	PX
458.23125do	44	PX
458.2375do	27	PX
458.24375do	44	PX
458.250do	PX
458.25625do	44	PX
458.2625do	27	PX
458.26875do	44	PX
458.275do	PX
458.28125do	44	PX
458.2875do	27	PX
458.29375do	44	PX

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
458.300do	PX
458.30625do	44	PX
458.3125do	27	PX
458.31875do	44	PX
458.325do	PX
458.33125do	44	PX
458.3375do	27	PX
458.34375do	44	PX
458.350do	PX
458.35625do	44	PX
458.3625do	27	PX
458.36875do	44	PX
458.375do	PX
458.38125do	44	PX
458.3875do	27	PX
458.39375do	44	PX
458.400do	PX
458.40625do	44	PX
458.4125do	27	PX
458.41875do	44	PX
458.425do	PX
458.43125do	44	PX
458.4375do	27	PX
458.44375do	44	PX
458.450do	81	PX
458.45625do	44, 82	PX
458.4625do	27, 80	PX
458.46875do	44, 82	PX
458.475do	81	PX
458.48125do	44	PX
458.4875do	27	PX
458.49375do	44	PX
458.500do	PX
458.50625do	44	PX
458.5125do	27	PX
458.51875do	44	PX
458.525do	PX
458.53125do	44	PX
458.5375do	27	PX
458.54375do	44	PX
458.550do	PX
458.55625do	44	PX
458.5625do	27	PX
458.56875do	44	PX
458.575do	PX
458.58125do	44	PX
458.5875do	27	PX
458.59375do	44	PX
458.600do	PX
458.60625do	44	PX
458.6125do	27	PX
458.61875do	44	PX
458.625do	PX
458.63125do	44	PX
458.6375do	27	PX
458.64375do	44	PX
458.650do	PX
458.65625do	44	PX
458.6625do	27	PX
458.66875do	44	PX
458.675do	PX
458.68125do	44	PX
458.6875do	27	PX
458.69375do	44	PX
458.700do	PX
458.70625do	44	PX
458.7125do	27	PX
458.71875do	44	PX
458.725do	PX
458.73125do	44	PX

Frequency or band	Class of station(s)	Limitations	Coordinator
458.7375do	27	PX
458.74375do	44	PX
458.750do	PX
458.75625do	44	PX
458.7625do	27	PX
458.76875do	44	PX
458.775do	PX
458.78125do	44	PX
458.7875do	27	PX
458.79375do	44	PX
458.800do	PX
458.80625do	44	PX
458.8125do	27	PX
458.81875do	44	PX
458.825do	PX
458.83125do	44	PX
458.8375do	27	PX
458.84375do	44	PX
458.850do	81	PX
458.85625do	44, 82	PX
458.8625do	27, 80	PX
458.86875do	44, 82	PX
458.875do	81	PX
458.88125do	44	PX
458.8875do	27	PX
458.89375do	44	PX
458.900do	PX
458.90625do	44	PX
458.9125do	27	PX
458.91875do	44	PX
458.925do	PX
458.93125do	44	PX
458.9375do	27	PX
458.94375do	44	PX
458.950do	PX
458.95625do	44	PX
458.9625do	27	PX
458.96875do	44	PX
458.975do	PX
458.98125do	44	PX
458.9875do	27	PX
458.99375do	44	PX
460.0125do	27, 64	PP
460.01875	Base or mobile	44	PP
460.025do	PP
460.03125do	44	PP
460.0375do	27	PP
460.04375do	44	PP
460.050do	PP
460.05625do	44	PP
460.0625do	27	PP
460.06875do	44	PP
460.075do	PP
460.08125do	44	PP
460.0875do	27	PP
460.09375do	44	PP
460.100do	PP
460.10625do	44	PP
460.1125do	27	PP
460.11875do	44	PP
460.125do	PP
460.13125do	44	PP
460.1375do	27	PP
460.14375do	44	PP
460.150do	PP
460.15625do	44	PP
460.1625do	27	PP
460.16875do	44	PP
460.175do	PP
460.18125do	44	PP

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
460.1875do	27	PP
460.19375do	44	PP
460.200do	PP	PP
460.20625do	44	PP
460.2125do	27	PP
460.21875do	44	PP
460.225do	PP	PP
460.23125do	44	PP
460.2375do	27	PP
460.24375do	44	PP
460.250do	PP	PP
460.25625do	44	PP
460.2625do	27	PP
460.26875do	44	PP
460.275do	PP	PP
460.28125do	44	PP
460.2875do	27	PP
460.29375do	44	PP
460.300do	PP	PP
460.30625do	44	PP
460.3125do	27	PP
460.31875do	44	PP
460.325do	PP	PP
460.33125do	44	PP
460.3375do	27	PP
460.34375do	44	PP
460.350do	PP	PP
460.35625do	44	PP
460.3625do	27	PP
460.36875do	44	PP
460.375do	PP	PP
460.38125do	44	PP
460.3875do	27	PP
460.39375do	44	PP
460.400do	PP	PP
460.40625do	44	PP
460.4125do	27	PP
460.41875do	44	PP
460.425do	PP	PP
460.43125do	44	PP
460.4375do	27	PP
460.44375do	44	PP
460.450do	PP	PP
460.45625do	44	PP
460.4625do	27	PP
460.46875do	44	PP
460.475do	PP	PP
460.48125do	44	PP
460.4875do	27	PP
460.49375do	44	PP
460.500do	PP	PP
460.50625do	44	PP
460.5125do	27	PP
460.51875do	44	PP
460.525do	PP, PF, PM	PP, PF, PM
460.53125do	44	PP, PF, PM
460.5375do	27	PP, PF, PM
460.54375do	44	PP, PF, PM
460.550do	PP, PF, PM	PP, PF, PM
460.55625do	44	PP, PF, PM
460.5625do	27	PP, PF, PM
460.56875do	44	PP, PF, PM

Frequency or band	Class of station(s)	Limitations	Coordinator
460.575do	PP	PF
460.58125do	44	PF
460.5875do	27	PF
460.59375do	44	PF
460.600do	PP	PF
460.60625do	44	PF
460.6125do	27	PF
460.61875do	44	PF
460.625do	PP	PF
460.63125do	44	PF
460.6375do	27	PF
460.64375do	44	PF
462.9375	Mobile	57	PS
462.950	Base or mobile	38, 65	PM
462.95625do	38, 44, 65	PM
462.9625do	27, 38, 65	PM
462.96875do	38, 44, 65	PM
462.975do	38, 65	PM
462.98125do	38, 44, 65	PM
462.9875do	27, 38, 65	PM
462.99375do	38, 44, 65	PM
463.000do	59, 66, 67	PM
463.00625do	44, 59, 66, 67	PM
463.0125do	27, 59, 66, 67	PM
463.01875do	44, 59, 66, 67	PM
463.025do	59, 66, 67	PM
463.03125do	44, 59, 66, 67	PM
463.0375do	27, 59, 66, 67	PM
463.04375do	44, 59, 66, 67	PM
463.050do	59, 66, 67	PM
463.05625do	44, 59, 66, 67	PM
463.0625do	27, 59, 66, 67	PM
463.06875do	44, 59, 66, 67	PM
463.075do	59, 66, 76	PM
463.08125do	44, 59, 66, 76	PM
463.0875do	27, 59, 66, 76	PM
463.09375do	44, 59, 66, 76	PM
463.100do	59, 66, 76	PM
463.10625do	44, 59, 66, 76	PM
463.1125do	27, 59, 66, 76	PM
463.11875do	44, 59, 66, 76	PM
463.125do	59, 66, 76	PM
463.13125do	44, 59, 66, 76	PM
463.1375do	27, 59, 66, 76	PM
463.14375do	44, 59, 66, 76	PM
463.150do	59, 66, 76	PM
463.15625do	44, 59, 66, 76	PM
463.1625do	27, 59, 66, 76	PM
463.16875do	44, 59, 66, 76	PM

Federal Communications Commission

§ 90.20

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
463.175do	59, 66, 76	PM
463.18125do	44, 59, 66, 76.	PM
463.1875do	27, 59, 66, 76.	PM
463.19375do	44, 59, 66, 76.	PM
465.0125	Mobile	57	PP
465.025do	PP
465.03125do	44	PP
465.0375do	27	PP
465.04375do	44	PP
465.050do	PP
465.05625do	44	PP
465.0625do	27	PP
465.06875do	44	PP
465.075do	PP
465.08125do	44	PP
465.0875do	27	PP
465.09375do	44	PP
465.100do	PP
465.10625do	44	PP
465.1125do	27	PP
465.11875do	44	PP
465.125do	PP
465.13125do	44	PP
465.1375do	27	PP
465.14375do	44	PP
465.150do	PP
465.15625do	44	PP
465.1625do	27	PP
465.16875do	44	PP
465.175do	PP
465.18125do	44	PP
465.1875do	27	PP
465.19375do	44	PP
465.200do	PP
465.20625do	44	PP
465.2125do	27	PP
465.21875do	44	PP
465.225do	PP
465.23125do	44	PP
465.2375do	27	PP
465.24375do	44	PP
465.250do	PP
465.25625do	44	PP
465.2625do	27	PP
465.26875do	44	PP
465.275do	PP
465.28125do	44	PP
465.2875do	27	PP
465.29375do	44	PP
465.300do	PP
465.30625do	44	PP
465.3125do	27	PP
465.31875do	44	PP
465.325do	PP
465.33125do	44	PP
465.3375do	27	PP
465.34375do	44	PP
465.350do	PP
465.35625do	44	PP
465.3625do	27	PP
465.36875do	44	PP
465.375do	PP
465.38125do	44	PP
465.3875do	27	PP
465.39375do	44	PP
465.400do	PP
465.40625do	44	PP

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
465.4125do	27	PP
465.41875do	44	PP
465.425do	PP
465.43125do	44	PP
465.4375do	27	PP
465.44375do	44	PP
465.450do	PP
465.45625do	44	PP
465.4625do	27	PP
465.46875do	44	PP
465.475do	PP
465.48125do	44	PP
465.4875do	27	PP
465.49375do	44	PP
465.500do	PP
465.50625do	44	PP
465.5125do	27	PP
465.51875do	44	PP
465.525do	PP, PF, PM
465.53125do	44	PP, PF, PM
465.5375do	27	PP, PF, PM
465.54375do	44	PP, PF, PM
465.550	Base or mobile	PP, PF, PM
465.55625do	44	PP, PF, PM
465.5625do	27	PP, PF, PM
465.56875do	44	PP, PF, PM
465.575	Mobile	PF
465.58125do	44	PF
465.5875do	27	PF
465.59375do	44	PF
465.600do	PF
465.60625do	44	PF
465.6125do	27	PF
465.61875do	44	PF
465.625do	PF
465.63125do	44	PF
465.6375do	27	PF
465.64375do	44	PF
467.9375do	57	PS
467.950do	38, 65	PM
467.95625do	38, 44, 65	PM
467.9625do	27, 38, 65	PM
467.96875do	38, 44, 65	PM
467.975do	38, 65	PM
467.98125do	38, 44, 65	PM
467.9875do	27, 38, 65	PM
467.99375do	38, 44, 65	PM
468.000do	59, 66, 67	PM
468.00625do	44, 59, 66, 67.	PM
468.0125do	27, 59, 66, 67.	PM
468.01875do	44, 59, 66, 67.	PM
468.025do	59, 66, 67	PM
468.03125do	44, 59, 66, 67.	PM
468.0375do	27, 59, 66, 67.	PM
468.04375do	44, 59, 66, 67.	PM
468.050do	59, 66, 67	PM

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
468.05625do	44, 59, 66, 67.	PM
468.0625do	27, 59, 66, 67.	PM
468.06875do	44, 59, 66, 67.	PM
468.075do	59, 66, 76	PM
468.08125do	44, 59, 66, 76.	PM
468.0875do	27, 59, 66, 76.	PM
468.09375do	44, 59, 66, 76.	PM
468.100do	59, 66, 76	PM
468.10625do	44, 59, 66, 76.	PM
468.1125do	27, 59, 66, 76.	PM
468.11875do	44, 59, 66, 76.	PM
468.125do	59, 66, 76	PM
468.13125do	44, 59, 66, 76.	PM
468.1375do	27, 59, 66, 76.	PM
468.14375do	44, 59, 66, 76.	PM
468.150do	59, 66, 76	PM
468.15625do	44, 59, 66, 76.	PM
468.1625do	27, 59, 66, 76.	PM
468.16875do	44, 59, 66, 76.	PM
468.175do	59, 66, 76	PM
468.18125do	44, 59, 66, 76.	PM
468.1875do	27, 59, 66, 76.	PM
468.19375do	44, 59, 66, 76.	PM
470 to 512	Base or mobile	68.	
764 to 776	Base, mobile ...	77	PX
794 to 806	Mobile	77	PX
806 to 824do	69.	
851 to 859	Base or mobile	69.	
928 and above	Operational fixed.	70.	
929 to 930	Base only	71.	
1,427 to 1,432	Base, mobile or operational fixed.	O= $x' \leq 72$.	
2,450 to 2,500	Base or mobile	73.	
10,550 to 10,680.do	74.	

state police mobile units may be authorized to use a maximum output power in excess of the maximum indicated in §90.205 but not in excess of 7500 watts: Provided, That such operation is secondary to other stations.

(4) The use of this frequency is on a secondary basis to any Canadian station.

(5) In addition to base and mobile stations, this frequency may be assigned to fixed stations on a secondary basis to base or mobile stations. Upon a showing of need, the use of a second frequency in the band 2505–3500 kHz may be made available to governmental entities through appropriate arrangements with Federal Government agencies for restricted area use on a shared basis with maximum power output, emission, and hours of operation determined on the basis of the technical conditions involved in using the selected frequency in the particular area.

(6) Only the central governments of the fifty individual States, the District of Columbia, and the insular areas of the Commonwealth of the Northern Mariana Islands, the Commonwealth of Puerto Rico, and the unincorporated territories of American Samoa, Guam and the United States Virgin Islands are eligible to be licensed to use this spectrum, and then only for disaster communications purposes. Licensees may not use this spectrum to provide operational communications circuits. See also, §90.264.

(7) This frequency is shared with the Industrial/Business Pool.

(8) This frequency is available for assignment only in accordance with a geographical assignment plan. This frequency may be used for conservation activities on a secondary basis to any station using the frequency for forest fire prevention, detection, and suppression.

(9) This frequency is reserved primarily for assignment to state licensees. Assignments to other licensees will be made only where the frequency is required for coordinated operation with the State system to which the frequency is assigned. Any request for such assignment must be supported by a statement from the State system

(d) Explanation of assignment limitations appearing in the frequency table of paragraph (c)(3) of this section:

(1) This frequency is available for use by Travelers' Information Stations in accordance with §90.242.

(2) The frequency is available for assignment only in accordance with a geographical assignment plan.

(3) Base stations operating on this frequency and rendering service to

concerned, indicating that the assignment is necessary for coordination of activities.

(10) A licensee regularly conducting two-way communication operations on this frequency may, on a secondary basis, also transmit one-way alert-paging signals to ambulance and rescue squad personnel.

(11) The maximum output power of any transmitter authorized to operate on this frequency shall not exceed 10 watts.

(12) This frequency is available in this service only to persons eligible under the provisions of paragraph (a)(2)(v) of this section for operation of transmitters having a maximum power output of three watts using A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, or G2D emission. This frequency is also available in the Industrial/Business Pool on a co-equal basis with the Public Safety licensees.

(13) This frequency will be assigned only for one-way paging communications to mobile receivers. Transmissions for the purpose of activating or controlling remote objects on this frequency are not authorized.

(14) The maximum output power of any transmitter authorized to operate on this frequency, after June 1, 1956, shall not exceed two watts. Licensees holding a valid authorization as of June 1, 1956, for base or mobile station operation on this frequency, with a power in excess of two watts, may continue to be authorized for such operation without regard to this power limitation.

(15) This frequency is reserved for assignment to stations for intersystem operations only: Provided, however, That licensees holding a valid authorization to use this frequency for local base or mobile operations as of June 1, 1956, may continue to be authorized for such use.

(16) This frequency is reserved primarily for assignment to state police licensees. Assignments to other police licensees will be made only where the frequency is required for coordinated operation with the state police system to which the frequency is assigned. Any request for such assignment must be supported by a statement from the state police system concerned indi-

cating that the assignment is necessary for coordination of police activities.

(17) In the State of Alaska only, the frequency 42.40 MHz is available for assignment on a primary basis to stations in the Common Carrier Rural Radio Service utilizing meteor burst communications. The frequency may be used by private radio stations for meteor burst communications on a secondary, noninterference basis. Usage shall be in accordance with part 22 of this chapter or part 90. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.

(18) No new licenses will be granted for one-way paging under §90.487 for use on this frequency after August 1, 1980. This frequency is available to persons eligible for station licenses under the provisions of paragraph (a)(2)(v) of this section on a co-equal basis with one-way paging users under §90.487 prior to August 1, 1985, and on a primary basis after August 1, 1985. Only A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, G2D emissions and power not exceeding 10 watts will be authorized. Antennas having gain greater than 0 dBd will not be authorized. Transmissions shall not exceed two seconds duration.

(19) This frequency is reserved for assignment to stations in this service for intersystem operations only and these operations must be primarily base-mobile communications.

(20) In the State of Alaska only, the frequency 45.90 MHz is available for assignment on a primary basis to private land mobile radio stations utilizing meteor burst communications. The frequency may be used by common carrier stations for meteor burst communications on a secondary, noninterference basis. Usage shall be in accordance with part 22 of this chapter and part 90. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.

(21) This frequency will be assigned only in accordance with a geographical

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

assignment plan and is reserved primarily for assignment to Highway maintenance systems operated by states. The use of this frequency by other Highway maintenance licensees will be authorized only where such use is necessary to coordinate activities with the particular state to which the frequency is assigned. Any request for such use must be supported by a statement from the state concerned.

(22) Notwithstanding the provisions of paragraph (d)(21) of this section, this frequency may be used by any licensees in the Public Safety Pool without a separate license for the purpose of operating self-powered vehicle detectors for traffic control and safety purposes, on a secondary basis, in accordance with § 90.269.

(23) This frequency is reserved for assignment only to national organizations eligible for disaster relief operations under paragraph (a)(2)(vii) of this section.

(24) Assignment and use of frequencies in the band 72–76 MHz are governed by § 90.257 for operational-fixed stations and by § 90.241 for emergency call box operations. Specific frequencies are listed at § 90.257(a)(1).

(25) This frequency is available to Public Safety Pool licensees for fire call box operations on a shared basis in Industrial/Business Pool. All communications on this frequency must be conducted with persons or organizations charged with specific fire protection responsibility. All operations on this frequency are subject to the provisions of § 90.257(b).

(26) Assignment of frequencies in this band are subject to the provisions of § 90.173. Licensees as of August 18, 1995 who operate systems in the 150–170 MHz band that are 2.5 kHz removed from regularly assignable frequencies may continue to operate on a secondary, non-interference basis after August 1, 2003.

(27) This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450–470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

(28) This frequency is not available for assignment in this service in Puerto Rico or the Virgin Islands.

(29) This frequency is removed by 22.5 kHz from frequencies assigned to other radio services. Utilization of this frequency may result in, as well as be subject to, interference under certain operating conditions. In considering the use of this frequency, adjacent channel operations should be taken into consideration. If interference occurs, the licensee may be required to take the necessary steps to resolve the problem. See § 90.173(b).

(30) This frequency will be authorized a channel bandwidth of 25 kHz.

(31) The maximum output power of any transmitter authorized to operate on this frequency shall not exceed 100 watts. Stations authorized prior to July 15, 1992 for fixed operations will be permitted to continue such operations, but at a maximum transmitter power output of 10 watts.

(32) The maximum effective radiated power (ERP) may not exceed 20 watts for fixed stations and 2 watts for mobile stations. The height of the antenna system may not exceed 15.24 meters (50 ft.) above ground. All such operation is on a secondary basis to adjacent channel land mobile operations.

(33) For FM transmitters, the sum of the highest modulating frequency in Hertz and the amount of the frequency deviation or swing in Hertz may not exceed 2800 Hz and the maximum deviation may not exceed 2.5 kHz. For AM transmitters, the highest modulation frequency may not exceed 2000 Hz. The carrier frequency must be maintained within .0005 percent of the center of the frequency band, and the authorized bandwidth may not exceed 6 kHz.

(34) This frequency is available on a shared basis with the Industrial/Business Pool for remote control and telemetry operations.

(35) Operational fixed stations must employ directional antennas having a front-to-back ratio of at least 20 dB. Omnidirectional antennas having unity gain may be employed for stations communicating with at least three receiving locations separated by 160 degrees of azimuth.

(36) The maximum power output of the transmitter may not exceed 50 watts for fixed stations and 1 watt for mobile stations. A1A, A1D, A2B, A2D,

Federal Communications Commission

§ 90.20

F1B, F1D, F2D, G1B, G1D, G2B, or G2D emission may be authorized.

(37) Use of this frequency is limited to stations located at least 120.7 km (75 miles) from the center of any urbanized area of 200,000 or more population (U.S. Census of Population 1970). Operation is on a secondary basis to licensees of the Industrial/Business Pool.

(38) A licensee regularly conducting two-way communications operations on this frequency may, on a secondary basis, also transmit one-way alert-paging signals to ambulance and rescue squad personnel.

(39) In addition to other authorized uses, the use of F1B, F1D, F2B or F2D emission is permitted on this frequency for the operation of biomedical telemetry systems except in the following geographic locations:

(i) New York, N.Y.-Northeastern New Jersey; Los Angeles-Long Beach, Calif.; Chicago, Ill.-Northwestern Indiana; Philadelphia, Pa.-N.J.; Detroit, Mich.; San Francisco-Oakland, Calif.; Boston, Mass.; Washington, D.C.-Md.-Va.; Cleveland, Ohio; St. Louis, Mo.-Ill.; Pittsburgh, Pa.; Minneapolis-St. Paul, Minn.; Houston, Tex.; Baltimore, Md.; Dallas, Tex.; Milwaukee, Wis.; Seattle-Everett, Wash.; Miami, Fla.; San Diego, Calif.; Atlanta, Ga.; Cincinnati, Ohio-Ky.; Kansas City, Mo.-Kans.; Buffalo, N.Y.; Denver, Colo.; San Jose, Calif.; New Orleans, La.; Phoenix, Ariz.; Portland, Oreg.-Wash.; Indianapolis, Ind.; Providence-Pawtucket-Warwick, R.I.-Mass.; Columbus, Ohio; San Antonio, Tex.; Louisville, Ky.-Ind.; Dayton, Ohio; Forth Worth, Tex.; Norfolk-Portsmouth, Va.; Memphis, Tenn.-Miss.; Sacramento, Calif.; Fort Lauderdale-Hollywood, Fla.; Rochester, N.Y.; Tampa-St. Petersburg, Fla;

(ii) The continuous carrier mode of operation may be used for telemetry transmissions on this frequency for periods up to two-minutes duration; following which there must be a break in the carrier for at least a one-minute period; and

(iii) Geographical coordinates for the above-listed urbanized areas may be found at Table 1 of § 90.635.

(40) This frequency may be designated by common consent as an intersystem mutual assistance fre-

quency under an area-wide medical communications plan.

(41) This frequency is available nationwide for use in police emergency communications networks operated under statewide law enforcement emergency communications plans.

(42) This frequency may not be assigned within 161 km (100 miles) of New Orleans (coordinates 29°56'53" N and 90°04'10" W).

(43) This frequency is reserved for assignment for use in highway maintenance systems operated by licenses other than States.

(44) This frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(45) Operations on this frequency are limited to 30 watts transmitter output power.

(46) This frequency is shared with the Industrial/Business Pool in Puerto Rico and the Virgin Islands.

(47) This frequency may be assigned to stations in the Public Safety Pool, only at points within 240 km. (150 mi.) of New York, N.Y.

(48) Frequencies in this band will be assigned for low power wireless microphones in accordance with the provisions of § 90.265.

(49) This frequency will be assigned only to licensees directly responsible for the prevention, detection, and suppression of forest fires, on a secondary basis to any U.S. Government station.

(50) This frequency will be assigned for use only in areas west of the Mississippi River.

(51) This frequency will be assigned for use only in areas east of the Mississippi.

(52) In addition to agencies responsible for forest fire prevention, detection, and suppression, this frequency may be assigned to conservation agencies which do not have forest fire responsibilities on a secondary basis to any U.S. Government stations, *Provided*, That such assignment is necessary to permit mobile relay operation by such agencies.

(53) This frequency is subject to the provisions of paragraph (e)(6) of this section.

(54) For FM transmitters, the sum of the highest modulating frequency in hertz and the amount of the frequency

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

deviation or swing in hertz may not exceed 1700 Hz and the maximum deviation may not exceed 1.2 kHz. For AM transmitters, the highest modulating frequency may not exceed 1200 Hz. The carrier frequency must be maintained within .0005 percent of the center of the frequency band, and the authorized bandwidth may not exceed 3 kHz.

(55) Subpart T of this part contains rules for assignment of frequencies in the 220–222 MHz band.

(56) The frequencies available for use at fixed stations in this band and the requirements for assignment are set forth in § 90.261. Operation on these frequencies is secondary to stations in the Industrial/Business Pool where they are assigned for land mobile operations.

(57) This frequency is available for systems first licensed prior to August 18, 1995. No new systems will be authorized after August 18, 1995, but prior authorized systems may be modified, expanded, and renewed.

(58) This frequency is available for systems first licensed prior to March 31, 1980, for radio call box communications related to safety on highways in accordance with the provisions of § 90.241(c). No new systems will be authorized of this nature, but systems authorized prior to March 31, 1980 may be modified, expanded, and renewed.

(59) The continuous carrier mode of operation may be used for telemetry transmission on this frequency.

(60) Paging licensees as of March 20, 1991, may continue to operate on a primary basis until January 14, 1998.

(61) Highway radio call box operations first licensed prior to March 31, 1980 on this frequency may continue to operate in accordance with paragraph (d)(58) of this section.

(62) This frequency is also authorized for use for operations in biomedical telemetry stations. F1B, F1D, F2B, F2D, F3E, G1B, G1D, G2B, G2D, and G3E emissions may be authorized for biomedical transmissions.

(63) Available for medical services mobile operations in the Public Safety Pool in accordance with paragraph (d)(61) of this section.

(64) Use of this frequency is on a secondary basis and subject to the provisions of § 90.267 (a)(3), (a)(4), (a)(5), and (a)(7).

sions of § 90.267 (a)(3), (a)(4), (a)(5), and (a)(7).

(65) This frequency is primarily authorized for use in the dispatch of medical care vehicles and personnel for the rendition or delivery of medical services. This frequency may also be assigned for intra-system and inter-system mutual assistance purposes. For uniformity in usage these frequency pairs may be referred to by channel name as follows:

Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
462.950	467.950	MED-9
462.95625	467.95625	MED-91
462.9625	467.9625	MED-92
462.96875	467.96875	MED-93
462.975	467.975	MED-10
462.98125	467.98125	MED-101
462.9875	467.9875	MED-102
462.99375	467.99375	MED-103

(66) For applications for new radio systems, the thirty-two frequency pairs listed in paragraph (d)(66)(i) of this section will be assigned in a block for shared operation under § 90.20(a)(1)(iii) or § 90.20(a)(2)(xiii) subject to the following:

(i) For uniformity in usage, these frequency pairs may be referred to by channel name as follows:

Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
463.000	468.000	MED-1
463.00625	468.00625	MED-11
463.0125	468.0125	MED-12
463.01875	468.01875	MED-13
463.025	468.025	MED-2
463.03125	468.03125	MED-21
463.0375	468.0375	MED-22
463.04375	468.04375	MED-23
463.050	468.050	MED-3
463.05625	468.05625	MED-31
463.0625	468.0625	MED-32
463.06875	468.06875	MED-33
46.075	46.075	MED-4
463.08125	468.08125	MED-41
463.0875	468.0875	MED-42
463.09375	468.09375	MED-43
463.100	468.100	MED-5
463.10625	468.10625	MED-51
463.1125	468.1125	MED-52
463.11875	468.11875	MED-53
463.125	468.125	MED-6
463.13125	468.13125	MED-61
463.1375	468.1375	MED-62
463.14375	468.14375	MED-63
463.150	468.150	MED-7
463.15625	468.15625	MED-71
463.1625	468.1625	MED-72
463.16875	468.16875	MED-73
463.175	468.175	MED-8
463.18125	468.18125	MED-81
463.1875	468.1875	MED-82

Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
463.19375	468.19375	MED-83

(ii) Except as provided in paragraphs (d)(66)(iv) and (v) of this section, mobile or portable stations licensed prior to July 6, 2000, must employ equipment that is both wired and equipped to transmit/receive, respectively, on each of the following MED frequency pairs with transmitters operated on the 468 MHz frequencies: MED-1, MED-2, MED-3, MED-4, MED-5, MED-6, MED-7, and MED-8.

(iii) Except as provided in paragraphs (d)(66)(v) and (vi) of this section, mobile or portable stations licensed on or after July 6, 2000, must employ equipment that is both wired and equipped to transmit/receive, respectively, on each of the following MED frequency pairs with transmitters operated on the 468 MHz frequencies: MED-1, MED-12, MED-2, MED-22, MED-3, MED-32, MED-4, MED-42, MED-5, MED-52, MED-6, MED-62, MED-7, MED-72, MED-8, and MED-82.

(iv) Except as provided in paragraphs (d)(66)(v) and (vi) of this section, mobile or portable stations licensed on or after January 1, 2006, must employ equipment that is both wired and equipped to transmit/receive, respectively, on each of these MED frequency pairs with transmitters operated on the 468 MHz frequencies.

(v) Portable (hand-held) units operated with a maximum output power of 2.5 watts are exempted from the multi-channel equipment requirements specified in paragraphs (d)(66)(ii), (d)(66)(iii), and (d)(66)(iv) of this section.

(vi) Stations located in areas above line A, as defined in §90.7 will be required to meet multi-channel equipment requirements only for those frequencies up to the number specified in paragraphs (d)(66)(ii), (d)(66)(iii), and (d)(66)(iv) of this section that have been assigned and coordinates with Canada in accordance with the applicable U.S.-Canada agreement.

(67) This frequency is authorized for use only for operations in biomedical telemetry stations. F1B, F1D, F2B, F2D, F3E, G1B, G1D, G2B, G2D and G3E emissions may be authorized. Entities eligible in the Public Safety Pool may

use this frequency on a secondary basis for any other permissible communications consistent with §90.20(a)(1)(iii) or §90.20(a)(2)(xiii).

(68) Subpart L of this part contains rules for assignment of frequencies in the 470-512 MHz band.

(69) Subpart S of this part contains rules for assignment of frequencies in the 806-824 MHz and 851-869 MHz bands.

(70) Assignment of frequencies above 928 MHz for operational-fixed stations is governed by part 101 of this chapter.

(71) Frequencies in this band are available only for one-way paging operations in accordance with §90.494.

(72) This frequency band is available to stations in this service subject to the provisions of §90.259.

(73) Available only on a shared basis with stations in other services, and subject to no protection from interference due to the operation of industrial, scientific, or medical (ISM) devices. In the 2483.5-2500 MHz band, no applications for new stations or modification to existing stations to increase the number of transmitters will be accepted. Existing licensees as of July 25, 1985, or on a subsequent date following as a result of submitting an application for license on or before July 25, 1985, are grandfathered and their operation is co-primary with the Radiodetermination Satellite Service.

(74) This band is available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this subpart but current licenses will be renewed.

(75) Appropriate frequencies in the band 2000-3000 kHz which are designated in part 80 of this chapter as available to Public Ship Stations for telephone communications with Public Coast Stations may be assigned on a secondary basis to fixed Stations in the Public Safety Pool for communication with Public Coast Stations only, provided such stations are located in the United States and the following conditions are met:

(i) That such fixed station is established pursuant to the eligibility provisions of (§90.47) and that the isolated

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

area involved is an island or other location not more than 480 km (300 statute miles) removed from the desired;

(ii) That evidence is submitted showing that an arrangement has been made with the coast station licensee for the handling of emergency communications permitted by § 80.453 of this chapter and § 90.20(a)(2)(x)(C); and

(iii) That operation of the Public Safety fixed station shall at no time conflict with any provision of part 80 of this chapter and further, that such operation in general shall conform to the practices employed by Public Ship Stations for radiotelephone communication with the same Public Coast Station.

(76) This frequency is authorized only for communications between medical facilities vehicles and personnel related to medical supervision and instruction for the treatment and transport of patients in the rendition or delivery of medical services. F1B, F1D, F2B, F2D, G1B, G1D, G2B, F3E and G3E emissions are authorized. Public Safety entities may use this frequency on a secondary basis for any other permissible communications consistent with § 90.20(a)(1)(iii) or § 90.20(a)(2)(xiii).

(77) Subpart R of this part contains rules for assignment of channels in the 764–776 MHz and 794–806 MHz bands.

(78) Paging operations are not permitted on this frequency.

(79) This frequency will be secondary to marine port operations within 100 miles of Los Angeles (coordinates 34° 03' 15" north latitude and 118° 14' 28" west longitude).

(80) After December 7, 2000 this frequency is available primarily for public safety interoperability only communications. Stations licensed prior to December 7, 2000 may continue to use this frequency on a co-primary basis until January 1, 2005. After January 1, 2005, all operations will be secondary to co-channel interoperability communications.

(81) After December 7, 2000 new stations will only be licensed with an authorized bandwidth not to exceed 11.25 kHz. Licensees authorized prior to December 7, 2000 may continue to use bandwidths wider than 11.25 kHz on a co-primary basis until January 1, 2005. After January 1, 2005, all stations oper-

ating with an authorized bandwidth greater than 11.25 kHz will be secondary to adjacent channel interoperability operations.

(82) This frequency is reserved for assignment only in support of, and on a secondary basis to, nationwide interoperability use.

(83) This interoperability frequency is dedicated for the express purpose of nationwide interoperability calling.

(e) *Additional frequencies available.* In addition to the frequencies shown in the frequency table of this section, the following frequencies are available in this service. (See also § 90.253.)

(1) Substitution of frequencies available below 25 MHz may be made in accordance with the provisions of § 90.263.

(2) Frequencies in the band 73.0–74.6 MHz may be assigned to stations authorized their use on or before December 1, 1961, but no new stations will be authorized in this band, nor will expansion of existing systems be permitted. See also § 90.257.

(3) The frequency bands 31.99 to 32.00 MHz, 33.00 to 33.01 MHz, 33.99 to 34.00 MHz, 37.93 to 38.00 MHz, 39.00 to 39.01 MHz, 39.99 to 40.00 MHz and 42.00 to 42.01 MHz, are available for assignment for developmental operation subject to the provisions of subpart Q of this part.

(4) Frequencies in the 421–430 MHz band are available in the Detroit, Cleveland, and Buffalo areas in accordance with the rules in §§ 90.273 through 90.281.

(5) A Police licensee may use transmitters on the frequencies indicated below in connection with official police activities without specific authorization from the Commission, provided that such use shall be on a secondary basis and shall not cause harmful interference to services of other licensees operating on regularly assigned frequencies, and further provided that all such use complies with the requirements of Federal, State and local laws. The provisions of § 90.429 shall not apply to transmitters authorized under this paragraph. To be eligible for operations in this manner, the transmitter must comply with all of the following requirements.

(i) In accordance with § 90.203 and § 2.803 of this chapter, the transmitter

Federal Communications Commission

§ 90.20

must be of a type which has been certified by the Commission.

(ii) The carrier frequency shall be within the bands listed below and must be maintained within 0.005 percent of the frequency of operation. Use on assigned channel center frequencies is not required.

30.85-30.87 MHz	31.97-32.00 MHz
30.89-30.91 MHz	33.00-33.03 MHz
30.93-30.95 MHz	33.05-33.07 MHz
30.97-30.99 MHz	33.41-34.00 MHz
31.01-31.03 MHz	37.00-37.43 MHz
31.05-31.07 MHz	37.89-38.00 MHz
31.09-31.11 MHz	39.00-40.00 MHz
31.13-31.15 MHz	42.00-42.91 MHz
31.17-31.19 MHz	44.61-45.91 MHz
31.21-31.23 MHz	45.93-45.95 MHz
31.25-31.27 MHz	45.97-45.99 MHz
31.29-31.31 MHz	46.01-46.03 MHz
31.33-31.35 MHz	46.05-46.60 MHz
31.37-31.39 MHz	47.00-47.41 MHz
31.41-31.43 MHz	150.995-151.490 MHz
31.45-31.47 MHz	153.740-154.445 MHz
31.49-31.51 MHz	154.635-155.195 MHz
31.53-31.55 MHz	155.415-156.250 MHz
31.57-31.59 MHz	158.715-159.465 MHz
31.61-31.63 MHz	453.0125-453.9875 MHz
31.65-31.67 MHz	458.0125-458.9875 MHz
31.69-31.71 MHz	460.0125-460.5125 MHz
31.73-31.75 MHz	460.5625-460.6375 MHz
31.77-31.79 MHz	462.9375-462.9875 MHz
31.81-31.83 MHz	465.0125-465.5125 MHz
31.85-31.87 MHz	465.5625-465.6375 MHz
31.89-31.91 MHz	467.9375-467.9875 MHz
31.93-31.95 MHz	

(iii) The emitted signal shall be non-voice modulation (type PO emission).

(iv) The maximum occupied bandwidth, containing 99 percent of the radiated power, shall not exceed 2.0 kHz.

(v) The transmitter output power shall not exceed a mean power of 30 mW nor shall any peak exceed 1 watt peak power, as measured into a 50 ohm resistive load. Should the transmitter be supplied with a permanently attached antenna or should the transmitter and antenna combination be contained in a sealed unit, the following standard may be used in lieu of the above: the field strength of the fundamental signal of the transmitter and antenna combination shall not exceed 0.4 V/m mean or 2.3 V/m peak when measured at a distance of 3 meters.

(vi) The transmitter shall contain positive means to limit the transmission time to no more than 10 days. In the event of a malfunction of this positive means, the transmitter signal

shall cease. The use of battery life to accomplish the transmission time limitation is permissible.

(6) The frequency 173.075 MHz is available for stolen vehicle recovery systems on a shared basis with the Federal Government. Stolen vehicle recovery systems are limited to recovering stolen vehicles and are not authorized for general purpose vehicle tracking or monitoring. Mobile transmitters operating on this frequency are limited to 2.5 watts power output and base transmitters are limited 300 watts ERP. F1D and F2D emissions may be used within a maximum authorized 20 kHz bandwidth. Transmissions from mobiles shall be limited to 200 milliseconds every 10 seconds, except that when a vehicle is being tracked actively, transmissions may be increased to 200 milliseconds every second. Transmissions from base stations will be limited to a total time of 1 second every minute. Applications for base stations operating on this frequency shall require coordination with the Federal Government. Applicants shall perform an analysis for each base station located within 169 km (105 miles) of a TV channel 7 transmitter of potential interference to TV channel 7 viewers. Such stations will be authorized if the applicant has limited the interference contour to fewer than 100 residences or if the applicant:

(i) Shows that the proposed site is the only suitable location;

(ii) Develops a plan to control any interference caused to TV reception from the operations; and

(iii) Agrees to make such adjustments in the TV receivers affected as may be necessary to eliminate interference caused by its operations. The licensee must eliminate any interference caused by its operation to TV channel 7 reception within 30 days of the time it is notified in writing by the Commission. If this interference is not removed within the 30-day period, operation of the base station must be discontinued. The licensee is expected to help resolve all complaints of interference.

(f) Limitation on number of frequencies assignable. Normally only two frequencies or pairs of frequencies in the paired frequency mode of operation

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

will be assigned for mobile service operations by a single applicant in a given area. The assignment of an additional frequency or pair of frequencies will be made only upon a satisfactory showing of need, except that:

(1) Additional frequencies above 25 MHz may be assigned in connection with the operation of mobile repeaters in accordance with § 90.247 notwithstanding this limitation;

(2) The frequency 39.06 MHz may be assigned notwithstanding this limitation;

(3) Frequencies in the 25–50 MHz, 150–170 MHz, 450–512 MHz and 902–928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M of this part, notwithstanding this limitation;

(4) A licensee of a radio station in this service may operate radio units for the purpose of determining distance, direction, speed, or position by means of a radiolocation device on any frequency available for radiolocation purposes without additional authorization from the Commission, provided type accepted equipment or equipment authorized pursuant to §§ 90.203(b)(4) and (b)(5) of this part is used, and all other rule provisions are satisfied. A licensee in this service may also operate, subject to all of the foregoing conditions and on a secondary basis, radio units at fixed locations and in emergency vehicles that transmit on the frequency 24.10 GHz, both unmodulated continuous wave radio signals and modulated FM digital signals for the purpose of alerting motorists to hazardous driving conditions or the presence of an emergency vehicle. Unattended and continuous operation of such transmitters will be permitted.

(5) A Police licensee may use, without special authorization from the Commission, any mobile service frequency between 40 and 952 MHz, listed in paragraph (c)(3) of this section, for communications in connection with physical surveillance, stakeouts, raids, and other such activities. Such use shall be on a secondary basis to operations of licensees regularly authorized on the assigned frequencies. The maximum output power that may be used for such communications is 2 watts.

Transmitters, operating under this provision of the rules, shall be exempted from the station identification requirements of § 90.425. Use of frequencies not designated by a “PP” in the coordinator column of the frequency table in paragraph (c)(3) of this section, is conditional on the approval of the coordinator corresponding to each frequency. Spread spectrum transmitters may be operated on Public Safety Pool frequencies between 37 and 952 MHz, providing that they are certificated by the Commission under the provisions of § 2.803 of this chapter and § 90.203, and meet the following conditions:

(i) Frequency hopping transmitters can be operated, with a maximum output power of 2 watts, on any Public Safety Pool frequency between 37 and 952 MHz listed in paragraph (c)(3) of this section. At least 20 hopping frequencies shall be used and the average time of occupancy on any frequency shall not be greater than $\frac{1}{10}$ second in every 2 seconds;

(ii) Use of spread spectrum transmitters under paragraph (f)(4) of this section is subject to approval by the applicable frequency coordinator of the radio services of the district in which the license and equipment are to be used; and

(iii) The use of direct sequence spread spectrum equipment is also permitted. Equipment must meet the technical standards of § 15.247 of this chapter.

(6) In addition to the frequencies assigned for mobile service operation, one base station frequency above 152 MHz may be assigned as a common frequency to all licensees in a particular area to permit intersystem communication between base stations or mobile stations or both. This frequency use will not be authorized in any area where all available frequencies are required for independent systems.

(7) A licensee may use, without a specific authorization from the Commission, transmitters on the frequencies indicated below in connection with wildlife tracking and/or telemetry and in connection with official forestry-conservation activities, provided that such use shall be on a secondary basis and shall not cause harmful interference to services of other licensees

operating on regularly assigned frequencies. The provisions of §90.203, §90.425, and §90.429 shall not apply to transmitters complying with this paragraph. To be eligible for operations in this manner, the transmitter must comply with all of the following requirements.

(i) The carrier frequency shall be within the bands listed below. The carrier frequency must be maintained within 0.005 percent of the frequency of operation.

Use on assigned channel center frequencies is not required.

(MHz)	
31.17 to 31.19	31.85 to 31.87
31.21 to 31.23	31.89 to 31.91
31.25 to 31.27	31.93 to 31.95
31.29 to 31.31	31.97 to 31.99
31.33 to 31.35	44.63 to 44.65
31.37 to 31.39	44.67 to 44.69
31.41 to 31.43	44.71 to 44.73
31.45 to 31.47	44.75 to 44.77
31.49 to 31.51	44.79 to 44.81
31.53 to 31.55	44.83 to 44.85
31.57 to 31.59	44.87 to 44.89
31.61 to 31.63	44.91 to 44.93
31.65 to 31.67	44.95 to 44.97
31.69 to 31.71	44.99 to 45.01
31.73 to 31.75	45.03 to 45.05
31.77 to 31.79	151.145 to 151.475
31.81 to 31.83	159.225 to 159.465

(ii) The emitted signal shall be non-voice modulation (A1D, A2D, F1D, or F2D emission).

(iii) The maximum occupied bandwidth, containing 99 percent of the radiated power, shall not exceed 0.25 kHz.

(iv) The transmitter output power shall not exceed a mean power of 5 mW nor shall any peak exceed 100 mW peak power, as measured into a permanently attached antenna; or if the transmitter and antenna combination are contained in a sealed unit, the field strength of the fundamental signal of the transmitter and antenna combination shall not exceed 0.29 V/m mean or 1.28 V/m peak when measured at a distance of 3 meters.

(v) The requirements of §90.175 regarding frequency coordination apply.

(8) An additional frequency may be assigned for paging operations from those frequencies available under paragraph (d)(13) of this section.

(9) The frequency 155.340 MHz may be assigned as an additional frequency

when it is designated as a mutual assistance frequency as provided in paragraph (d)(40) of this section.

(10) Additional frequencies may be assigned for fixed station operations.

(11) The assignment of an additional frequency or frequencies may be authorized notwithstanding this limitation for common, intra-county, intra-fire-district, or intrastate fire coordination operations. The frequency or frequencies requested must be in accordance with a frequency utilization plan, for the area involved, on file with the Commission.

(g) Former public correspondence working channels in the maritime VHF (156–162 MHz) band allocated for public safety use in 33 inland Economic Areas.

(1) We define service areas in the marine VHF (156–162 MHz) band by forty-two geographic areas called VHF Public Coast Service Areas (VPCSAs). See §80.371(c)(1)(ii) of this chapter (Public correspondence frequencies). VPCSAs are based on, and composed of one or more of, the U.S. Department of Commerce's 172 Economic Areas (EAs). See 60 Fed Reg. 13114 (Mar. 10, 1995). You may inspect and copy maps of the EAs and VPCSAs at the FCC Reference Center, Room CY A-257, 445 12th St., S.W., Washington, DC 20554. These maps and data are also available on the FCC website at <http://www.fcc.gov/oet/info/maps/areas/>. We number public correspondence channels in the maritime VHF (156–162 MHz) band as channels 24 to 28 and channels 84 to 88. Each channel number represents a channel pair. See §80.371(c) of this chapter.

(2) We allocated two contiguous 25 kHz public correspondence channels in the maritime VHF (156–162 MHz) band for public safety use in 33 VPCSAs that are not near major waterways. These 33 VPCSAs are located in an inland region stretching from the western Great Plains to eastern California and Oregon. Each of these 33 inland VPCSAs corresponds to a single EA. Channel pairs 25, 84, and 85 are paired 25 kHz bandwidth channels as set forth in paragraph (g)(2)(i) Table A of this section. In each of the 33 inland VPCSAs/EAs listed in paragraph (g)(2)(i) Table B of this section, two of these three channel pairs are allocated for public safety

§ 90.20

47 CFR Ch. I (10–1–02 Edition)

use by entities eligible for licensing under paragraph (a) of this section. Certified Coordinators Table A as follows:

(i) Channel Numbers and Corresponding Center Frequencies, and

TABLE A.—LIST OF CHANNEL NUMBERS AND CORRESPONDING CENTER FREQUENCIES, AND CERTIFIED COORDINATORS

Channel No.	Mobile station transmit center frequency in MHz	Base station transmit center frequency in MHz	Coordinator
25	157.250	161.850	PX
84	157.225	161.825	PX
85	157.275	161.875	PX

(ii) Channels Allocated for Public Safety Use in 33 Inland VPCSAs/Eas Table B as follows:

TABLE B.—LIST OF CHANNELS ALLOCATED FOR PUBLIC SAFETY USE IN 33 INLAND VPCSAs/EAS

VHF public coast service area	Name	Economic area	Public safety channel pairs
10	Grand Forks	110	25, 84
11	Minot	111	25, 84
12	Bismarck	112	25, 84
13	Aberdeen	114	25, 84
14	Rapid City	115	25, 84
15	North Platte	121	25, 84
16	Western Oklahoma	126	25, 85
17	Abilene	128	25, 85
18	San Angelo	129	25, 85
19	Odessa-Midland	135	25, 85
20	Hobbs	136	25, 85
21	Lubbock	137	25, 85
22	Amarillo	138	25, 85
23	Santa Fe	139	25, 84
24	Pueblo	140	25, 84
25	Denver-Boulder-Greeley	141	25, 84
26	Scottsbluff	142	25, 84
27	Casper	143	25, 84
28	Billings	144	25, 84
29	Great Falls	145	25, 84
30	Missoula	146	25, 84
31	Idaho Falls	148	25, 85
32	Twin Falls	149	25, 85
33	Boise City	150	25, 84
34	Reno	151	25, 84
35	Salt Lake City-Ogden	152	25, 85
36	Las Vegas	153	25, 84
37	Flagstaff	154	25, 84
38	Farmington	155	25, 84
39	Albuquerque	156	25, 84
40	El Paso	157	25, 85
41	Phoenix-Mesa	158	25, 84
42	Tucson	159	25, 84

(3) The channels pairs set forth in Table B paragraph (g)(2)(ii) of this section are designated primarily for the purpose of interoperability communication.

(4) Channel pairs 25, 84, and 85 as listed in Table B paragraph (g)(2)(ii) of this section were formerly allocated and assigned (under §80.371(c) (1997) of

this chapter) as public correspondence working channels in the maritime VHF 156–162 MHz band; these channels were also shared (under former §90.283 (1997) of this chapter) with private land radio mobile stations including grandfathered public safety licensees). Thus, there are grandfathered licensees nationwide (maritime and private land

mobile radio stations, including by rule waiver) operating on these channels both inside and outside of the 33 EAs listed in Table B paragraph (g)(2)(ii) of this section

(5) All applicants and licensees under this paragraph must comply with the relevant technical sections under this part unless otherwise stated in this paragraph (g) of this section using the following standards and procedures:

(i) Provide evidence of frequency coordination in accordance with §90.175. Public safety coordinators except the Special Emergency Coordinator are certified to coordinate applications for the channels pairs set forth in Table B paragraph (g)(2)(ii) (*i.e.*, letter symbol PX under paragraph (c)(2) of this section).

(ii) Station power, as measured at the output terminals of the transmitter, must not exceed 50 Watts for base stations and 20 Watts for mobile stations, except in accordance with the provisions of paragraph (g)(5)(vi) of this section. Antenna height (HAAT) must not exceed 122 meters (400 feet) for base stations and 4.5 meters (15 feet) for mobile stations, except in accordance with paragraph (g)(5)(vi) of this section. Antenna height (HAAT) must not exceed 122 meters (400 feet) for base stations and 4.5 meters (15 feet) for mobile stations, except in accordance with paragraph (g)(5)(vi) of this section. Such base and mobile

channels shall not be operated on board aircraft in flight.

(iii) Frequency protection must be provided to other stations in accordance with the following guidelines for each channel and for each area and adjacent area:

(A) Protect coast stations licensed prior to July 6, 1998, by the required separations shown in Table C below.

(B) Protect stations described in paragraph (g)(4) of this section, by frequency coordination in accordance with §90.175 of this part.

(C) Protect public safety stations granted under paragraph (g) of this section by frequency coordination in accordance with §90.175 of this part.

(D) *Where the Public safety designated channel is not a Public Safety designated channel in an adjacent EA:* Applicants shall engineer base stations such that the maximum signal strength at the boundary of the adjacent EA does not exceed 5 dBµV/m.

(iv) The following table, along with the antenna height (HAAT) and power (ERP), must be used to determine the minimum separation required between proposed base stations and co-channel public coast stations licensed prior to July 6, 1998 under Part 80 of this chapter. Applicants whose exact ERP or HAAT are not reflected in the table must use the next highest figure shown.

TABLE C.—REQUIRED SEPARATION IN KILOMETERS (MILES) OF BASE STATION FROM PUBLIC COAST STATIONS

Base Station Characteristics					
HAAT	ERP (watts)				
Meters (feet)	400	300	200	100	50
15 (50)	138 (86)	135 (84)	129 (80)	129 (80)	116 (72)
30 (100)	154 (96)	151 (94)	145 (90)	137 (85)	130 (81)
61 (200)	166 (103)	167 (104)	161 (100)	153 (95)	145 (90)
122 (400)	187 (116)	177 (110)	183 (114)	169 (105)	159 (99)

(v) In the event of interference, the Commission may require, without a hearing, licensees of base stations authorized under this section that are located within 241 kilometers (150 miles) of a co-channel public coast, I/LT, or grandfathered public safety station licensed prior to July 6, 1998, or an international border, to reduce power, de-

crease antenna height, and/or install directional antennas.

Mobile stations must be operated only within radio range of their associated base station.

(vi) Applicants seeking to be licensed for stations exceeding the power/antenna height limits of the table in paragraph (g)(5)(iv) of this section

§ 90.22

must request a waiver of that paragraph and must submit with their application an interference analysis, based upon an appropriate, generally-accepted terrain-based propagation model, that shows that co-channel protected entities, described in paragraph (g)(5)(iii) of this section, would receive the same or greater interference protection than the relevant criteria outlined in paragraph (g)(5)(iii) of this section.

[62 FR 18845, Apr. 17, 1997, as amended at 63 FR 36608, July 7, 1998; 63 FR 58651, Nov. 2, 1998; 64 FR 10397, Mar. 4, 1999; 64 FR 36261, July 6, 1999; 65 FR 38326, June 20, 2000; 65 FR 43715, 43716, July 14, 2000; 65 FR 60874, Oct. 13, 2000; 65 FR 66650, Nov. 7, 2000; 67 FR 41858, June 20, 2002]

§ 90.22 Paging operations.

Unless specified elsewhere in this part, paging operations may be authorized in the Public Safety Pool on any frequency except those assigned under the provisions of § 90.20(d)(78). Paging operations on frequencies subject to § 90.20(d)(78) authorized before August 17, 1974, may be continued only if they do not cause harmful interference to regular operations on the same frequencies. Such paging operations may be renewed indefinitely on a secondary basis to regular operations, except within 125 km (75 mi) of the following urbanized areas:

Urbanized area	North latitude	West longitude
New York, NY-Northeastern NJ	40-45-06.4	73-59-37.5
Los Angeles-Long Beach, CA	34-03-15.0	118-14-31.3
Chicago, IL	41-52-28.1	87-38-22.2
Philadelphia, PA-NJ	39-56-58.4	75-09-19.6
Detroit, MI	42-19-48.1	83-02-56.7
San Francisco-Oakland, CA	37-46-38.7	122-24-43.9
Boston, MA	42-21-24.4	71-03-23.2
Washington, DC-MD-VA	38-53-51.4	77-00-31.9
Cleveland, OH	41-29-51.2	81-41-49.5
St Louis, MO-IL	38-37-45.2	90-12-22.4
Pittsburgh, PA	40-26-19.2	79-59-59.2
Minneapolis-St Paul, MN	44-58-56.9	93-15-43.8
Houston, TX	29-45-26.8	95-21-37.8

47 CFR Ch. I (10-1-02 Edition)

Urbanized area	North latitude	West longitude
Baltimore, MD	39-17-26.4	76-36-43.9
Dallas, TX	32-47-09.5	96-47-38.0
Milwaukee, WI	43-02-19.0	87-54-15.3
Seattle-Everett, WA	47-36-31.4	122-20-16.5
Miami, FL	25-46-38.4	80-11-31.2
San Diego, CA	32-42-53.2	117-09-24.1
Atlanta, GA	33-45-10.4	84-23-36.7
Cincinnati, OH-KY	39-06-7.2	84-30-34.8
Kansas City, MO-KS	39-04-56.0	94-35-20.8
Buffalo, NY	42-52-52.2	78-52-20.1
Denver, CO	39-44-58.0	104-59-23.9

[63 FR 68959, Dec. 14, 1998, as amended at 64 FR 36262, July 6, 1999; 65 FR 60874, Oct. 13, 2000]

Subpart C—Industrial/Business Radio Pool

SOURCE: 62 FR 18874, Apr. 17, 1997, unless otherwise noted.

§ 90.31 Scope.

The Industrial/Business Radio Pool covers the licensing of the radio communications of entities engaged in commercial activities, engaged in clergy activities, operating educational, philanthropic, or ecclesiastical institutions, or operating hospitals, clinics, or medical associations. Rules as to eligibility for licensing, frequencies available, permissible communications and classes and number of stations, and any special requirements are set forth in the following sections.

§ 90.33 General eligibility.

(a) In addition to the eligibility shown in the Industrial/Business Pool, eligibility is also provided for any corporation proposing to furnish nonprofit radiocommunication service to its parent corporation, to another subsidiary of the same parent, or to its own subsidiary. This corporate eligibility is not subject to the cooperative use provision of § 90.179.

(b) Eligibility is also provided for a nonprofit corporation or association