

**452.236-71**

award on such combination of bid items does not exceed the amount offered by any other conforming responsible bidder for the same combination of bid items.

(End of clause)

**452.236-71 Prohibition Against the Use of Lead-Based Paint.**

As prescribed in 436.571, insert the following clause:

PROHIBITION AGAINST THE USE OF LEAD-BASED PAINT (NOV 1996)

Neither the Contractor nor any subcontractor performing under this contract shall use paints containing more than 0.06 of 1 percent lead by weight (calculated as lead metal) in the total nonvolatile content of the paint, or the equivalent measure of lead in the dried film of paint already applied, or both.

(End of clause)

**452.236-72 Use of Premises.**

As prescribed in 436.572, insert the following clause:

USE OF PREMISES (NOV 1996)

(a) Before any camp, quarry, borrow pit, storage, detour, or bypass site, other than shown on the drawings, is opened or operated on USDA land or lands administered by the USDA, the Contractor shall obtain written permission from the Contracting Officer. A camp is interpreted to include a campsite or trailer parking area of any employee working on the project for the Contractor.

(b) Unless excepted elsewhere in the contract, the Contractor shall (i) provide and maintain sanitation facilities for the work force at the site and (ii) dispose of solid waste in accordance with applicable Federal, State and local regulations.

(End of clause)

**452.236-73 Archaeological or Historic Sites.**

As prescribed in 436.573, insert the following clause:

ARCHAEOLOGICAL OR HISTORIC SITES (FEB 1988)

If a previously unidentified archaeological or historic site(s) is encountered, the Contractor shall discontinue work in the general area of the site(s) and notify the Contracting Officer immediately.

**48 CFR Ch. 4 (10-1-02 Edition)**

(End of clause)

**452.236-74 Control of Erosion, Sedimentation, and Pollution.**

As prescribed in 436.574, insert the following clause:

CONTROL OF EROSION, SEDIMENTATION, AND POLLUTION (NOV 1996)

(a) Operations shall be scheduled and conducted to minimize erosion of soils and to prevent silting and muddying of streams, rivers, irrigation systems, and impoundments (lakes, reservoirs, etc.).

(b) Pollutants such as fuels, lubricants, bitumens, raw sewage, and other harmful materials shall not be discharged on the ground; into or nearby rivers, streams, or impoundments; or into natural or man-made channels. Wash water or waste from concrete or aggregate operations shall not be allowed to enter live streams prior to treatment by filtration, settling, or other means sufficient to reduce the sediment content to not more than that of the stream into which it is discharged.

(c) Mechanized equipment shall not be operated in flowing streams without written approval by the Contracting Officer.

(End of clause)

**452.236-75 Maximum Workweek—Construction Schedule.**

As prescribed in 436.575, insert the following clause:

MAXIMUM WORKWEEK—CONSTRUCTION SCHEDULE (NOV 1996)

Within \_\_\_ calendar days after receipt of a written request from the Contracting Officer, the Contractor must submit the following in writing for approval:

(a) A schedule as required by FAR clause 52.236-15, Schedules for Construction Contracts, and

(b) The hours (including the daily starting and stopping times) and days of the week the Contractor proposes to carry out the work.

The maximum workweek that will be approved is \_\_\_\*.

(End of clause)

*\*Contracting Officer shall insert appropriate number of days and hours and/or days.*

**452.236-76 Samples and Certificates.**

As prescribed in 436.576, insert the following clause: