

space heating, or any combination of the three;

(2) The climatic location of the housing projects;

(3) The size of the dwelling units and the number of occupants per dwelling unit;

(4) Type of construction and design of the housing project;

(5) The energy efficiency of PHA-supplied appliances and equipment;

(6) The utility consumption requirements of appliances and equipment whose reasonable consumption is intended to be covered by the total resident payment;

(7) The physical condition, including insulation and weatherization, of the housing project;

(8) Temperature levels intended to be maintained in the unit during the day and at night, and in cold and warm weather; and

(9) Temperature of domestic hot water.

(e) If a PHA installs air conditioning, it shall provide, to the maximum extent economically feasible, systems that give residents the option of choosing to use air conditioning in their units. The design of systems that offer each resident the option to choose air conditioning shall include retail meters or checkmeters, and residents shall pay for the energy used in its operation. For systems that offer residents the option to choose air conditioning, the PHA shall not include air conditioning in the utility allowances. For systems that offer residents the option to choose air conditioning but cannot be checkmetered, residents are to be surcharged in accordance with § 965.506. If an air conditioning system does not provide for resident option, residents are not to be charged, and these systems should be avoided whenever possible.

§ 965.506 Surcharges for excess consumption of PHA-furnished utilities.

(a) For dwelling units subject to allowances for PHA-furnished utilities where checkmeters have been installed, the PHA shall establish surcharges for utility consumption in excess of the allowances. Surcharges may be computed on a straight per unit of

purchase basis (e.g., cents per kilowatt hour of electricity) or for stated blocks of excess consumption, and shall be based on the PHA's average utility rate. The basis for calculating such surcharges shall be described in the PHA's schedule of allowances. Changes in the dollar amounts of surcharges based directly on changes in the PHA's average utility rate shall not be subject to the advance notice requirements of this section.

(b) For dwelling units served by PHA-furnished utilities where checkmeters have not been installed, the PHA shall establish schedules of surcharges indicating additional dollar amounts residents will be required to pay by reason of estimated utility consumption attributable to resident-owned major appliances or to optional functions of PHA-furnished equipment. Such surcharge schedules shall state the resident-owned equipment (or functions of PHA-furnished equipment) for which surcharges shall be made and the amounts of such charges, which shall be based on the cost to the PHA of the utility consumption estimated to be attributable to reasonable usage of such equipment.

§ 965.507 Review and revision of allowances.

(a) *Annual review.* The PHA shall review at least annually the basis on which utility allowances have been established and, if reasonably required in order to continue adherence to the standards stated in § 965.505, shall establish revised allowances. The review shall include all changes in circumstances (including completion of modernization and/or other energy conservation measures implemented by the PHA) indicating probability of a significant change in reasonable consumption requirements and changes in utility rates.

(b) *Revision as a result of rate changes.* The PHA may revise its allowances for resident-purchased utilities between annual reviews if there is a rate change (including fuel adjustments) and shall be required to do so if such change, by itself or together with prior rate changes not adjusted for, results in a change of 10 percent or more from the rates on which such allowances were

§ 965.508

based. Adjustments to resident payments as a result of such changes shall be retroactive to the first day of the month following the month in which the last rate change taken into account in such revision became effective. Such rate changes shall not be subject to the 60 day notice requirement of § 965.502(c).

§ 965.508 Individual relief.

Requests for relief from surcharges for excess consumption of PHA-purchased utilities, or from payment of utility supplier billings in excess of the allowances for resident-purchased utilities, may be granted by the PHA on reasonable grounds, such as special needs of elderly, ill or disabled residents, or special factors affecting utility usage not within the control of the resident, as the PHA shall deem appropriate. The PHA's criteria for granting such relief, and procedures for requesting such relief, shall be adopted at the time the PHA adopts the methods and procedures for determining utility allowances. Notice of the availability of such procedures (including identification of the PHA representative with whom initial contact may be made by residents), and the PHA's criteria for granting such relief, shall be included in each notice to residents given in accordance with § 965.502(c) and in the information given to new residents upon admission.

Subpart F—Physical Condition Standards and Physical Inspection Requirements

§ 965.601 Physical condition standards; physical inspection requirements.

Housing owned or leased by a PHA, and public housing owned by another entity approved by HUD, must be maintained in accordance with the physical condition standards in 24 CFR part 5, subpart G. For each PHA, HUD will perform an independent physical inspection of a statistically valid sample of such housing based upon the physical condition standards in 24 CFR part 5, subpart G.

[63 FR 46580, Sept. 1, 1998]

Subpart G [Reserved]

24 CFR Ch. IX (4-1-03 Edition)

Subpart H—Lead-Based Paint Poisoning Prevention

§ 965.701 Lead-based paint poisoning prevention.

The requirements of the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821-4846), the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4851-4856), and implementing regulations at part 35, subparts A, B, L, and R of this title apply to this program.

[64 FR 50229, Sept. 15, 1999]

Subpart I—Fire Safety

SOURCE: 57 FR 33853, July 30, 1992, unless otherwise noted.

§ 965.800 Applicability.

This subpart applies to all PHA-owned or -leased housing housing, including Mutual Help and Turnkey III.

§ 965.805 Smoke detectors.

(a) *Performance requirement.* (1) After October 30, 1992, each unit covered by this subpart must be equipped with at least one battery-operated or hard-wired smoke detector, or such greater number as may be required by state or local codes, in working condition, on each level of the unit. In units occupied by hearing-impaired residents, smoke detectors must be hard-wired.

(2) After October 30, 1992, the public areas of all housing covered by this subpart must be equipped with a sufficient number, but not less than one for each area, of battery-operated or hard-wired smoke detectors to serve as adequate warning of fire. Public areas include, but are not limited to, laundry rooms, community rooms, day care centers, hallways, stairwells, and other common areas.

(b) *Acceptability criteria.* (1) The smoke detector for each individual unit must be located, to the extent practicable, in a hallway adjacent to the bedroom or bedrooms. In units occupied by hearing-impaired residents, hard-wired smoke detectors must be connected to an alarm system designed