

§ 183.21

- Institute of Electrical and Electronics Engineers, Inc.*, 445 Hoes Lane, Piscataway, NJ 08854:
 - IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. § 183.435
- National Fire Protection Association*, 1 Batterymarch Park, Quincy, MA 02269:
 - NFPA No. 70 National Electrical Code—1987. Articles 310 & 400. § 183.435
- Naval Publications Forms Center*, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120:
 - MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970. § 183.516
- Society of Automotive Engineers, Inc.*, 400 Commonwealth Drive, Warrendale, PA 15096:
 - SAE J378 Marine Engine Wiring—1984. § 183.430
 - SAE J557 High Tension Ignition Cable—1968. § 183.440
 - SAE J1127 Battery Cable—1980. § 183.430
 - SAE J1128 Low Tension Primary Cable—1975. § 183.430
 - SAE J1527DEC85 Marine Fuel Hoses—1985. § 183.540
- Underwriters Laboratories, Inc. (UL)*, 12 Laboratory Drive, Research Triangle Park, NC 27709-3995:
 - UL 1114 Marine (USCG Type A) Flexible Fuel Line Hose—1987. § 183.540
 - UL 1128 Marine Blowers—1977. § 183.610
 - UL 1426 Cables for Boats—1987. § 183.435

[CGD 87-009, 53 FR 36971, Sept. 23, 1988, as amended by CGD 96-026, 61 FR 33670, June 28, 1996; USCG-1999-5151, 64 FR 67176, Dec. 1, 1999; USCG-2000-7223, 65 FR 40059, June 29, 2000]

EFFECTIVE DATE NOTE: At 66 FR 55091, Nov. 1, 2001, in § 183.5, paragraph (b) was amended by adding in alphabetical order the following standard, effective Nov. 1, 2002. At 67 FR 2329, Jan. 17, 2002, the effective date was delayed until Nov. 1, 2003. For the convenience of the user the added text is set forth as follows:

§ 183.5 Incorporation by reference.

* * * * *

(b) * * *

33 CFR Ch. I (7-1-03 Edition)

- American Boat and Yacht Council, Inc., 3069 Solomons Island Road, Edgewater, Maryland 21037-1416
- ABYC A-16 Electric Navigation Lights-1997 § 183.810

* * * * *

Subpart B—Display of Capacity Information

§ 183.21 Applicability.

This subpart applies to monohull boats less than 20 feet in length, except sailboats, canoes, kayaks, and inflatable boats.

§ 183.23 Capacity marking required.

Each boat must be marked in the manner prescribed in §§ 183.25 and 183.27 with the maximum persons capacity in whole numbers of persons and in pounds, the maximum weight capacity in pounds, determined under §§ 183.33 through 183.43, and the maximum horsepower capacity determined under § 183.53 or the statement “This Boat Not Rated for Propulsion by a Motor”.

[CGD 78-034, 45 FR 2029, Jan. 10, 1980, as amended by USCG-1999-5832, 64 FR 34716, June 29, 1999]

§ 183.25 Display of markings.

(a) Each marking required by § 183.23 must be permanently displayed in a legible manner where it is clearly visible to the operator when getting the boat underway.

(b) The information required by § 183.23 must be displayed in the following manner:

(1) For outboard boats:

U.S. Coast Guard Maximum Capacities

- XX Persons or XXX Pounds
- XXX Pounds, persons, motor, gear
- XXX Horsepower, motor
- or

U.S. Coast Guard Maximum Capacities

- XX Persons or XXX Pounds
- XXX Pounds, persons, motor, gear
- XXX Horsepower, motor with remote steering
- XXX Horsepower, motor without remote steering

(2) For inboard boats and inboard-outboard boats: