

§ 405.10

practicable control technology currently available.

405.83 [Reserved]

405.84 Pretreatment standards for existing sources.

405.85 Standards of performance for new sources.

405.86 Pretreatment standards for new sources.

405.87 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

Subpart I—Condensed Milk Subcategory

405.90 Applicability; description of the condensed milk subcategory.

405.91 Specialized definitions.

405.92 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

405.93 [Reserved]

405.94 Pretreatment standards for existing sources.

405.95 Standards of performance for new sources.

405.96 Pretreatment standards for new sources.

405.97 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

Subpart J—Dry Milk Subcategory

405.100 Applicability; description of the dry milk subcategory.

405.101 Specialized definitions.

405.102 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

405.103 [Reserved]

405.104 Pretreatment standards for existing sources.

405.105 Standards of performance for new sources.

405.106 Pretreatment standards for new sources.

405.107 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

Subpart K—Condensed Whey Subcategory

405.110 Applicability; description of the condensed whey subcategory.

405.111 Specialized definitions.

405.112 Effluent limitations guidelines representing the degree of effluent reduction

40 CFR Ch. I (7–1–03 Edition)

attainable by the application of the best practicable control technology currently available.

405.113 [Reserved]

405.114 Pretreatment standards for existing sources.

405.115 Standards of performance for new sources.

405.116 Pretreatment standards for new sources.

405.117 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

Subpart L—Dry Whey Subcategory

405.120 Applicability; description of the dry whey subcategory.

405.121 Specialized definitions.

405.122 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

405.123 [Reserved]

405.124 Pretreatment standards for existing sources.

405.125 Standards of performance for new sources.

405.126 Pretreatment standards for new sources.

405.127 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

AUTHORITY: Secs. 301, 304 (b) and (c), 306 (b) and (c) and 307(c) of the Federal Water Pollution Control Act, as amended (the Act); 33 U.S.C. 1251, 1311, 1314 (b) and (c), 1316 (b) and (c), and 1317(c); 86 Stat. 816, et seq., Pub. L. 92-500; 91 Stat. 1567, Pub. L. 95-217.

SOURCE: 39 FR 18597, May 28, 1974, unless otherwise noted.

Subpart A—Receiving Stations Subcategory

§ 405.10 Applicability; description of the receiving stations subcategory.

The provisions of this subpart are applicable to discharges resulting from the operation of receiving stations engaged in the assembly and reshipment of bulk milk for the use of manufacturing or processing plants.

§ 405.11 Specialized definitions.

For the purpose of this subpart:

(a) Except as provided below, the general definitions, abbreviations and