

§9.153

individuals with mobility impairments, then no additional elements of dwelling units, or entire dwelling units, are required to be accessible under this paragraph. Once two percent of the dwelling units in a project are readily accessible to or usable by individuals with hearing or vision impairments, then no additional elements of dwelling units, or entire dwelling units, are required to be accessible under this paragraph.

(2) Alterations to common areas or parts of facilities that affect accessibility of existing housing facilities, shall, to the maximum extent feasible, be made to be accessible to and usable by individuals with disabilities.

(c) The agency may establish a higher percentage or number of accessible units than that prescribed in paragraphs (a) or (b) of this section if the agency determines that there is a need for a higher percentage or number, based on census data or other available current data. In making such a determination, HUD shall take into account the expected needs of eligible persons with and without disabilities.

(d) The definitions, requirements, and accessibility standards that apply to PDP multifamily housing projects covered by this section are those contained in the UFAS, except where the ADAAG provides for greater accessibility for the type of alteration being undertaken, and, in this case, the definitions, requirements and standards of the ADAAG shall apply.

(e) With respect to multifamily housing projects operated by HUD, but in which HUD does not have an ownership interest, alterations under this section need not be made if doing so would impose undue financial and administrative burdens on the operation of the multifamily housing project.

§9.153 Distribution of accessible dwelling units.

Accessible dwelling units required by §9.152 shall, to the maximum extent feasible, be distributed throughout projects and sites and shall be available in a sufficient range of sizes and amenities so that a qualified individual with disabilities' choice of living arrangements is, as a whole, comparable to that of other persons eligible for

24 CFR Subtitle A (4-1-04 Edition)

housing assistance under the same agency conducted program. This provision shall not be construed to require (but does allow) the provision of an elevator in any multifamily housing project solely for the purpose of permitting location of accessible units above or below the accessible grade level.

§9.154 Occupancy of accessible dwelling units.

(a) The agency shall adopt suitable means to assure that information regarding the availability of accessible units in PDP housing facilities reaches eligible individuals with disabilities, and shall take reasonable nondiscriminatory steps to maximize the utilization of such units by eligible individuals whose disability requires the accessibility features of the particular unit. To this end, when an accessible unit becomes vacant, the agency (or its management agent) before offering such units to an applicant without disabilities shall offer such unit:

(1) First, to a current occupant of another unit of the same project, or comparable projects under common control, having disabilities requiring the accessibility features of the vacant unit and occupying a unit not having such features, or, if no such occupant exists, then

(2) Second, to an eligible qualified applicant on the waiting list having a disability requiring the accessibility features of the vacant unit.

(b) When offering an accessible unit to an applicant not having disabilities requiring the accessibility features of the unit, the agency may require the applicant to agree (and may incorporate this agreement in the lease) to move to a non-accessible unit when available.

§9.155 Housing adjustments.

(a) The agency shall modify its housing policies and practices as they relate to PDP housing facilities to ensure that these policies and practices do not discriminate, on the basis of disability, against a qualified individual with disabilities. The agency may not impose upon individuals with disabilities other policies, such as the prohibition of assistive devices, auxiliary aids, alarms,