

National Policy on Technical Surveillance Countermeasures.

§ 2001.51 Emergency authority [4.2].

(a) Agency heads or any designee may prescribe special provisions for the dissemination, transmission, safeguarding and destruction of classified information during certain emergency situations.

(b) In emergency situations, in which there is an imminent threat to life or in defense of the homeland, agency heads or designees may authorize the disclosure of classified information to an individual or individuals who are otherwise not routinely eligible for access under the following conditions:

(1) Limit the amount of classified information disclosed to the absolute minimum to achieve the purpose;

(2) Limit the number of individuals who receive it;

(3) Transmit the classified information via approved Federal Government channels by the most secure and expeditious method to include those required in subpart C of this directive, or other means deemed necessary when time is of the essence;

(4) Provide instructions about what specific information is classified, how it should be safeguarded; physical custody of classified information must remain with an authorized Federal Government entity, in all but the most extraordinary circumstances;

(5) Provide appropriate briefings to the recipients on their responsibilities not to disclose the information and obtain a signed nondisclosure agreement;

(6) Within 72 hours of the disclosure of classified information, or the earliest opportunity that the emergency permits, but no later than 30 days after the release, the disclosing authority must notify the originating agency of the information by providing the following information:

(i) A description of the disclosed information;

(ii) To whom the information was disclosed;

(iii) How the information was disclosed and transmitted;

(iv) Reason for the emergency release;

(v) How the information is being safeguarded; and

(vi) A description of the briefings provided and a copy of the nondisclosure agreements signed.

§ 2001.52 Open storage areas [4.1].

This section describes the construction standards for open storage areas.

(a) *Construction.* The perimeter walls, floors, and ceiling will be permanently constructed and attached to each other. All construction must be done in a manner as to provide visual evidence of unauthorized penetration.

(b) *Doors.* Doors shall be constructed of wood, metal, or other solid material. Entrance doors shall be secured with a built-in GSA-approved three-position combination lock. When special circumstances exist, the agency head may authorize other locks on entrance doors for Secret and Confidential storage. Doors other than those secured with the aforementioned locks shall be secured from the inside with either deadbolt emergency egress hardware, a deadbolt, or a rigid wood or metal bar which extends across the width of the door, or by other means approved by the agency head.

(c) *Vents, ducts, and miscellaneous openings.* All vents, ducts, and similar openings in excess of 96 square inches (and over 6 inches in its smallest dimension) that enter or pass through an open storage area shall be protected with either bars, expanded metal grills, commercial metal sound baffles, or an intrusion detection system.

(d) *Windows.* (1) All windows which might reasonably afford visual observation of classified activities within the facility shall be made opaque or equipped with blinds, drapes, or other coverings.

(2) Windows at ground level will be constructed from or covered with materials which provide protection from forced entry. The protection provided to the windows need be no stronger than the strength of the contiguous walls. Open storage areas which are located within a controlled compound or equivalent may eliminate the requirement for forced entry protection if the windows are made inoperable either by permanently sealing them or equipping them on the inside with a locking mechanism and they are covered by an IDS (either independently or by the