#### § 183.21

Air Movement and Control Asso-	
ciation, 30 W. University	
Drive, Arlington Heights, IL	
60004:	
AMCA 210-74: Laboratory	8 183 610
	8 105.010
Methods of Testing Fans	
for Ratings—1974.	
American Boat and Yacht Coun-	
cil, Inc., 3069 Solomons Is-	
land Road, Edgewater, Mary-	
land 21037-1416:	
ABYC A-16 Electric Navi-	§ 183.810
gation Lights-1997.	0
American Society for Testing and	
Materials, 100 Barr Harbor	
Materials, 100 Dair Harbor	
Drive, West Conshohocken,	
PA 19428-2959:	
ASTM D 471-96, Standard	§§ 183.114
Test Method for Rubber	183.516
Property—Effect of Liq-	183.607
uids.	183.620
ASTM D 1621-94, Standard	§ 183.516
Test Method for Com-	8 105.510
rest Method for Com-	
pressive Properties of	
Rigid Cellular Plastics.	
ASTM D 1622-93, Standard	§ 183.516
Test Method for Appar-	
ent Density of Rigid Cel-	
lular Plastics.	
ASTM D 2842-97, Standard	§ 183.114
Test Method for Water	8
Test Method for Water Absorption of Rigid Cel-	
1 les Dient's	
lular Plastics.	
Institute of Electrical and Elec-	
Institute of Electrical and Electronics, Engineers, Inc., 445	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Rec-	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Rec-	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983.	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Asso-	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch	§ 183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269:	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987.	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400. Naval Publications Forms Cen-	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400. Naval Publications Forms Cen-	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue,	
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120:	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Poly-	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction. National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400. Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:  IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers,	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096:	§ 183.435 § 183.516
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine	§183.435
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:  IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine Wiring—1984.	§ 183.435 § 183.516
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:  IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine Wiring—1984.	§ 183.435 § 183.516
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:  IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine Wiring—1984.	§ 183.435 § 183.516
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854: IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine Wiring—1984. SAE J557 High Tension Ignition Cable—1968.	§ 183.435 § 183.516 § 183.430 § 183.440
Institute of Electrical and Electronics, Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854:  IEEE 45 IEEE Recommended Practice for Electrical Installations on Shipboard—1983. Cable Construction.  National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269: NFPA No. 70 National Electrical Code—1987. Articles 310 & 400.  Naval Publications Forms Center, Customer Service—Code 1052, 5801 Tabor Avenue, Philadelphia, PA 19120: MILSPEC-P-21929B Plastic Material, Cellular Polyurethane, Foam-In-Place, Rigid—1970.  Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096: SAE J378 Marine Engine Wiring—1984.	§ 183.435 § 183.516

SAE J1128 Low Tension	§ 183.430
Primary Cable—1975.	
SAE J1527DEC85 Marine	§ 183.540
Fuel Hoses—1985.	
Underwriters Laboratories, Inc.	
(UL), 12 Laboratory Drive,	
Research Triangle Park, NC	
27709-3995:	
UL 1114 Marine (USCG	§ 183.540
Type A) Flexible Fuel	
Line Hose—1987.	
UL 1128 Marine Blowers—	§ 183.610
1977.	
UL 1426 Cables for Boats—	§ 183.435
1987.	
[CGD 87-009, 53 FR 36971, Sept	. 23. 1988.
amended by CGD 96-026, 61 FR 3	
1996; USCG-1999-5151, 64 FR 67176	
LICCO 0000 7000 OF ED 40070	

amended by CGD 96-026, 61 FR 33670, June 28, 1986, as amended by CGD 96-026, 61 FR 33670, June 29, 1996; USCG-1999-5151, 64 FR 67176, Dec. 1, 1999; USCG-2000-7223, 65 FR 40059, June 29, 2000; USCG-1999-6580, 66 FR 55091, Nov. 1, 2001; 69 FR 18803, Apr. 9, 2004; USCG-2004-18057, 69 FR 34926, June 23, 2004]

# Subpart B—Display of Capacity Information

# § 183.21 Applicability.

This subpart applies to monohull boats less than 20 feet in length, except sailboats, canoes, kayaks, and inflatable boats.

# §183.23 Capacity marking required.

Each boat must be marked in the manner prescribed in §§183.25 and 183.27 with the maximum persons capacity in whole numbers of persons and in pounds, the maximum weight capacity in pounds, determined under §§183.33 through 183.43, and the maximum horsepower capacity determined under §183.53 or the statement "This Boat Not Rated for Propulsion by a Motor".

## § 183.25 Display of markings.

- (a) Each marking required by §183.23 must be permanently displayed in a legible manner where it is clearly visible to the operator when getting the boat underway.
- (b) The information required by \$183.23 must be displayed in the following manner:
  - (1) For outboard boats:

U.S. Coast Guard Maximum Capacities

XX Persons or XXX Pounds XXX Pounds, persons, motor, gear