

SUBCHAPTER C—AIR PROGRAMS (CONTINUED)

PART 63—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR SOURCE CATEGORIES

Subpart EEE—National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors

GENERAL

Sec.

- 63.1200 Who is subject to these regulations?
63.1201 Definitions and acronyms used in this subpart.
63.1202 [Reserved]

EMISSIONS STANDARDS AND OPERATING LIMITS

- 63.1203 What are the standards for hazardous waste incinerators?
63.1204 What are the standards for hazardous waste burning cement kilns?
63.1205 What are the standards for hazardous waste burning lightweight aggregate kilns?

MONITORING AND COMPLIANCE PROVISIONS

- 63.1206 When and how must you comply with the standards and operating requirements?
63.1207 What are the performance testing requirements?
63.1208 What are the test methods?
63.1209 What are the monitoring requirements?

NOTIFICATION, REPORTING AND RECORDKEEPING

- 63.1210 What are the notification requirements?
63.1211 What are the recordkeeping and reporting requirements?

OTHER

- 63.1213 How can the compliance date be extended to install pollution prevention or waste minimization controls?
63.1214 Implementation and enforcement.

TABLE 1 TO SUBPART EEE—GENERAL PROVISIONS APPLICABLE TO SUBPART EEE

APPENDIX TO SUBPART EEE—QUALITY ASSURANCE PROCEDURES FOR CONTINUOUS EMISSIONS MONITORS USED FOR HAZARDOUS WASTE COMBUSTORS

Subpart FFF [Reserved]

Subpart GGG—National Emission Standards for Pharmaceuticals Production

- 63.1250 Applicability.

- 63.1251 Definitions.
63.1252 Standards: General.
63.1253 Standards: Storage tanks.
63.1254 Standards: Process vents.
63.1255 Standards: Equipment leaks.
63.1256 Standards: Wastewater.
63.1257 Test methods and compliance procedures.
63.1258 Monitoring requirements.
63.1259 Recordkeeping requirements.
63.1260 Reporting requirements.
63.1261 Implementation and enforcement.

TABLE 1 TO SUBPART GGG—GENERAL PROVISIONS APPLICABILITY TO SUBPART GGG

TABLE 2 TO SUBPART GGG—PARTIALLY SOLUBLE HAP

TABLE 3 TO SUBPART GGG—SOLUBLE HAP

TABLE 4 TO SUBPART GGG—MONITORING REQUIREMENTS FOR CONTROL DEVICES

TABLE 5 TO SUBPART GGG—CONTROL REQUIREMENTS FOR ITEMS OF EQUIPMENT THAT MEET THE CRITERIA OF § 63.1252(F)

TABLE 6 TO SUBPART GGG—WASTEWATER—COMPLIANCE OPTIONS FOR WASTEWATER TANKS

TABLE 7 TO SUBPART GGG—WASTEWATER—INSPECTION AND MONITORING REQUIREMENTS FOR WASTE MANAGEMENT UNITS

TABLE 8 TO SUBPART GGG—FRACTION MEASURED (F_m) FOR HAP COMPOUNDS IN WASTEWATER STREAMS

TABLE 9 TO SUBPART GGG—DEFAULT BIORATES FOR LIST 1 COMPOUNDS

Subpart HHH—National Emission Standards for Hazardous Air Pollutants From Natural Gas Transmission and Storage Facilities

- 63.1270 Applicability and designation of affected source.
63.1271 Definitions.
63.1272 Startups, shutdowns, and malfunctions.
63.1273 [Reserved]
63.1274 General standards.
63.1275 Glycol dehydration unit process vent standards.
63.1276–63.1280 [Reserved]
63.1281 Control equipment requirements.
63.1282 Test methods, compliance procedures, and compliance demonstrations.
63.1283 Inspection and monitoring requirements.
63.1284 Recordkeeping requirements.
63.1285 Reporting requirements.
63.1286 Implementation and enforcement.
63.1287 Alternative means of emission limitation.
63.1288–63.1289 [Reserved]

APPENDIX: TABLE 1 TO SUBPART HHH—LIST OF HAZARDOUS AIR POLLUTANTS (HAP) FOR SUBPART HHH

APPENDIX: TABLE 2 TO SUBPART HHH—APPLICABILITY OF 40 CFR PART 63 GENERAL PROVISIONS TO SUBPART HHH

Subpart III—National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production

- 63.1290 Applicability.
- 63.1291 Compliance schedule.
- 63.1292 Definitions.
- 63.1293 Standards for slabstock flexible polyurethane foam production.
- 63.1294 Standards for slabstock flexible polyurethane foam production—diisocyanate emissions.
- 63.1295 Standards for slabstock flexible polyurethane foam production—HAP ABA storage vessels.
- 63.1296 Standards for slabstock flexible polyurethane foam production—HAP ABA equipment leaks.
- 63.1297 Standards for slabstock flexible polyurethane foam production—HAP ABA emissions from the production line.
- 63.1298 Standards for slabstock flexible polyurethane foam production—HAP emissions from equipment cleaning.
- 63.1299 Standards for slabstock flexible polyurethane foam production—source-wide emission limitation.
- 63.1300 Standards for molded flexible polyurethane foam production.
- 63.1301 Standards for rebond foam production.
- 63.1302 Applicability of subpart A requirements.
- 63.1303 Monitoring requirements.
- 63.1304 Testing requirements.
- 63.1305 Alternative means of emission limitation.
- 63.1306 Reporting requirements.
- 63.1307 Recordkeeping requirements.
- 63.1308 Compliance demonstrations.
- 63.1309 Implementation and enforcement.

APPENDIX TO SUBPART III—TABLES: NOTE

TABLE 1 TO SUBPART III—HAP ABA FORMULATION LIMITATIONS MATRIX FOR NEW SOURCES [SEE §63.1297(D)(2)]

TABLE 2 TO SUBPART III—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART III

TABLE 3 TO SUBPART III—COMPLIANCE REQUIREMENTS FOR SLABSTOCK FOAM PRODUCTION AFFECTED SOURCES COMPLYING WITH THE EMISSION POINT SPECIFIC LIMITATIONS

TABLE 4 TO SUBPART III—COMPLIANCE REQUIREMENTS FOR SLABSTOCK FOAM PRODUCTION AFFECTED SOURCES COMPLYING WITH THE SOURCE-WIDE EMISSION LIMITATION

TABLE 5 TO SUBPART III—COMPLIANCE REQUIREMENTS FOR MOLDED AND REBOND FOAM PRODUCTION AFFECTED SOURCES

Subpart JJJ—National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins

- 63.1310 Applicability and designation of affected sources.
 - 63.1311 Compliance dates and relationship of this subpart to existing applicable rules.
 - 63.1312 Definitions.
 - 63.1313 Emission standards.
 - 63.1314 Storage vessel provisions.
 - 63.1315 Continuous process vents provisions.
 - 63.1316 PET and polystyrene affected sources—emissions control provisions.
 - 63.1317 PET and polystyrene affected sources—monitoring provisions.
 - 63.1318 PET and polystyrene affected sources—testing and compliance demonstration provisions.
 - 63.1319 PET and polystyrene affected sources—recordkeeping provisions.
 - 63.1320 PET and polystyrene affected sources—reporting provisions.
 - 63.1321 Batch process vents provisions.
 - 63.1322 Batch process vents—reference control technology.
 - 63.1323 Batch process vents—methods and procedures for group determination.
 - 63.1324 Batch process vents—monitoring equipment.
 - 63.1325 Batch process vents—performance test methods and procedures to determine compliance.
 - 63.1326 Batch process vents—recordkeeping provisions.
 - 63.1327 Batch process vents—reporting requirements.
 - 63.1328 Heat exchange systems provisions.
 - 63.1329 Process contact cooling towers provisions.
 - 63.1330 Wastewater provisions.
 - 63.1331 Equipment leak provisions.
 - 63.1332 Emissions averaging provisions.
 - 63.1333 Additional requirements for performance testing.
 - 63.1334 Parameter monitoring levels and excursions.
 - 63.1335 General recordkeeping and reporting provisions.
 - 63.1336 Implementation and enforcement.
- TABLE 1 TO SUBPART JJJ—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART JJJ AFFECTED SOURCES
- TABLE 2 TO SUBPART JJJ—GROUP 1 STORAGE VESSELS AT EXISTING AFFECTED SOURCES
- TABLE 3 TO SUBPART JJJ—GROUP 1 STORAGE VESSELS AT EXISTING AFFECTED SOURCES PRODUCING THE LISTED THERMOPLASTICS
- TABLE 4 TO SUBPART JJJ—GROUP 1 STORAGE VESSELS AT NEW AFFECTED SOURCES
- TABLE 5 TO SUBPART JJJ—GROUP 1 STORAGE VESSELS AT NEW AFFECTED SOURCES PRODUCING THE LISTED THERMOPLASTICS

Environmental Protection Agency

Pt. 63

TABLE 6 TO SUBPART JJJ—KNOWN ORGANIC HAP EMITTED FROM THE PRODUCTION OF THERMOPLASTIC PRODUCTS

TABLE 7 TO SUBPART JJJ—GROUP 1 BATCH PROCESS VENTS AND AGGREGATE BATCH VENT STREAMS—MONITORING, RECORD-KEEPING, AND REPORTING REQUIREMENTS

TABLE 8 TO SUBPART JJJ—OPERATING PARAMETERS FOR WHICH LEVELS ARE REQUIRED TO BE ESTABLISHED FOR CONTINUOUS AND BATCH PROCESS VENTS AND AGGREGATE BATCH VENT STREAMS

TABLE 9 TO SUBPART JJJ—ROUTINE REPORTS REQUIRED BY THIS SUBPART

Subpart KKK [Reserved]

Subpart LLL—National Emission Standards for Hazardous Air Pollutants From the Portland Cement Manufacturing Industry

GENERAL

- 63.1340 Applicability and designation of affected sources.
- 63.1341 Definitions.

EMISSION STANDARDS AND OPERATING LIMITS

- 63.1342 Standards: General.
- 63.1343 Standards for kilns and in-line kiln/raw mills.
- 63.1344 Operating limits for kilns and in-line kiln/raw mills.
- 63.1345 Standards for clinker coolers.
- 63.1346 Standards for new and reconstructed raw material dryers.
- 63.1347 Standards for raw and finish mills.
- 63.1348 Standards for affected sources other than kilns; in-line kiln raw mills; clinker coolers; new and reconstructed raw material dryers; and raw and finish mills.

MONITORING AND COMPLIANCE PROVISIONS

- 63.1349 Performance testing requirements.
- 63.1350 Monitoring requirements.
- 63.1351 Compliance dates.
- 63.1352 Additional test methods.

NOTIFICATION, REPORTING AND RECORDKEEPING

- 63.1353 Notification requirements.
- 63.1354 Reporting requirements.
- 63.1355 Recordkeeping requirements.

OTHER

- 63.1356 Exemption from new source performance standards.
- 63.1357 Temporary, conditioned exemption from particulate and opacity standards.
- 63.1358 Implementation and enforcement.
- 63.1359 [Reserved]

TABLE 1 TO SUBPART LLL—APPLICABILITY OF GENERAL PROVISIONS

Subpart MMM—National Emission Standards for Hazardous Air Pollutants for Pesticide Active Ingredient Production

- 63.1360 Applicability.
- 63.1361 Definitions.
- 63.1362 Standards.
- 63.1363 Standards for equipment leaks.
- 63.1364 Compliance dates.
- 63.1365 Test methods and initial compliance procedures.
- 63.1366 Monitoring and inspection requirements.
- 63.1367 Recordkeeping requirements.
- 63.1368 Reporting requirements.
- 63.1369 Implementation and enforcement.

TABLE 1 TO SUBPART MMM—GENERAL PROVISIONS APPLICABILITY TO SUBPART MMM.

TABLE 2 TO SUBPART MMM—STANDARDS FOR NEW AND EXISTING PAI SOURCES.

TABLE 3 TO SUBPART MMM—MONITORING REQUIREMENTS FOR CONTROL DEVICES.

TABLE 4 TO SUBPART MMM—CONTROL REQUIREMENTS FOR ITEMS OF EQUIPMENT THAT MEET THE CRITERIA OF §63.1362(K).

Subpart NNN—National Emission Standards for Hazardous Air Pollutants for Wool Fiberglass Manufacturing

- 63.1380 Applicability.
- 63.1381 Definitions.
- 63.1382 Emission standards.
- 63.1383 Monitoring requirements.
- 63.1384 Performance test requirements.
- 63.1385 Test methods and procedures.
- 63.1386 Notification, recordkeeping, and reporting requirements.
- 63.1387 Compliance dates.
- 63.1388 Implementation and enforcement.
- 63.1389-63.1399 [Reserved]

TABLE 1 TO SUBPART NNN—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART NNN.

APPENDIX A TO SUBPART NNN—METHOD FOR THE DETERMINATION OF LOI

APPENDIX B TO SUBPART NNN—FREE FORMALDEHYDE ANALYSIS OF INSULATION RESINS BY HYDROXYLAMINE HYDROCHLORIDE

APPENDIX C TO SUBPART NNN—METHOD FOR THE DETERMINATION OF PRODUCT DENSITY

Subpart OOO—National Emission Standards for Hazardous Air Pollutant Emissions: Manufacture of Amino/Phenolic Resins

- 63.1400 Applicability and designation of affected sources.
- 63.1401 Compliance schedule.
- 63.1402 Definitions.
- 63.1403 Emission standards.
- 63.1404 Storage vessel provisions.

§ 63.1200

40 CFR Ch. I (7-1-04 Edition)

- 63.1405 Continuous process vent provisions.
- 63.1406 Reactor batch process vent provisions.
- 63.1407 Non-reactor batch process vent provisions.
- 63.1408 Aggregate batch vent stream provisions.
- 63.1409 Heat exchange system provisions.
- 63.1410 Equipment leak provisions.
- 63.1411 [Reserved]
- 63.1412 Continuous process vent applicability assessment procedures and methods.
- 63.1413 Compliance demonstration procedures.
- 63.1414 Test methods and emission estimation equations.
- 63.1415 Monitoring requirements.
- 63.1416 Recordkeeping requirements.
- 63.1417 Reporting requirements.
- 63.1418 [Reserved]
- 63.1419 Implementation and enforcement.

TABLE 1 TO SUBPART OOO—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART OOO AFFECTED SOURCES

TABLE 2 TO SUBPART OOO—KNOWN ORGANIC HAZARDOUS AIR POLLUTANTS (HAP) FROM THE MANUFACTURE OF AMINO/PHENOLIC RESINS

TABLE 3 TO SUBPART OOO—BATCH PROCESS VENT MONITORING REQUIREMENTS

TABLE 4 TO SUBPART OOO—OPERATING PARAMETER LEVELS

TABLE 5 TO SUBPART OOO—REPORTS REQUIRED BY THIS SUBPART

TABLE 6 TO SUBPART OOO—COEFFICIENTS FOR TOTAL RESOURCE EFFECTIVENESS

Subpart PPP—National Emission Standards for Hazardous Air Pollutant Emissions for Polyether Polyols Production

- 63.1420 Applicability and designation of affected sources.
- 63.1421 Implementation and enforcement.
- 63.1422 Compliance dates and relationship of this rule to existing applicable rules.
- 63.1423 Definitions.
- 63.1424 Emission standards.
- 63.1425 Process vent control requirements.
- 63.1426 Process vent requirements for determining organic HAP concentration, control efficiency, and aggregated organic HAP emission reduction for a PMPU.
- 63.1427 Process vent requirements for processes using extended cookout as an epoxide emission reduction technique.
- 63.1428 Process vent requirements for group determination of PMPUs using a non-epoxide organic HAP to make or modify the product.
- 63.1429 Process vent monitoring requirements.
- 63.1430 Process vent reporting and recordkeeping requirements.
- 63.1431 Process vent annual epoxides emission factor plan requirements.

- 63.1432 Storage vessel provisions.
- 63.1433 Wastewater provisions.
- 63.1434 Equipment leak provisions.
- 63.1435 Heat exchanger provisions.
- 63.1436 [Reserved]
- 63.1437 Additional requirements for performance testing.
- 63.1438 Parameter monitoring levels and excursions.
- 63.1439 General recordkeeping and reporting provisions.

TABLE 1 TO SUBPART PPP—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART PPP AFFECTED SOURCES

TABLE 2 TO SUBPART PPP—APPLICABILITY OF SUBPARTS F, G, H, AND U TO SUBPART PPP AFFECTED SOURCES

TABLE 3 TO SUBPART PPP—GROUP 1 STORAGE VESSELS AT EXISTING AND NEW AFFECTED SOURCES

TABLE 4 TO SUBPART PPP—KNOWN ORGANIC HAP FROM POLYETHER POLYOL PRODUCTS

TABLE 5 TO SUBPART PPP—PROCESS VENTS FROM BATCH UNIT OPERATIONS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS

TABLE 6 TO SUBPART PPP—PROCESS VENTS FROM CONTINUOUS UNIT OPERATIONS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS

TABLE 7 TO SUBPART PPP—OPERATING PARAMETERS FOR WHICH MONITORING LEVELS ARE REQUIRED TO BE ESTABLISHED FOR PROCESS VENTS STREAMS

TABLE 8 TO SUBPART PPP—ROUTINE REPORTS REQUIRED BY THIS SUBPART

AUTHORITY: 42 U.S.C. 7401 *et seq.*

SOURCE: 57 FR 61992, Dec. 29, 1992, unless otherwise noted.

Subpart EEE—National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors

SOURCE: 64 FR 53038, Sept. 30, 1999, unless otherwise noted.

GENERAL

§ 63.1200 Who is subject to these regulations?

The provisions of this subpart apply to all hazardous waste combustors: hazardous waste incinerators, hazardous waste burning cement kilns, and hazardous waste burning lightweight aggregate kilns, except as provided in Table 1 of this section. Hazardous waste combustors are also subject to applicable requirements under parts 260-270 of this chapter.

Environmental Protection Agency

§ 63.1201

(a) *What if I am an area source?* (1) Both area sources and major sources are subject to this subpart.

(2) Both area sources and major sources, not previously subject to title V, are immediately subject to the requirement to apply for and obtain a

title V permit in all States, and in areas covered by part 71 of this chapter.

(b) These regulations in this subpart do not apply to sources that meet the criteria in Table 1 of this Section, as follows:

TABLE 1 TO § 63.1200—HAZARDOUS WASTE COMBUSTORS EXEMPT FROM SUBPART EEE

If	And if	Then
(1) You are a previously affected source.	(i) You ceased feeding hazardous waste for a period of time greater than the hazardous waste residence time (i.e., hazardous waste no longer resides in the combustion chamber); (ii) You have initiated the closure requirements of subpart G, parts 264 or 265 of this chapter; (iii) You begin complying with the requirements of all other applicable standards of this part (Part 63); and (iv) You notify the Administrator in writing that you are no longer an affected source under this subpart (Subpart EEE).	You are no longer subject to this subpart (Subpart EEE).
(2) You are a research, development, and demonstration source.	You operate for no longer than one year after first burning hazardous waste (Note that the Administrator can extend this one-year restriction on a case-by-case basis upon your written request documenting when you first burned hazardous waste and the justification for needing additional time to perform research, development, or demonstration operations)..	You are not subject to this subpart (Subpart EEE). This exemption applies even if there is a hazardous waste combustor at the plant site that is regulated under this subpart. You still, however, remain subject to § 270.65 of this chapter.
(3) The only hazardous wastes you burn are exempt from regulation under § 266.100(c) of this chapter.	You are not subject to the requirements of this subpart (Subpart EEE).

(c) Table 1 of this section specifies the provisions of subpart A (General Provisions, §§63.1–63.15) that apply and those that do not apply to sources affected by this subpart.

[64 FR 53038, Sept. 30, 1999, as amended at 65 FR 42297, July 10, 2000; 67 FR 6986, Feb. 14, 2002]

§ 63.1201 Definitions and acronyms used in this subpart.

(a) The terms used in this subpart are defined in the Act, in subpart A of this part, or in this section as follows:

Air pollution control system means the equipment used to reduce the release of particulate matter and other pollutants to the atmosphere.

Automatic waste feed cutoff (AWFCO) system means a system comprised of cutoff valves, actuator, sensor, data manager, and other necessary components and electrical circuitry designed, operated and maintained to stop the flow of hazardous waste to the combustion unit automatically and immediately (except as provided by

§63.1206(c)(3)(viii)) when any operating requirement is exceeded.

By-pass duct means a device which diverts a minimum of 10 percent of a cement kiln's off gas, or a device which the Administrator determines on a case-by-case basis diverts a sample of kiln gas that contains levels of carbon monoxide or hydrocarbons representative of the levels in the kiln.

Combustion chamber means the area in which controlled flame combustion of hazardous waste occurs.

Continuous monitor means a device which continuously samples the regulated parameter specified in §63.1209 without interruption, evaluates the detector response at least once every 15 seconds, and computes and records the average value at least every 60 seconds, except during allowable periods of calibration and except as defined otherwise by the CEMS Performance Specifications in appendix B, part 60 of this chapter.

Dioxin/furan and dioxins and furans mean tetra-, penta-, hexa-, hepta-, and