

Table 12 to this subpart that are applicable, including records related to notifications and reports, SSM, performance tests, CMS, and performance evaluation plans.

(b) You must keep the records required to show continuous compliance, as required in subpart SS of this part and in Tables 8 through 10 to this subpart, with each emission limitation, operating limit, and work practice standard that applies to you.

(c) For each transport vehicle into which organic liquids are loaded at an affected transfer rack, you must keep the applicable records in paragraphs (c)(1) and (2) of this section.

(1) For transport vehicles equipped with vapor collection equipment, the documentation described in 40 CFR 60.505(b), except that the test title is: Transport Vehicle Pressure Test-EPA Reference Method 27.

(2) For transport vehicles without vapor collection equipment, current certification in accordance with the U.S. DOT pressure test requirements in 49 CFR part 180 for cargo tanks or 49 CFR 173.31 for tank cars.

(3) You must keep records of the actual annual facility-level organic liquid loading volume through transfer racks out of the facility to document the applicability of the emission limitations in Table 2, items 7 through 10, to this subpart.

§ 63.2394 In what form and how long must I keep my records?

(a) Your records must be in a form suitable and readily available for expeditious inspection and review according to § 63.10(b)(1). In addition, on-site records may be stored in electronic form at a separate location from the site provided they can be accessed and printed at the site within 1 hour after a request by the applicable title V permitting authority.

(b) As specified in § 63.10(b)(1), you must keep your files of all information (including all reports and notifications) for at least 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.

(c) You must keep each record on site for at least 2 years after the date of each occurrence, measurement, main-

tenance, corrective action, report, or record, according to § 63.10(b)(1). You may keep the records off site for the remaining 3 years.

OTHER REQUIREMENTS AND INFORMATION

§ 63.2396 What compliance options do I have if part of my plant is subject to both this subpart and another subpart?

(a) *Compliance with other regulations for storage tanks.*

(1)(i) After the compliance dates specified in § 63.2342, if you have a storage tank that is subject to 40 CFR part 60, subpart Kb, not as the result of another 40 CFR part 63 subpart, and that storage tank is in OLD operation, you must meet all of the requirements of this subpart for that storage tank when the storage tank is in OLD operation.

(ii) If you have a storage tank that is in compliance with 40 CFR part 60, subpart Kb, as the result of complying with another 40 CFR part 63 subpart, that storage tank is not subject to this subpart.

(2) After the compliance dates specified in § 63.2342, if you have a storage tank that is subject to 40 CFR part 61, subpart Y, and that storage tank is in OLD operation, you must meet all of the requirements of this subpart for that storage tank when the storage tank is in OLD operation.

(b) *Compliance with other regulations for transfer racks.* After the compliance dates specified in § 63.2342, if you have a transfer rack that is subject to 40 CFR part 61, subpart BB, and that transfer rack is in OLD operation, you must meet the all of the requirements of this subpart for that transfer rack when the transfer rack is in OLD operation.

(c) *Compliance with other regulations for equipment leak components.*

(1) After the compliance dates specified in § 63.2342, if you have pumps, valves, or sampling connections that are subject to a 40 CFR part 60 subpart, and those pumps, valves, and sampling connections are in OLD operation and in organic liquids service, as defined in this subpart, you must comply with the provisions of each subpart for those equipment leak components.

(2) After the compliance dates specified in § 63.2342, if you have pumps, valves, or sampling connections subject