

of records and the conditions for release of information. The facility must obtain the patient's written consent before releasing information not required to be released by law.

(c) *Standard: Retention and preservation.* The facility must retain clinical record information for 5 years after patient discharge and must make provision for the maintenance of such records in the event that it is no longer able to treat patients.

§ 485.62 Condition of participation: Physical environment.

The facility must provide a physical environment that protects the health and safety of patients, personnel, and the public.

(a) *Standard: Safety and comfort of patients.* The physical premises of the facility and those areas of its surrounding physical structure that are used by the patients (including at least all stairwells, corridors and passageways) must meet the following requirements:

(1) Applicable Federal, State, and local building, fire, and safety codes must be met.

(2) Fire extinguishers must be easily accessible and fire regulations must be prominently posted.

(3) A fire alarm system with local (in-house) capability must be functional, and where power is generated by electricity, an alternate power source with automatic triggering must be present.

(4) Lights, supported by an emergency power source, must be placed at exits.

(5) A sufficient number of staff to evacuate patients during a disaster must be on the premises of the facility whenever patients are being treated.

(6) Lighting must be sufficient to carry out services safely; room temperature must be maintained at comfortable levels; and ventilation through windows, mechanical means, or a combination of both must be provided.

(7) Safe and sufficient space must be available for the scope of services offered.

(b) *Standard: Sanitary environment.* The facility must maintain a sanitary environment and establish a program to identify, investigate, prevent, and control the cause of patient infections.

(1) The facility must establish written policies and procedures designed to control and prevent infection in the facility and to investigate and identify possible causes of infection.

(2) The facility must monitor the infection control program to ensure that the staff implement the policies and procedures and that the policies and procedures are consistent with current practices in the field.

(3) The facility must make available at all times a quantity of laundered linen adequate for proper care and comfort of patients. Linens must be handled, stored, and processed in a manner that prevents the spread of infection.

(4) Provisions must be in effect to ensure that the facility's premises are maintained free of rodent and insect infestation.

(c) *Standard: Maintenance of equipment, physical location, and grounds.* The facility must establish a written preventive maintenance program to ensure that—

(1) All equipment is properly maintained and equipment needing periodic calibration is calibrated consistent with the manufacturer's recommendations; and

(2) The interior of the facility, the exterior of the physical structure housing the facility, and the exterior walkways and parking areas are clean and orderly and maintained free of any defects that are a hazard to patients, personnel, and the public.

(d) *Standard: Access for the physically impaired.* The facility must ensure the following:

(1) Doorways, stairwells, corridors, and passageways used by patients are—

(i) Of adequate width to allow for easy movement of all patients (including those on stretchers or in wheelchairs); and

(ii) In the case of stairwells, equipped with firmly attached handrails on at least one side.

(2) At least one toilet facility is accessible and constructed to allow utilization by ambulatory and non-ambulatory individuals.

(3) At least one entrance is usable by individuals in wheelchairs.

(4) In multi-story buildings, elevators are accessible to and usable by the

§ 485.64

physically impaired on the level that they use to enter the building and all levels normally used by the patients of the facility.

(5) Parking spaces are large enough and close enough to the facility to allow safe access by the physically impaired.

§ 485.64 Condition of participation: Disaster procedures.

The facility must have written policies and procedures that specifically define the handling of patients, personnel, records, and the public during disasters. All personnel associated with the facility must be knowledgeable with respect to these procedures, be trained in their application, and be assigned specific responsibilities.

(a) *Standard: Disaster plan.* The facility's written disaster plan must be developed and maintained with assistance of qualified fire, safety, and other appropriate experts. The plan must include—

(1) Procedures for prompt transfer of casualties and records;

(2) Procedures for notifying community emergency personnel (for example, fire department, ambulance, etc.);

(3) Instructions regarding the location and use of alarm systems and signals and fire fighting equipment; and

(4) Specification of evacuation routes and procedures for leaving the facility.

(b) *Standard: Drills and staff training.*

(1) The facility must provide ongoing training and drills for all personnel associated with the facility in all aspects of disaster preparedness.

(2) All new personnel must be oriented and assigned specific responsibilities regarding the facility's disaster plan within two weeks of their first workday.

§ 485.66 Condition of participation: Utilization review plan.

The facility must have in effect a written utilization review plan that is implemented at least each quarter, to assess the necessity of services and promotes the most efficient use of services provided by the facility.

(a) *Standard: Utilization review committee.* The utilization review committee, consisting of the group of professional personnel specified in

42 CFR Ch. IV (10-1-04 Edition)

§ 485.56(c), a committee of this group, or a group of similar composition, comprised by professional personnel not associated with the facility, must carry out the utilization review plan.

(b) *Standard: Utilization review plan.* The utilization review plan must contain written procedures for evaluating—

(1) Admissions, continued care, and discharges using, at a minimum, the criteria established in the patient care policies;

(2) The applicability of the plan of treatment to established goals; and

(3) The adequacy of clinical records with regard to—

(i) Assessing the quality of services provided; and

(ii) Determining whether the facility's policies and clinical practices are compatible and promote appropriate and efficient utilization of services.

§ 485.70 Personnel qualifications.

This section sets forth the qualifications that must be met, as a condition of participation, under § 485.58, and as a condition of coverage of services under § 410.100 of this chapter.

(a) A facility physician must be a doctor of medicine or osteopathy who—

(1) Is licensed under State law to practice medicine or surgery; and

(2) Has had, subsequent to completing a 1-year hospital internship, at least 1 year of training in the medical management of patients requiring rehabilitation services; or

(3) Has had at least 1 year of full-time or part-time experience in a rehabilitation setting providing physicians' services similar to those required in this subpart.

(b) A licensed practical nurse must be licensed as a practical or vocational nurse by the State in which practicing, if applicable.

(c) An occupational therapist and an occupational therapist assistant must meet the qualifications set forth in § 405.1202(f) and (g) of this chapter.

(d) An orthotist must—

(1) Be licensed by the State in which practicing, if applicable;

(2) Have successfully completed a training program in orthotics that is jointly recognized by the American