

chapter.) No PHA-leased project or Section 8 Housing Assistance Payments Program project, including a PHA-owned Section 8 project, is covered by this subpart.

§ 965.302 Requirements for energy audits.

All PHAs shall complete an energy audit for each PHA-owned project under management, not less than once every five years. Standards for energy audits shall be equivalent to State standards for energy audits. Energy audits shall analyze all of the energy conservation measures, and the payback period for these measures, that are pertinent to the type of buildings and equipment operated by the PHA.

§ 965.303 [Reserved]

§ 965.304 Order of funding.

Within the funds available to a PHA, energy conservation measures should be accomplished with the shortest payback periods funded first. A PHA may make adjustments to this funding order because of insufficient funds to accomplish high-cost energy conservation measures (ECM) or where an ECM with a longer pay-back period can be more efficiently installed in conjunction with other planned modernization. A PHA may not install individual utility meters that measure the energy or fuel used for space heating in dwelling units that need substantial weatherization, when installation of meters would result in economic hardship for residents. In these cases, the ECMs related to weatherization shall be accomplished before the installation of individual utility meters.

§ 965.305 Funding.

(a) The cost of accomplishing cost-effective energy conservation measures, including the cost of performing energy audits, shall be funded from operating funds of the PHA to the extent feasible. When sufficient operating funds are not available for this purpose, such costs are eligible for inclusion in a modernization program, for funding from any available development funds in the case of projects still in development, or for other available funds that HUD

may designate to be used for energy conservation.

(b) If a PHA finances energy conservation measures from sources other than modernization or operating reserves, such as a loan from a utility entity or a guaranteed savings agreement with a private energy service company, HUD may agree to provide adjustments in its calculation of the PHA's operating subsidy eligibility under the PFS for the project and utility involved based on a determination that payments can be funded from the reasonably anticipated energy cost savings (See § 990.107(g) of this chapter).

§ 965.306 Energy conservation equipment and practices.

In purchasing original or, when needed, replacement equipment, PHAs shall acquire only equipment that meets or exceeds the minimum efficiency requirements established by the U.S. Department of Energy. In the operation of their facilities, PHAs shall follow operating practices directed to maximum energy conservation.

§ 965.307 Compliance schedule.

All energy conservation measures determined by energy audits to be cost effective shall be accomplished as funds are available.

§ 965.308 Energy performance contracts.

(a) *Method of procurement.* Energy performance contracting shall be conducted using one of the following methods of procurement:

(1) Competitive proposals (see 24 CFR 85.36(d)(3)). In identifying the evaluation factors and their relative importance, as required by § 85.36(d)(3)(i) of this title, the solicitation shall state that technical factors are significantly more important than price (of the energy audit); or

(2) If the services are available only from a single source, noncompetitive proposals (see 24 CFR 85.36(d)(4)(i)(A)).

(b) *HUD Review.* Solicitations for energy performance contracting shall be submitted to the HUD Field Office for review and approval prior to issuance. Energy performance contracts shall be submitted to the HUD Field Office for review and approval before award.