

**§ 965.508**

based. Adjustments to resident payments as a result of such changes shall be retroactive to the first day of the month following the month in which the last rate change taken into account in such revision became effective. Such rate changes shall not be subject to the 60 day notice requirement of §965.502(c).

**§ 965.508 Individual relief.**

Requests for relief from surcharges for excess consumption of PHA-purchased utilities, or from payment of utility supplier billings in excess of the allowances for resident-purchased utilities, may be granted by the PHA on reasonable grounds, such as special needs of elderly, ill or disabled residents, or special factors affecting utility usage not within the control of the resident, as the PHA shall deem appropriate. The PHA's criteria for granting such relief, and procedures for requesting such relief, shall be adopted at the time the PHA adopts the methods and procedures for determining utility allowances. Notice of the availability of such procedures (including identification of the PHA representative with whom initial contact may be made by residents), and the PHA's criteria for granting such relief, shall be included in each notice to residents given in accordance with §965.502(c) and in the information given to new residents upon admission.

**Subpart F—Physical Condition Standards and Physical Inspection Requirements**

**§ 965.601 Physical condition standards; physical inspection requirements.**

Housing owned or leased by a PHA, and public housing owned by another entity approved by HUD, must be maintained in accordance with the physical condition standards in 24 CFR part 5, subpart G. For each PHA, HUD will perform an independent physical inspection of a statistically valid sample of such housing based upon the physical condition standards in 24 CFR part 5, subpart G.

[63 FR 46580, Sept. 1, 1998]

**Subpart G [Reserved]**

**24 CFR Ch. IX (4-1-05 Edition)**

**Subpart H—Lead-Based Paint Poisoning Prevention**

**§ 965.701 Lead-based paint poisoning prevention.**

The requirements of the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821-4846), the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4851-4856), and implementing regulations at part 35, subparts A, B, L, and R of this title apply to this program.

[64 FR 50229, Sept. 15, 1999]

**Subpart I—Fire Safety**

SOURCE: 57 FR 33853, July 30, 1992, unless otherwise noted.

**§ 965.800 Applicability.**

This subpart applies to all PHA-owned or -leased housing housing, including Mutual Help and Turnkey III.

**§ 965.805 Smoke detectors.**

(a) *Performance requirement.* (1) After October 30, 1992, each unit covered by this subpart must be equipped with at least one battery-operated or hard-wired smoke detector, or such greater number as may be required by state or local codes, in working condition, on each level of the unit. In units occupied by hearing-impaired residents, smoke detectors must be hard-wired.

(2) After October 30, 1992, the public areas of all housing covered by this subpart must be equipped with a sufficient number, but not less than one for each area, of battery-operated or hard-wired smoke detectors to serve as adequate warning of fire. Public areas include, but are not limited to, laundry rooms, community rooms, day care centers, hallways, stairwells, and other common areas.

(b) *Acceptability criteria.* (1) The smoke detector for each individual unit must be located, to the extent practicable, in a hallway adjacent to the bedroom or bedrooms. In units occupied by hearing-impaired residents, hard-wired smoke detectors must be connected to an alarm system designed