

## § 590.128

services are considered as overtime work. The official plant must give reasonable advance notice to the inspector of any overtime service necessary and must pay the Agency for such overtime at an hourly rate of \$50.04.

[68 FR 37957, June 26, 2003]

### § 590.128 Holiday inspection service.

(a) When an official plant requires inspection service on a holiday or a day designated in lieu of a holiday, such service is considered holiday work. The official plant must, in advance of such holiday work, request the inspector in charge to furnish inspection service during such period and must pay the Agency for such holiday work at an hourly rate of \$50.04.

(b) The term "holiday" shall mean the legal public holidays specified by the Congress in paragraph (a) of section 6103, title 5 of the United States Code. Information on legal holidays may be obtained from the supervisor.

[37 FR 6657, Apr. 1, 1972. Redesignated at 42 FR 32514, June 27, 1977, as amended at 46 FR 63203, Dec. 31, 1981. Redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 47 FR 46071, Oct. 15, 1982; 59 FR 52637, Oct. 18, 1994; 65 FR 60095, Oct. 10, 2000; 67 FR 3430, Jan. 24, 2002; 68 FR 37957, June 26, 2003]

### § 590.130 Basis of billing plants.

Overtime and/or holiday services shall be billed to the official plant on the basis of each 15 minutes of overtime and/or holiday service performed by each inspector providing such service to the plant, except that when an official plant requires the services of an inspector after he has completed his day's assignment and left the plant or when he is called back to duty on a day outside the established normal operating schedule or on a holiday, the official plant shall pay for a minimum of 2 hours service at the applicable established rate. Extra travel expense incurred while rendering overtime or holiday service shall be billed to the official plant. Bills are payable upon receipt and become delinquent 30 days from date of billing. Overtime or holiday inspection service will not be performed at any plant that is delinquent, and processing operations shall be confined to the regular operating schedule of the plant. In addition, fees will be

## 9 CFR Ch. III (1–1–05 Edition)

charged and collected for certifications requested by and provided for the official plant that are not within the scope of these regulations.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 60 FR 49169, Sept. 21, 1995; 65 FR 44950, July 20, 2000]

### § 590.132 Access to plants.

Access shall not be refused to any representative of the Secretary to any plant, place of business, or transport vehicle subject to inspection under the provisions of this part upon presentation of proper credentials.

[63 FR 45675, Aug. 27, 1998]

### § 590.134 Accessibility of product and cooler rooms.

(a) Each product for which inspection service is required shall be so placed as to disclose fully its class, quality, quantity, and condition as the circumstances may warrant.

(b) The perimeter of each cooler room used to store shell eggs packed in containers destined for the ultimate consumer shall be made accessible in order for the Secretary's representatives to determine the ambient temperature under which shell eggs are stored.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 63 FR 45675, Aug. 27, 1998]

### § 590.136 Facilities and equipment to be furnished by official plants for use of inspectors in performing service.

(a) Such facilities and equipment shall include but not be limited to a room or area suitable for sampling product, and acceptable candling light, flashlight, heavy duty, high speed drill with an eleven sixteenths-inch or larger bit of sufficient length to reach the bottom of containers used for frozen eggs, metal stem thermometer(s), test thermometer(s), stop watch, test weighing scale(s) and test weight(s), test kit for determining the bactericidal strength of sanitizing solutions, and stationary or adequately secured storage box or cage (capable of being

locked only by the inspector) for holding official samples.

(b) Furnished office space and equipment, including but not being limited to a desk (equipped with a satisfactory locking device), lockers or cabinets suitable for the protection and storage of supplies, and facilities suitable for inspectors to change clothing.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 60 FR 49169, Sept. 21, 1995]

#### APPLICATION FOR SERVICE

##### § 590.140 How application shall be made.

The proprietor or operator of each plant processing egg products, unless exempted by § 590.100, shall make application to the Administrator for inspection service. The application shall be made in writing on forms furnished by the inspection service. In cases of change of name or ownership or change of location, a new application shall be made.

##### § 590.142 Filing of application.

An application for inspection service shall be regarded as filed only when it has been filled in completely and signed by the applicant and has been received in the office of the Chief of the Grading Branch.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, as amended at 43 FR 60138, Dec. 26, 1978. Redesignated at 46 FR 63203, Dec. 31, 1981]

##### § 590.144 Authority of applicant.

Proof of authority of any person applying for inspection service may be required at the discretion of the Administrator.

##### § 590.146 Application for continuous inspection in official plants; approval.

Any person desiring to process egg products under continuous inspection service must receive approval of such plant and facilities as an official plant prior to the installation of such service. An application for continuous inspection service to be installed in an official plant shall be approved according to the following procedure:

(a) Initial survey: When an application for continuous inspection in a plant has been filed, a supervisory egg products inspector will make a survey and inspection of the premises and plant to determine if the facilities and methods of operation therein are suitable and adequate for service in accordance with:

(1) These regulations, and

(2) Such other administrative instructions as may be issued from time to time by the Service and which are in effect at the time of the aforesaid survey and inspection.

(b) Drawings and specifications to be furnished:

(1) Applicants may obtain information or assistance as to the requirements before submitting prints of drawings, specifications, and supplemental information from the inspection service.

(2) Three copies of each print drawing as specified in this section of the complete floor plan, plot plan, supplemental information, and specifications shall be submitted. Sheet size of the print shall not exceed 34 by 44 inches, the wording shall be legible, all lines sharp and clear, and properly drawn to scale. Each print shall show the scale used, north point of the compass, and the firm name, street, city, state, and zip code or an accurate description of the location.

(3) Plot plan of entire premises shall include location of all buildings, railroads, roadways, alleys, wells, reservoirs, drains, catch basins, nearby buildings adjoining property, drainage and slope of terrain, character and surfacing of roadways, driveways, and vehicular loading areas. The plot plan may be drawn to a scale of one-thirty-second inch per foot.

(4) Floor plan prints shall include all space on each floor of the official plant, accurately illustrating and describing the facilities. Detailed drawings of processing area shall be drawn to a scale of one-fourth inch per foot. Prints showing only nonprocessing areas may be drawn to a scale of one-eighth inch per foot.

(5) Floor plans shall show the location of such features as walls, partitions, posts, doorways, windows, floor drains and channel drains, air systems,