

any amount exceeding 10 times the quantity of such material specified in Appendix C to 10 CFR Part 20 shall be conspicuously posted with a sign or signs bearing the radiation caution symbol and the words:

CAUTION<sup>2</sup>

RADIOACTIVE MATERIALS

(2) Each area or room in which natural uranium or thorium is used or stored in an amount exceeding 100 times the quantity specified in Appendix C to 10 CFR Part 20 shall be conspicuously posted with a sign or signs bearing the radiation caution symbol and the words:

CAUTION<sup>2</sup>

RADIOACTIVE MATERIALS

(f) *Containers.* (1) Each container in which is transported, stored, or used a quantity of any radioactive material (other than natural uranium or thorium) greater than the quantity of such material specified in Appendix C to 10 CFR Part 20 shall bear a durable, clearly visible label bearing the radiation caution symbol and the words:

CAUTION<sup>2</sup>

RADIOACTIVE MATERIALS

(2) Each container in which natural uranium or thorium is transported, stored, or used in a quantity greater than 10 times the quantity specified in Appendix C to 10 CFR Part 20 shall bear a durable, clearly visible label bearing the radiation caution symbol and the words:

CAUTION<sup>2</sup>

RADIOACTIVE MATERIALS

(3) Notwithstanding the provisions of paragraphs (f) (1) and (2) of this section a label shall not be required:

(i) If the concentration of the material in the container does not exceed that specified in column 2 of the described Table 1, or

(ii) For laboratory containers, such as beakers, flasks, and test tubes, used

transiently in laboratory procedures, when the user is present.

(4) Where containers are used for storage, the labels required in this paragraph shall state also the quantities and kinds of radioactive materials in the containers and the date of measurement of the quantities.

**§ 50-204.25 Exceptions from posting requirements.**

Notwithstanding the provisions of § 50-204.24:

(a) A room or area is not required to be posted with a caution sign because of the presence of a sealed source, provided the radiation level 12 inches from the surface of the source container or housing does not exceed 5 millirem per hour.

(b) Rooms or other areas in on-site medical facilities are not required to be posted with caution signs because of the presence of patients containing radioactive material, provided that there are personnel in attendance who shall take the precautions necessary to prevent the exposure of any individual to radiation or radioactive material in excess of the limits established in the provisions of this subpart.

(c) Caution signs are not required to be posted at areas or rooms containing radioactive materials for periods of less than 8 hours: *Provided*, That (1) the materials are constantly attended during such periods by an individual who shall take the precautions necessary to prevent the exposure of any individual to radiation or radioactive materials in excess of the limits established in the provisions of this subpart; and (2) such area or room is subject to the employer's control.

**§ 50-204.26 Exemptions for radioactive materials packaged for shipment.**

Radioactive materials packaged and labeled in accordance with regulations of the Department of Transportation shall be exempt from the labeling and posting requirements during shipment, provided that the inside containers are labeled in accordance with the provisions of § 50-204.24.

<sup>2</sup>Or "Danger".