

## SUBCHAPTER C—AIR PROGRAMS (CONTINUED)

### PART 63—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR SOURCE CATEGORIES

#### Subpart A—General Provisions

- Sec.
- 63.1 Applicability.
  - 63.2 Definitions.
  - 63.3 Units and abbreviations.
  - 63.4 Prohibited activities and circumvention.
  - 63.5 Preconstruction review and notification requirements.
  - 63.6 Compliance with standards and maintenance requirements.
  - 63.7 Performance testing requirements.
  - 63.8 Monitoring requirements.
  - 63.9 Notification requirements.
  - 63.10 Recordkeeping and reporting requirements.
  - 63.11 Control device requirements.
  - 63.12 State authority and delegations.
  - 63.13 Addresses of State air pollution control agencies and EPA Regional Offices.
  - 63.14 Incorporations by reference.
  - 63.15 Availability of information and confidentiality.
  - 63.16 Performance Track Provisions.

#### Subpart B—Requirements for Control Technology Determinations for Major Sources in Accordance With Clean Air Act Sections, Sections 112(g) and 112(j)

- 63.40 Applicability of §§ 63.40 through 63.44.
- 63.41 Definitions.
- 63.42 Program requirements governing construction or reconstruction of major sources.
- 63.43 Maximum achievable control technology (MACT) determinations for constructed and reconstructed major sources.
- 63.44 Requirements for constructed or reconstructed major sources subject to a subsequently promulgated MACT standard or MACT requirement.
- 63.45–63.49 [Reserved]
- 63.50 Applicability.
- 63.51 Definitions.
- 63.52 Approval process for new and existing emission units.
- 63.53 Application content for case-by-case MACT determinations.
- 63.54 Preconstruction review procedures for new affected sources.
- 63.55 Maximum achievable control technology (MACT) determinations for affected sources subject to case-by-case de-

termination of equivalent emission limitations.

- 63.56 Requirements for case-by-case determination of equivalent emission limitations after promulgation of subsequent MACT standard.

#### TABLES TO SUBPART B OF PART 63

TABLE 1 TO SUBPART B OF PART 63—SECTION 112(j) PART 2 APPLICATION DUE DATES

TABLE 2 TO SUBPART B OF PART 63—MONITORING CATEGORIES

#### Subpart C—List of Hazardous Air Pollutants, Petition Process, Lesser Quantity Designations, Source Category List

- 63.60 Deletion of caprolactam from the list of hazardous air pollutants.
- 63.61 Deletion of methyl ethyl ketone from the list of hazardous air pollutants.
- 63.62 Redefinition of glycol ethers listed as hazardous air pollutants.
- 63.63 Deletion of ethylene glycol monobutyl ether from the list of hazardous air pollutants.
- 63.64–63.69 [Reserved]

#### Subpart D—Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants

- 63.70 Applicability.
- 63.71 Definitions.
- 63.72 General provisions for compliance extensions.
- 63.73 Source.
- 63.74 Demonstration of early reduction.
- 63.75 Enforceable commitments.
- 63.76 Review of base year emissions.
- 63.77 Application procedures.
- 63.78 Early reduction demonstration evaluation.
- 63.79 Approval of applications.
- 63.80 Enforcement.
- 63.81 Rules for special situations.

#### Subpart E—Approval of State Programs and Delegation of Federal Authorities

- 63.90 Program overview.
- 63.91 Criteria for straight delegation and criteria common to all approval options.
- 63.92 Approval of State requirements that adjust a section 112 rule.
- 63.93 Approval of State requirements that substitute for a section 112 rule.
- 63.94 Approval of State permit terms and conditions that substitute for a section 112 rule.
- 63.95 Additional approval criteria for accidental release prevention programs.
- 63.96 Review and withdrawal of approval.

- 63.97 Approval of a State program that substitutes for section 112 requirements.
- 63.98 [Reserved]
- 63.99 Delegated Federal authorities.

**Subpart F—National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry**

- 63.100 Applicability and designation of source.
- 63.101 Definitions.
- 63.102 General standards.
- 63.103 General compliance, reporting, and recordkeeping provisions.
- 63.104 Heat exchange system requirements.
- 63.105 Maintenance wastewater requirements.
- 63.106 Implementation and enforcement.
- 63.107 Identification of process vents subject to this subpart.

TABLE 1 TO SUBPART F—SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY CHEMICALS

TABLE 2 TO SUBPART F—ORGANIC HAZARDOUS AIR POLLUTANTS

TABLE 3 TO SUBPART F—GENERAL PROVISIONS APPLICABILITY TO SUBPARTS F, G, AND H

TABLE 4 TO SUBPART F—ORGANIC HAZARDOUS AIR POLLUTANTS SUBJECT TO COOLING TOWER MONITORING REQUIREMENTS IN § 63.104

**Subpart G—National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater**

- 63.110 Applicability.
- 63.111 Definitions.
- 63.112 Emission standard.
- 63.113 Process vent provisions—reference control technology.
- 63.114 Process vent provisions—monitoring requirements.
- 63.115 Process vent provisions—methods and procedures for process vent group determination.
- 63.116 Process vent provisions—performance test methods and procedures to determine compliance.
- 63.117 Process vent provisions—reporting and recordkeeping requirements for group and TRE determinations and performance tests.
- 63.118 Process vent provisions—periodic reporting and recordkeeping requirements.
- 63.119 Storage vessel provisions—reference control technology.
- 63.120 Storage vessel provisions—procedures to determine compliance.
- 63.121 Storage vessel provisions—alternative means of emission limitation.

- 63.122 Storage vessel provisions—reporting.
  - 63.123 Storage vessel provisions—recordkeeping.
  - 63.124–63.125 [Reserved]
  - 63.126 Transfer operations provisions—reference control technology.
  - 63.127 Transfer operations provisions—monitoring requirements.
  - 63.128 Transfer operations provisions—test methods and procedures.
  - 63.129 Transfer operations provisions—reporting and recordkeeping for performance tests and notification of compliance status.
  - 63.130 Transfer operations provisions—periodic recordkeeping and reporting.
  - 63.131 [Reserved]
  - 63.132 Process wastewater provisions—general.
  - 63.133 Process wastewater provisions—wastewater tanks.
  - 63.134 Process wastewater provisions—surface impoundments.
  - 63.135 Process wastewater provisions—containers.
  - 63.136 Process wastewater provisions—individual drain systems.
  - 63.137 Process wastewater provisions—oil-water separators.
  - 63.138 Process wastewater provisions—performance standards for treatment processes managing Group 1 wastewater streams and/or residuals removed from Group 1 wastewater streams.
  - 63.139 Process wastewater provisions—control devices.
  - 63.140 Process wastewater provisions—delay of repair.
  - 63.141–63.142 [Reserved]
  - 63.143 Process wastewater provisions—inspections and monitoring of operations.
  - 63.144 Process wastewater provisions—test methods and procedures for determining applicability and Group 1/Group 2 determinations (determining which wastewater streams require control).
  - 63.145 Process wastewater provisions—test methods and procedures to determine compliance.
  - 63.146 Process wastewater provisions—reporting.
  - 63.147 Process wastewater provisions—recordkeeping.
  - 63.148 Leak inspection provisions.
  - 63.149 Control requirements for certain liquid streams in open systems within a chemical manufacturing process unit.
  - 63.150 Emissions averaging provisions.
  - 63.151 Initial notification.
  - 63.152 General reporting and continuous records.
- TABLE 1 TO SUBPART G—PROCESS VENTS—COEFFICIENTS FOR TOTAL RESOURCE EFFECTIVENESS FOR EXISTING SOURCE NONHALOGENATED AND HALOGENATED VENT STREAMS

- TABLE 1A TO SUBPART G—APPLICABLE 40 CFR PART 63 GENERAL PROVISIONS
- TABLE 2 TO SUBPART G—PROCESS VENTS—COEFFICIENTS FOR TOTAL RESOURCE EFFECTIVENESS FOR NEW SOURCE NONHALOGENATED AND HALOGENATED VENT STREAMS
- TABLE 3 TO SUBPART G—PROCESS VENTS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS FOR COMPLYING WITH 98 WEIGHT-PERCENT REDUCTION OF TOTAL ORGANIC HAZARDOUS AIR POLLUTANTS EMISSIONS OR A LIMIT OF 20 PARTS PER MILLION BY VOLUME
- TABLE 4 TO SUBPART G—PROCESS VENTS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS FOR MAINTAINING A TRE INDEX VALUE  $>1.0$  AND  $\leq 4.0$
- TABLE 5 TO SUBPART G—GROUP 1 STORAGE VESSELS AT EXISTING SOURCES
- TABLE 6 TO SUBPART G—GROUP 1 STORAGE VESSELS AT NEW SOURCES
- TABLE 7 TO SUBPART G—TRANSFER OPERATIONS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS FOR COMPLYING WITH 98 WEIGHT-PERCENT REDUCTION OF TOTAL ORGANIC HAZARDOUS AIR POLLUTANTS EMISSIONS OR A LIMIT OF 20 PARTS PER MILLION BY VOLUME
- TABLE 8 TO SUBPART G—ORGANIC HAP'S SUBJECT TO THE WASTEWATER PROVISIONS FOR PROCESS UNITS AT NEW SOURCES
- TABLE 9 TO SUBPART G—ORGANIC HAP'S SUBJECT TO THE WASTEWATER PROVISIONS FOR PROCESS UNITS AT NEW AND EXISTING SOURCES AND CORRESPONDING FRACTION REMOVED (FR) VALUES
- TABLE 10 TO SUBPART G—WASTEWATER—COMPLIANCE OPTIONS FOR WASTEWATER TANKS
- TABLE 11 TO SUBPART G—WASTEWATER—INSPECTION AND MONITORING REQUIREMENTS FOR WASTE MANAGEMENT UNITS
- TABLE 12 TO SUBPART G—MONITORING REQUIREMENTS FOR TREATMENT PROCESSES
- TABLE 13 TO SUBPART G—WASTEWATER—MONITORING REQUIREMENTS FOR CONTROL DEVICES
- TABLES 14–14B TO SUBPART G [RESERVED]
- TABLE 15 TO SUBPART G—WASTEWATER—INFORMATION ON TABLE 8 AND/OR TABLE 9 COMPOUNDS TO BE SUBMITTED WITH NOTIFICATION OF COMPLIANCE STATUS FOR PROCESS UNITS AT NEW AND/OR EXISTING SOURCES
- TABLE 16 TO SUBPART G [RESERVED]
- TABLE 17 TO SUBPART G—INFORMATION FOR TREATMENT PROCESSES TO BE SUBMITTED WITH NOTIFICATION OF COMPLIANCE STATUS
- TABLE 18 TO SUBPART G—INFORMATION FOR WASTE MANAGEMENT UNITS TO BE SUBMITTED WITH NOTIFICATION OF COMPLIANCE STATUS
- TABLE 19 TO SUBPART G—WASTEWATER—INFORMATION ON RESIDUALS TO BE SUBMITTED WITH NOTIFICATION OF COMPLIANCE STATUS
- TABLE 20 TO SUBPART G—WASTEWATER—PERIODIC REPORTING REQUIREMENTS FOR CONTROL DEVICES SUBJECT TO § 63.139 USED TO COMPLY WITH §§ 63.13 THROUGH 63.139
- TABLE 21 TO SUBPART G—AVERAGE STORAGE TEMPERATURE ( $T_s$ ) AS A FUNCTION OF TANK PAINT COLOR
- TABLE 22 TO SUBPART G—PAINT FACTORS FOR FIXED ROOF TANKS
- TABLE 23 TO SUBPART G—AVERAGE CLINGAGE FACTORS (C)
- TABLE 24 TO SUBPART G—TYPICAL NUMBER OF COLUMNS AS A FUNCTION OF TANK DIAMETER FOR INTERNAL FLOATING ROOF TANKS WITH COLUMN SUPPORTED FIXED ROOFS
- TABLE 25 TO SUBPART G—EFFECTIVE COLUMN DIAMETER ( $F_c$ )
- TABLE 26 TO SUBPART G—SEAL RELATED FACTORS FOR INTERNAL FLOATING ROOF VESSELS
- TABLE 27 TO SUBPART G—SUMMARY OF INTERNAL FLOATING DECK FITTING LOSS FACTORS ( $K_F$ ) AND TYPICAL NUMBER OF FITTINGS ( $N_F$ )
- TABLE 28 TO SUBPART G—DECK SEAM LENGTH FACTORS<sup>A</sup> ( $S_D$ ) FOR INTERNAL FLOATING ROOF TANKS
- TABLE 29 TO SUBPART G—SEAL RELATED FACTORS FOR EXTERNAL FLOATING ROOF VESSELS
- TABLE 30 TO SUBPART G—ROOF FITTING LOSS FACTORS,  $K_{Fa}$ ,  $K_{Fb}$ , AND  $M$ ,<sup>A</sup> AND TYPICAL NUMBER OF FITTINGS,  $N_F$
- TABLE 31 TO SUBPART G—TYPICAL NUMBER OF VACUUM BREAKERS,  $N_{F6}$  AND ROOF DRAINS,<sup>A</sup>  $N_{F7}$
- TABLE 32 TO SUBPART G—TYPICAL NUMBER OF ROOF LEGS,<sup>A</sup>  $N_{F8}$
- TABLE 33 TO SUBPART G—SATURATION FACTORS
- TABLE 34 TO SUBPART G—FRACTION MEASURED ( $F_m$ ) AND FRACTION EMITTED ( $F_e$ ) FOR HAP COMPOUNDS IN WASTEWATER STREAMS
- TABLE 35 TO SUBPART G—CONTROL REQUIREMENTS FOR ITEMS OF EQUIPMENT THAT MEET THE CRITERIA OF § 63.149 OF SUBPART G
- TABLE 36 TO SUBPART G—COMPOUND LISTS USED FOR COMPLIANCE DEMONSTRATIONS FOR ENHANCED BIOLOGICAL TREATMENT PROCESSES (SEE § 63.145(H))
- TABLE 37 TO SUBPART G—DEFAULT BIORATES FOR LIST 1 COMPOUNDS
- FIGURE 1 TO SUBPART G—DEFINITIONS OF TERMS USED IN WASTEWATER EQUATIONS
- Subpart H—National Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks**
- 63.160 Applicability and designation of source.
- 63.161 Definitions.
- 63.162 Standards: General.

**Pt. 63**

- 63.163 Standards: Pumps in light liquid service.
- 63.164 Standards: Compressors.
- 63.165 Standards: Pressure relief devices in gas/vapor service.
- 63.166 Standards: Sampling connection systems.
- 63.167 Standards: Open-ended valves or lines.
- 63.168 Standards: Valves in gas/vapor service and in light liquid service.
- 63.169 Standards: Pumps, valves, connectors, and agitators in heavy liquid service; instrumentation systems; and pressure relief devices in liquid service.
- 63.170 Standards: Surge control vessels and bottoms receivers.
- 63.171 Standards: Delay of repair.
- 63.172 Standards: Closed-vent systems and control devices.
- 63.173 Standards: Agitators in gas/vapor service and in light liquid service.
- 63.174 Standards: Connectors in gas/vapor service and in light liquid service.
- 63.175 Quality improvement program for valves.
- 63.176 Quality improvement program for pumps.
- 63.177 Alternative means of emission limitation: General.
- 63.178 Alternative means of emission limitation: Batch processes.
- 63.179 Alternative means of emission limitation: Enclosed-vented process units.
- 63.180 Test methods and procedures.
- 63.181 Recordkeeping requirements.
- 63.182 Reporting requirements.
- 63.183 Implementation and enforcement.
- TABLE 1 TO SUBPART H—BATCH PROCESSES
- TABLE 2 TO SUBPART H—SURGE CONTROL VESSELS AND BOTTOMS RECEIVERS AT EXISTING SOURCES
- TABLE 3 TO SUBPART H—SURGE CONTROL VESSELS AND BOTTOMS RECEIVERS AT NEW SOURCES
- TABLE 4 TO SUBPART H—APPLICABLE 40 CFR PART 63 GENERAL PROVISIONS

**Subpart I—National Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the Negotiated Regulation for Equipment Leaks**

- 63.190 Applicability and designation of source.
- 63.191 Definitions.
- 63.192 Standard.
- 63.193 Implementation and enforcement.

**Subpart J—National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production**

**WHAT THIS SUBPART COVERS**

- 63.210 What is the purpose of this subpart?
- 63.211 Am I subject to this subpart?

**40 CFR Ch. I (7–1–06 Edition)**

- 63.212 What parts of my facility does this subpart cover?
- 63.213 When do I have to comply with this subpart?

**STANDARDS AND COMPLIANCE REQUIREMENTS**

- 63.214 What are the requirements I must comply with?

**OTHER REQUIREMENTS AND INFORMATION**

- 63.215 What General Provisions apply to me?
- 63.216 Who administers this subpart?
- 63.217 What definitions apply to this subpart?

**Subpart K [Reserved]**

**Subpart L—National Emission Standards for Coke Oven Batteries**

- 63.300 Applicability.
- 63.301 Definitions.
- 63.302 Standards for by-product coke oven batteries.
- 63.303 Standards for nonrecovery coke oven batteries.
- 63.304 Standards for compliance date extension.
- 63.305 Alternative standards for coke oven doors equipped with sheds.
- 63.306 Work practice standards.
- 63.307 Standards for bypass/bleeder stacks.
- 63.308 Standards for collecting mains.
- 63.309 Performance tests and procedures.
- 63.310 Requirements for startups, shutdowns, and malfunctions.
- 63.311 Reporting and recordkeeping requirements.
- 63.312 Existing regulations and requirements.
- 63.313 Implementation and enforcement.
- APPENDIX A TO SUBPART L—OPERATING COKE OVEN BATTERIES AS OF APRIL 1, 1992

**Subpart M—National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities**

- 63.320 Applicability.
- 63.321 Definitions.
- 63.322 Standards.
- 63.323 Test methods and monitoring.
- 63.324 Reporting and recordkeeping requirements.
- 63.325 Determination of equivalent emission control technology.
- 63.326 Implementation and enforcement.

**Subpart N—National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks**

- 63.340 Applicability and designation of sources.

## Environmental Protection Agency

Pt. 63

- 63.341 Definitions and nomenclature.
- 63.342 Standards.
- 63.343 Compliance provisions.
- 63.344 Performance test requirements and test methods.
- 63.345 Provisions for new and reconstructed sources.
- 63.346 Recordkeeping requirements.
- 63.347 Reporting requirements.
- 63.348 Implementation and enforcement.

### TABLE 1 TO SUBPART N—GENERAL PROVISIONS APPLICABILITY TO SUBPART N

#### Subpart O—Ethylene Oxide Emissions Standards for Sterilization Facilities

- 63.360 Applicability.
- 63.361 Definitions.
- 63.362 Standards.
- 63.363 Compliance and performance testing.
- 63.364 Monitoring requirements.
- 63.365 Test methods and procedures.
- 63.366 Reporting requirements.
- 63.367 Recordkeeping requirements.
- 63.368 Implementation and enforcement.

#### Subpart P [Reserved]

#### Subpart Q—National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers

- 63.400 Applicability.
- 63.401 Definitions.
- 63.402 Standard.
- 63.403 Compliance dates.
- 63.404 Compliance demonstrations.
- 63.405 Notification requirements.
- 63.406 Recordkeeping and reporting requirements.
- 63.407 Implementation and enforcement.

### TABLE 1 TO SUBPART Q—GENERAL PROVISIONS APPLICABILITY TO SUBPART Q

#### Subpart R—National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)

- 63.420 Applicability.
- 63.421 Definitions.
- 63.422 Standards: Loading racks.
- 63.423 Standards: Storage vessels.
- 63.424 Standards: Equipment leaks.
- 63.425 Test methods and procedures.
- 63.426 Alternative means of emission limitation.
- 63.427 Continuous monitoring.
- 63.428 Reporting and recordkeeping.
- 63.429 Delegation of authority.

### TABLE 1 TO SUBPART R—GENERAL PROVISIONS APPLICABILITY TO SUBPART R

#### Subpart S—National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry

- 63.440 Applicability.
- 63.441 Definitions.
- 63.442 [Reserved]
- 63.443 Standards for the pulping system at kraft, soda, and semi-chemical processes.
- 63.444 Standards for the pulping system at sulfite processes.
- 63.445 Standards for the bleaching system.
- 63.446 Standards for kraft pulping process condensates.
- 63.447 Clean condensate alternative.
- 63.448–63.449 [Reserved]
- 63.450 Standards for enclosures and closed-vent systems.
- 63.451–63.452 [Reserved]
- 63.453 Monitoring requirements.
- 63.454 Recordkeeping requirements.
- 63.455 Reporting requirements.
- 63.456 [Reserved]
- 63.457 Test methods and procedures.
- 63.458 Implementation and enforcement.
- 63.459 Alternative standards.

### TABLE 1 TO SUBPART S—GENERAL PROVISIONS APPLICABILITY TO SUBPART S

#### Subpart T—National Emission Standards for Halogenated Solvent Cleaning

- 63.460 Applicability and designation of source.
- 63.461 Definitions.
- 63.462 Batch cold cleaning machine standards.
- 63.463 Batch vapor and in-line cleaning machine standards.
- 63.464 Alternative standards.
- 63.465 Test methods.
- 63.466 Monitoring procedures.
- 63.467 Recordkeeping requirements.
- 63.468 Reporting requirements.
- 63.469 Equivalent methods of control.
- 63.470 Implementation and enforcement.

### APPENDIX A TO SUBPART T—TEST OF SOLVENT CLEANING PROCEDURES

### APPENDIX B TO SUBPART T—GENERAL PROVISIONS APPLICABILITY TO SUBPART T

#### Subpart U—National Emission Standards for Hazardous Air Pollutant Emissions: Group I Polymers and Resins

- 63.480 Applicability and designation of affected sources.
- 63.481 Compliance dates and relationship of this subpart to existing applicable rules.
- 63.482 Definitions.
- 63.483 Emission standards.
- 63.484 Storage vessel provisions.
- 63.485 Continuous front-end process vent provisions.

**Pt. 63**

- 63.486 Batch front-end process vent provisions.
- 63.487 Batch front-end process vents—reference control technology.
- 63.488 Methods and procedures for batch front-end process vent group determination.
- 63.489 Batch front-end process vents—monitoring equipment.
- 63.490 Batch front-end process vents—performance test methods and procedures to determine compliance.
- 63.491 Batch front-end process vents—recordkeeping requirements.
- 63.492 Batch front-end process vents—reporting requirements.
- 63.493 Back-end process provisions.
- 63.494 Back-end process provisions—residual organic HAP limitations.
- 63.495 Back-end process provisions—procedures to determine compliance using stripping technology.
- 63.496 Back-end process provisions—procedures to determine compliance using control or recovery devices.
- 63.497 Back-end process provisions—monitoring provisions for control and recovery devices.
- 63.498 Back-end process provisions—recordkeeping.
- 63.499 Back-end process provisions—reporting.
- 63.500 Back-end process provisions—carbon disulfide limitations for styrene butadiene rubber by emulsion processes.
- 63.501 Wastewater provisions.
- 63.502 Equipment leak and heat exchange system provisions.
- 63.503 Emissions averaging provisions.
- 63.504 Additional requirements for performance testing.
- 63.505 Parameter monitoring levels and excursions.
- 63.506 General recordkeeping and reporting provisions.
- 63.507 Implementation and enforcement.
- TABLE 1 TO SUBPART U—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART U AFFECTED SOURCES
- TABLE 2 TO SUBPART U—APPLICABILITY OF SUBPARTS F, G, & H OF THIS PART TO SUBPART U AFFECTED SOURCES
- TABLE 3 TO SUBPART U—GROUP 1 STORAGE VESSELS AT EXISTING AFFECTED SOURCES
- TABLE 4 TO SUBPART U—GROUP 1 STORAGE VESSELS AT NEW SOURCES
- TABLE 5 TO SUBPART U—KNOWN ORGANIC HAP FROM THE PRODUCTION OF ELASTOMER PRODUCTS
- TABLE 6 TO SUBPART U—GROUP 1 BATCH FRONT-END PROCESS VENTS AND AGGREGATE BATCH VENT STREAMS—MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS
- TABLE 7 TO SUBPART U—OPERATING PARAMETERS FOR WHICH MONITORING LEVELS ARE REQUIRED TO BE ESTABLISHED FOR

**40 CFR Ch. I (7–1–06 Edition)**

- CONTINUOUS AND BATCH FRONT-END PROCESS VENTS AND AGGREGATE BATCH VENT STREAMS
- TABLE 8 TO SUBPART U—SUMMARY OF COMPLIANCE ALTERNATIVE REQUIREMENTS FOR THE BACK-END PROCESS PROVISIONS
- TABLE 9 TO SUBPART U—ROUTINE REPORTS REQUIRED BY THIS SUBPART

**Subpart V [Reserved]**

**Subpart W—National Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production**

- 63.520 Applicability and designation of sources.
- 63.521 Compliance schedule.
- 63.522 Definitions.
- 63.523 Standards for basic liquid resins manufacturers.
- 63.524 Standards for wet strength resins manufacturers.
- 63.525 Compliance and performance testing.
- 63.526 Monitoring requirements.
- 63.527 Recordkeeping requirements.
- 63.528 Reporting requirements.
- 63.529 Implementation and enforcement.
- TABLE 1 TO SUBPART W—GENERAL PROVISIONS APPLICABILITY TO SUBPART W

**Subpart X—National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting**

- 63.541 Applicability.
- 63.542 Definitions.
- 63.543 Standards for process sources.
- 63.544 Standards for process fugitive sources.
- 63.545 Standards for fugitive dust sources.
- 63.546 Compliance dates.
- 63.547 Test methods.
- 63.548 Monitoring requirements.
- 63.549 Notification requirements.
- 63.550 Recordkeeping and reporting requirements.
- 63.551 Implementation and enforcement.

**Subpart Y—National Emission Standards for Marine Tank Vessel Loading Operations**

- 63.560 Applicability and designation of affected source.
- 63.561 Definitions.
- 63.562 Standards.
- 63.563 Compliance and performance testing.
- 63.564 Monitoring requirements.
- 63.565 Test methods and procedures.
- 63.566 Construction and reconstruction.
- 63.567 Recordkeeping and reporting requirements.
- 63.568 Implementation and enforcement.

**Subpart Z [Reserved]**

## Environmental Protection Agency

## § 63.1

63.569–63.599 [Reserved]

AUTHORITY: 42 U.S.C. 7401 *et seq.*

SOURCE: 57 FR 61992, Dec. 29, 1992, unless otherwise noted.

### Subpart A—General Provisions

SOURCE: 59 FR 12430, Mar. 16, 1994, unless otherwise noted.

#### § 63.1 Applicability.

(a) *General.* (1) Terms used throughout this part are defined in § 63.2 or in the Clean Air Act (Act) as amended in 1990, except that individual subparts of this part may include specific definitions in addition to or that supersede definitions in § 63.2.

(2) This part contains national emission standards for hazardous air pollutants (NESHAP) established pursuant to section 112 of the Act as amended November 15, 1990. These standards regulate specific categories of stationary sources that emit (or have the potential to emit) one or more hazardous air pollutants listed in this part pursuant to section 112(b) of the Act. This section explains the applicability of such standards to sources affected by them. The standards in this part are independent of NESHAP contained in 40 CFR part 61. The NESHAP in part 61 promulgated by signature of the Administrator before November 15, 1990 (i.e., the date of enactment of the Clean Air Act Amendments of 1990) remain in effect until they are amended, if appropriate, and added to this part.

(3) No emission standard or other requirement established under this part shall be interpreted, construed, or applied to diminish or replace the requirements of a more stringent emission limitation or other applicable requirement established by the Administrator pursuant to other authority of the Act (section 111, part C or D or any other authority of this Act), or a standard issued under State authority. The Administrator may specify in a specific standard under this part that facilities subject to other provisions under the Act need only comply with the provisions of that standard.

(4)(i) Each relevant standard in this part 63 must identify explicitly whether each provision in this subpart A is

or is not included in such relevant standard.

(ii) If a relevant part 63 standard incorporates the requirements of 40 CFR part 60, part 61 or other part 63 standards, the relevant part 63 standard must identify explicitly the applicability of each corresponding part 60, part 61, or other part 63 subpart A (General) provision.

(iii) The General Provisions in this subpart A do not apply to regulations developed pursuant to section 112(r) of the amended Act, unless otherwise specified in those regulations.

(5) [Reserved]

(6) To obtain the most current list of categories of sources to be regulated under section 112 of the Act, or to obtain the most recent regulation promulgation schedule established pursuant to section 112(e) of the Act, contact the Office of the Director, Emission Standards Division, Office of Air Quality Planning and Standards, U.S. EPA (MD-13), Research Triangle Park, North Carolina 27711.

(7)–(9) [Reserved]

(10) For the purposes of this part, time periods specified in days shall be measured in calendar days, even if the word “calendar” is absent, unless otherwise specified in an applicable requirement.

(11) For the purposes of this part, if an explicit postmark deadline is not specified in an applicable requirement for the submittal of a notification, application, test plan, report, or other written communication to the Administrator, the owner or operator shall postmark the submittal on or before the number of days specified in the applicable requirement. For example, if a notification must be submitted 15 days before a particular event is scheduled to take place, the notification shall be postmarked on or before 15 days preceding the event; likewise, if a notification must be submitted 15 days after a particular event takes place, the notification shall be postmarked on or before 15 days following the end of the event. The use of reliable non-Government mail carriers that provide indications of verifiable delivery of information required to be submitted to the

## § 63.1

## 40 CFR Ch. I (7–1–06 Edition)

Administrator, similar to the postmark provided by the U.S. Postal Service, or alternative means of delivery agreed to by the permitting authority, is acceptable.

(12) Notwithstanding time periods or postmark deadlines specified in this part for the submittal of information to the Administrator by an owner or operator, or the review of such information by the Administrator, such time periods or deadlines may be changed by mutual agreement between the owner or operator and the Administrator. Procedures governing the implementation of this provision are specified in § 63.9(i).

(b) *Initial applicability determination for this part.* (1) The provisions of this part apply to the owner or operator of any stationary source that—

(i) Emits or has the potential to emit any hazardous air pollutant listed in or pursuant to section 112(b) of the Act; and

(ii) Is subject to any standard, limitation, prohibition, or other federally enforceable requirement established pursuant to this part.

(2) [Reserved]

(3) An owner or operator of a stationary source who is in the relevant source category and who determines that the source is not subject to a relevant standard or other requirement established under this part must keep a record as specified in § 63.10(b)(3).

(c) *Applicability of this part after a relevant standard has been set under this part.* (1) If a relevant standard has been established under this part, the owner or operator of an affected source must comply with the provisions of that standard and of this subpart as provided in paragraph (a)(4) of this section.

(2) Except as provided in § 63.10(b)(3), if a relevant standard has been established under this part, the owner or operator of an affected source may be required to obtain a title V permit from a permitting authority in the State in which the source is located. Emission standards promulgated in this part for area sources pursuant to section 112(c)(3) of the Act will specify whether—

(i) States will have the option to exclude area sources affected by that

standard from the requirement to obtain a title V permit (i.e., the standard will exempt the category of area sources altogether from the permitting requirement);

(ii) States will have the option to defer permitting of area sources in that category until the Administrator takes rulemaking action to determine applicability of the permitting requirements; or

(iii) If a standard fails to specify what the permitting requirements will be for area sources affected by such a standard, then area sources that are subject to the standard will be subject to the requirement to obtain a title V permit without any deferral.

(3)–(4) [Reserved]

(5) If an area source that otherwise would be subject to an emission standard or other requirement established under this part if it were a major source subsequently increases its emissions of hazardous air pollutants (or its potential to emit hazardous air pollutants) such that the source is a major source that is subject to the emission standard or other requirement, such source also shall be subject to the notification requirements of this subpart.

(d) [Reserved]

(e) If the Administrator promulgates an emission standard under section 112(d) or (h) of the Act that is applicable to a source subject to an emission limitation by permit established under section 112(j) of the Act, and the requirements under the section 112(j) emission limitation are substantially as effective as the promulgated emission standard, the owner or operator may request the permitting authority to revise the source's title V permit to reflect that the emission limitation in the permit satisfies the requirements of the promulgated emission standard. The process by which the permitting authority determines whether the section 112(j) emission limitation is substantially as effective as the promulgated emission standard must include, consistent with part 70 or 71 of this chapter, the opportunity for full public, EPA, and affected State review (including the opportunity for EPA's objection) prior to the permit revision

being finalized. A negative determination by the permitting authority constitutes final action for purposes of review and appeal under the applicable title V operating permit program.

[59 FR 12430, Mar. 16, 1994, as amended at 67 FR 16595, Apr. 5, 2002]

### § 63.2 Definitions.

The terms used in this part are defined in the Act or in this section as follows:

*Act* means the Clean Air Act (42 U.S.C. 7401 *et seq.*, as amended by Pub. L. 101-549, 104 Stat. 2399).

*Actual emissions* is defined in subpart D of this part for the purpose of granting a compliance extension for an early reduction of hazardous air pollutants.

*Administrator* means the Administrator of the United States Environmental Protection Agency or his or her authorized representative (e.g., a State that has been delegated the authority to implement the provisions of this part).

*Affected source*, for the purposes of this part, means the collection of equipment, activities, or both within a single contiguous area and under common control that is included in a section 112(c) source category or subcategory for which a section 112(d) standard or other relevant standard is established pursuant to section 112 of the Act. Each relevant standard will define the “affected source,” as defined in this paragraph unless a different definition is warranted based on a published justification as to why this definition would result in significant administrative, practical, or implementation problems and why the different definition would resolve those problems. The term “affected source,” as used in this part, is separate and distinct from any other use of that term in EPA regulations such as those implementing title IV of the Act. Affected source may be defined differently for part 63 than affected facility and stationary source in parts 60 and 61, respectively. This definition of “affected source,” and the procedures for adopting an alternative definition of “affected source,” shall apply to each section 112(d) standard for which the initial proposed rule is signed by the Administrator after June 30, 2002.

*Alternative emission limitation* means conditions established pursuant to sections 112(i)(5) or 112(i)(6) of the Act by the Administrator or by a State with an approved permit program.

*Alternative emission standard* means an alternative means of emission limitation that, after notice and opportunity for public comment, has been demonstrated by an owner or operator to the Administrator's satisfaction to achieve a reduction in emissions of any air pollutant at least equivalent to the reduction in emissions of such pollutant achieved under a relevant design, equipment, work practice, or operational emission standard, or combination thereof, established under this part pursuant to section 112(h) of the Act.

*Alternative test method* means any method of sampling and analyzing for an air pollutant that is not a test method in this chapter and that has been demonstrated to the Administrator's satisfaction, using Method 301 in Appendix A of this part, to produce results adequate for the Administrator's determination that it may be used in place of a test method specified in this part.

*Approved permit program* means a State permit program approved by the Administrator as meeting the requirements of part 70 of this chapter or a Federal permit program established in this chapter pursuant to title V of the Act (42 U.S.C. 7661).

*Area source* means any stationary source of hazardous air pollutants that is not a major source as defined in this part.

*Commenced* means, with respect to construction or reconstruction of an affected source, that an owner or operator has undertaken a continuous program of construction or reconstruction or that an owner or operator has entered into a contractual obligation to undertake and complete, within a reasonable time, a continuous program of construction or reconstruction.

*Compliance date* means the date by which an affected source is required to be in compliance with a relevant standard, limitation, prohibition, or any federally enforceable requirement established by the Administrator (or a State