

Environmental Protection Agency

§ 761.210

shipping paper signed and dated to the generator.

(v) Retain at the commercial storage or disposal facility a copy of the manifest and shipping paper, if signed in lieu of the manifest, in accordance with § 761.209(d).

(3) Whenever an off-site shipment of PCB waste is initiated from a commercial storage or disposal facility, the owner or operator of the commercial storage or disposal facility shall comply with the manifest requirements that apply to generators of PCB waste.

§ 761.209 Retention of manifest records.

(a) A generator of PCB waste shall keep a copy of each manifest signed in accordance with § 761.208(a)(1) until the generator receives a signed copy from the designated commercial storage or disposal facility which received the PCB waste. The copy signed by the commercial storer or disposer shall be retained for at least 3 years from the date the PCB waste was accepted by the initial transporter. A generator subject to annual document requirements under § 761.180 shall retain copies of each manifest for the period required by § 761.180(a).

(b)(1) A transporter of PCB waste shall keep a copy of the manifest signed by the generator, transporter, and the next designated transporter, if applicable, or the owner or operator of the designated commercial storage or disposal facility. This copy shall be retained for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(2) For shipments of PCB waste delivered to the designated commercial storage or disposal facility by water (bulk shipment), each water (bulk shipment) transporter shall retain a copy of the shipping paper described in § 761.208(b)(5)(ii) for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(3) For shipments of PCB waste by rail within the United States:

(i) The initial rail transporter shall keep a copy of the manifest and the shipping paper required to accompany the PCB waste for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(ii) The final rail transporter shall keep a copy of the signed manifest, or the required shipping paper if signed by the designated facility in lieu of the manifest, for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(c) The owner or operator of a PCB commercial storage or disposal facility that receives off-site shipments of PCB waste shall retain at the facility for at least 3 years a copy of each manifest or shipping paper that the owner or operator signs in accordance with § 761.208 (c)(1) or (c)(3).

(d) The periods of record retention required by this section shall be extended automatically during the course of any outstanding enforcement action regarding the regulated activity.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

§ 761.210 Manifest discrepancies.

(a) Manifest discrepancies are differences between the quantity or type of PCB waste designated on the manifest or shipping paper and the quantity or type of PCB waste actually delivered to and received by a designated facility.

(1) Significant discrepancies in quantity are:

(i) Variations greater than 10 percent in weight of PCB waste in containers.

(ii) Any variation in piece count, such as a discrepancy of one PCB Transformer or PCB Container or PCB Article Container in a truckload.

(2) Significant discrepancies in type of PCB waste are obvious differences which may be discovered by inspection or waste analysis, such as the substitution of solids for liquids or the substitution of high concentration PCBs (above 500 ppm) with lower concentration materials.

(b) Upon discovering a significant discrepancy, the owner or operator of the designated commercial storage or disposal facility shall attempt to reconcile the discrepancy with the waste generator or transporter. If the discrepancy is not resolved within 15 days after receiving the PCB waste, such owner or operator shall immediately submit to the Regional Administrator for the Region in which the designated facility is located a letter describing