

## § 761.211

## 40 CFR Ch. I (7-1-06 Edition)

the discrepancy and attempts to reconcile it, and a copy of the manifest or shipping paper at issue.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

### § 761.211 Unmanifested waste report.

(a) After April 4, 1990, if a PCB commercial storage or disposal facility receives any shipment of PCB waste from an off-site source without an accompanying manifest or shipping paper (where required in place of a manifest), and any part of the shipment consists of any PCB waste regulated for disposal, then the owner or operator of the commercial storage or disposal facility shall attempt to contact the generator, using information supplied by the transporter, to obtain a manifest or to return the PCB waste.

(b) If the owner or operator of the commercial storage or disposal facility cannot contact the generator of the PCB waste, he shall notify the Regional Administrator of the EPA region in which his facility is located of the unmanifested PCB waste so that the Regional Administrator can determine whether further actions are required before the owner or operator may store or dispose of the unmanifested PCB waste.

(c) Within 15 days after receiving the unmanifested PCB waste, the owner or operator shall prepare and submit a report to the Regional Administrator for the Region in which the commercial storage or disposal facility is located and to the Regional Administrator for the Region in which the PCB waste originated, if known. The report may be submitted on EPA Form 8700-13B, or by a written letter designated "Unmanifested Waste Report." The report shall include the following information:

(1) The EPA identification number, name, and address of the PCB commercial storage or disposal facility.

(2) The date the commercial storage or disposal facility received the unmanifested PCB waste.

(3) The EPA identification number, name, and address of the generator and transporter, if available.

(4) A description of the type and quantity of the unmanifested PCB waste received at the facility.

(5) A brief explanation of why the waste was unmanifested, if known.

(6) The disposition made of the unmanifested waste by the commercial storage or disposal facility, including:

(i) If the waste was stored or disposed by that facility, was the generator identified and was a manifest subsequently supplied.

(ii) If the waste was sent back to the generator, why and when.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

### § 761.215 Exception reporting.

(a) A generator of PCB waste, who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated PCB commercial storage or disposal facility within 35 days of the date the waste was accepted by the initial transporter, shall immediately contact the transporter and/or the owner or operator of the designated facility to determine the status of the PCB waste.

(b) A generator of PCB waste subject to the manifesting requirements shall submit an Exception Report to the EPA Regional Administrator for the Region in which the generator is located if the generator has not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 45 days of the date the waste was accepted by the initial transporter. The exception report shall be submitted to EPA no later than 45 days from the date on which the generator should have received the manifest. The Exception Report shall include the following:

(1) A legible copy of the manifest for which the generator does not have confirmation of delivery.

(2) A cover letter signed by the generator or his authorized representative explaining the efforts taken to locate the PCB waste and the results of those efforts.

(c) A disposer of PCB waste shall submit a One-year Exception Report to the EPA Regional Administrator for the Region in which the disposal facility is located no later than 45 days from the end of the 1-year storage for disposal date when the following occurs: