

## § 92.31

bird population status and trends, evaluate habitat conditions, determine harvests, and consider other factors having an impact on the anticipated size of annual populations.

(c) The Service proposes annual migratory game bird hunting regulations in the FEDERAL REGISTER in the spring for seasons beginning September 1 of that year. Following consideration of additional biological information and public comment, the Service publishes supplemental proposals throughout the summer. These are also open to public comment.

(d) Sections 92.31 through 92.39 provide for the annual harvest of migratory birds and their eggs during spring and summer for subsistence users in Alaska.

[67 FR 53517, Aug. 16, 2002, as amended at 68 FR 43028, July 21, 2003]

### § 92.31 Migratory bird species closed to subsistence harvest.

(a) Because of conservation concerns, you may not harvest birds or gather eggs from the following species in 2006:

(1) Spectacled Eider (*Somateria fischeri*).

(2) Steller's Eider (*Polysticta stelleri*).

(3) Emperor Goose (*Chen canagica*).

(4) Aleutian Canada Goose (*Branta canadensis leucopareia*)—Semidi Islands only.

(5) Yellow-billed Loons (*Gavia adamsii*)—Except in the North Slope Region only, a total of up to 20 yellow-billed loons inadvertently caught in fishing nets may be kept for subsistence purposes.

(b) In addition, you may not gather eggs from the following species in 2006:

(1) Cackling Canada Goose (*Branta canadensis minima*).

(2) Black Brant (*Branta bernicla nigricans*)—in the Yukon/Kuskokwim Delta and North Slope regions only.

[71 FR 10408, Feb. 28, 2006]

### § 92.32 Subsistence migratory bird species.

You may harvest birds or gather eggs from the following species, listed in taxonomic order, within all included regions. When birds are listed only to the species level, all subspecies existing in Alaska are open to harvest.

## 50 CFR Ch. I (10–1–06 Edition)

### (a) Family Anatidae

(1) Greater White-fronted Goose (*Anser albifrons*).

(2) Snow Goose (*Chen caerulescens*).

(3) Lesser Canada Goose (*Branta canadensis parvipes*).

(4) Taverner's Canada Goose (*Branta canadensis taverneri*).

(5) Aleutian Canada Goose (*Branta canadensis leucopareia*)—except in the Semidi Islands.

(6) Cackling Canada Goose (*Branta canadensis minima*)—except no egg gathering is permitted.

(7) Black Brant (*Branta bernicla nigricans*)—except no egg gathering is permitted in the Yukon/Kuskokwim Delta and the North Slope regions.

(8) Tundra Swan (*Cygnus columbianus*)—except in Units 9(D) and 10.

(9) Gadwall (*Anas strepera*).

(10) Eurasian Wigeon (*Anas penelope*).

(11) American Wigeon (*Anas americana*).

(12) Mallard (*Anas platyrhynchos*).

(13) Blue-winged Teal (*Anas discors*).

(14) Northern Shoveler (*Anas clypeata*).

(15) Northern Pintail (*Anas acuta*).

(16) Green-winged Teal (*Anas crecca*).

(17) Canvasback (*Aythya valisineria*).

(18) Redhead (*Aythya americana*).

(19) Ring-necked Duck (*Aythya collaris*).

(20) Greater Scaup (*Aythya marila*).

(21) Lesser Scaup (*Aythya affinis*).

(22) King Eider (*Somateria spectabilis*).

(23) Common Eider (*Somateria mollissima*).

(24) Harlequin Duck (*Histrionicus histrionicus*).

(25) Surf Scoter (*Melanitta perspicillata*).

(26) White-winged Scoter (*Melanitta fusca*).

(27) Black Scoter (*Melanitta nigra*).

(28) Long-tailed Duck (*Clangula hyemalis*).

(29) Bufflehead (*Bucephala albeola*).

(30) Common Goldeneye (*Bucephala clangula*).

(31) Barrow's Goldeneye (*Bucephala islandica*).

(32) Hooded Merganser (*Lophodytes cucullatus*).

(33) Common Merganser (*Mergus merganser*).

U.S. Fish and Wildlife Serv., Interior

§ 92.32

(34) Red-breasted Merganser (*Mergus serrator*).

(b) Family Gaviidae

- (1) Red-throated Loon (*Gavia stellata*).
- (2) Arctic Loon (*Gavia arctica*).
- (3) Pacific Loon (*Gavia pacifica*).
- (4) Common Loon (*Gavia immer*).
- (5) Yellow-billed Loon (*Gavia adamsii*)—In the North Slope Region only, a total of up to 20 yellow-billed loons inadvertently caught in fishing nets may be kept for subsistence purposes.

(c) Family Podicipedidae

- (1) Horned Grebe (*Podiceps auritus*).
- (2) Red-necked Grebe (*Podiceps grisegena*).

(d) Family Procellariidae

- (1) Northern Fulmar (*Fulmarus glacialis*).
- (2) [Reserved]

(e) Family Phalacrocoracidae

- (1) Double-crested Cormorant (*Phalacrocorax auritus*).
- (2) Pelagic Cormorant (*Phalacrocorax pelagicus*).

(f) Family Gruidae

- (1) Sandhill Crane (*Grus canadensis*).
- (2) [Reserved]

(g) Family Charadriidae

- (1) Black-bellied Plover (*Pluvialis squatarola*).
- (2) Common Ringed Plover (*Charadrius hiaticula*).

(h) Family Haematopodidae

- (1) Black Oystercatcher (*Haematopus bachmani*).
- (2) [Reserved]

(i) Family Scolopacidae

- (1) Greater Yellowlegs (*Tringa melanoleuca*).
- (2) Lesser Yellowlegs (*Tringa flavipes*).
- (3) Spotted Sandpiper (*Actitis macularia*).
- (4) Bar-tailed Godwit (*Limosa lapponica*).
- (5) Ruddy Turnstone (*Arenaria interpres*).

(6) Semipalmated Sandpiper (*Calidris pusilla*).

(7) Western Sandpiper (*Calidris mauri*).

(8) Least Sandpiper (*Calidris minutilla*).

(9) Baird's Sandpiper (*Calidris bairdii*).

(10) Sharp-tailed Sandpiper (*Calidris acuminata*).

(11) Dunlin (*Calidris alpina*).

(12) Long-billed Dowitcher (*Limnodromus scolopaceus*).

(13) Common Snipe (*Gallinago gallinago*).

(14) Red-necked phalarope (*Phalaropus lobatus*).

(15) Red phalarope (*Phalaropus fulicaria*).

(j) Family Laridae

(1) Pomarine Jaeger (*Stercorarius pomarinus*).

(2) Parasitic Jaeger (*Stercorarius parasiticus*).

(3) Long-tailed Jaeger (*Stercorarius longicaudus*).

(4) Bonaparte's Gull (*Larus philadelphia*).

(5) Mew Gull (*Larus canus*).

(6) Herring Gull (*Larus argentatus*).

(7) Slaty-backed Gull (*Larus schistisagus*).

(8) Glaucous-winged Gull (*Larus glaucescens*).

(9) Glaucous Gull (*Larus hyperboreus*).

(10) Sabine's Gull (*Xema sabini*).

(11) Black-legged Kittiwake (*Rissa tridactyla*).

(12) Red-legged Kittiwake (*Rissa brevirostris*).

(13) Ivory Gull (*Pagophila eburnea*).

(14) Arctic Tern (*Sterna paradisaea*).

(15) Aleutian Tern (*Sterna aleutica*).

(k) Family Alcidae

(1) Common Murre (*Uria aalge*).

(2) Thick-billed Murre (*Uria lomvia*).

(3) Black Guillemot (*Cepphus grylle*).

(4) Pigeon Guillemot (*Cepphus columba*).

(5) Cassin's Auklet (*Ptychoramphus aleuticus*).

(6) Parakeet Auklet (*Aethia psittacula*).

(7) Least Auklet (*Aethia pusilla*).

(8) Whiskered Auklet (*Aethia pygmaea*).

(9) Crested Auklet (*Aethia cristatella*).

**§ 92.33**

(10) Rhinoceros Auklet (*Cerorhinca monocerata*).

(11) Horned Puffin (*Fratercula corniculata*).

(12) Tufted Puffin (*Fratercula cirrhata*).

(1) Family Strigidae

(1) Great Horned Owl (*Bubo scandiacus*).

(2) Snowy Owl (*Nyctea scandiaca*).

[71 FR 10408, Feb. 28, 2006]

**§ 92.33 Region-specific regulations.**

The 2006 season dates for the eligible subsistence regions are as follows:

(a) Aleutian/Pribilof Islands Region.

(1) Northern Unit (Pribilof Islands):

(i) Season: April 2–June 30.

(ii) Closure: July 1–August 31.

(2) Central Unit (Aleut Region's eastern boundary on the Alaska Peninsula westward to and including Unalaska Island):

(i) Season: April 2–June 15 and July 16–August 31.

(ii) Closure: June 16–July 15.

(iii) Special Black Brant Season Closure: August 16–August 31, only in Izembek and Moffet lagoons.

(iv) Special Tundra Swan Closure: All hunting and egg gathering closed in units 9(D) and 10.

(3) Western Unit (Umnak Island west to and including Attu Island):

(i) Season: April 2–July 15 and August 16–August 31.

(ii) Closure: July 16–August 15.

(b) Yukon/Kuskokwim Delta Region.

(1) Season: April 2–August 31.

(2) Closure: 30-day closure dates to be announced by the Alaska Regional Director or his designee, after consultation with local subsistence users, field biologists, and the Association of Village Council President's Waterfowl Conservation Committee. This 30-day period will occur between June 1 and August 15 of each year. A press release announcing the actual closure dates will be forwarded to regional newspapers and radio and television stations and posted in village post offices and stores.

(3) Special Black Brant and Cackling Goose Season Hunting Closure: From the period when egg laying begins until young birds are fledged. Closure dates to be announced by the Alaska Re-

**50 CFR Ch. I (10–1–06 Edition)**

gional Director or his designee, after consultation with field biologists and the Association of Village Council President's Waterfowl Conservation Committee. A press release announcing the actual closure dates will be forwarded to regional newspapers and radio and television stations and posted in village post offices and stores.

(4) Special Area Closure: (i) The following described goose nesting colonies are closed to all hunting and egg gathering from the period of nest initiation until young birds are fledged:

(A) Kokechik Bay Colony—bounded by 61.61° N to 61.67° N and 165.83° W to 166.08° W;

(B) Tutakoke River Colony—bounded by 61.20° N to 61.28° N and 165.08° W to 165.13° W;

(C) Kigigak Island Colony—bounded by island's edge;

(D) Baird Peninsula Colony—bounded by 60.87° N to 60.91° N and 164.65° W to 165.80° W, and

(E) Baird Island Colony—bounded by island's edge.

(ii) Closure dates to be announced by the Alaska Regional Director or his designee, after consultation with field biologists and the Association of Village Council President's Waterfowl Conservation Committee. A press release announcing the actual closure dates will be forwarded to regional newspapers and radio and television stations and posted in village post offices and stores.

(c) Bristol Bay Region.

(1) Season: April 2–June 14 and July 16–August 31 (general season); April 2–July 15 for seabird egg gathering only.

(2) Closure: June 15–July 15 (general season); July 16–August 31 (seabird egg gathering).

(d) Bering Strait/Norton Sound Region.

(1) Stebbins/St. Michael Area (Point Romanof to Canal Point):

(i) Season: April 15–June 14 and July 16–August 31.

(ii) Closure: June 15–July 15.

(2) Remainder of the region:

(i) Season: April 2–June 14 and July 16–August 31 for waterfowl; April 2–July 19 and August 21–August 31 for all other birds.