

Product	Temperature
Platelet Rich Plasma	Between 1 and 10 °C if the label indicates storage between 1 and 6 °C, or all reasonable methods to maintain the temperature as close as possible to a range between 20 and 24 °C, if the label indicates storage between 20 and 24 °C.
Platelets	Between 1 and 10 °C if the label indicates storage between 1 and 6 °C, or all reasonable methods to maintain the temperature as close as possible to a range between 20 to 24 °C, if the label indicates storage between 20 and 24 °C.
Poliovirus Vaccine Live Oral Trivalent.	0 °C or colder.
Poliovirus Vaccine Live Oral Type I.	Do.
Poliovirus Vaccine Live Oral Type II.	Do.
Poliovirus Vaccine Live Oral Type III.	Do.
Red Blood Cells (liquid product).	Between 1 and 10 °C.
Red Blood Cells Frozen	-65 °C or colder.
Rubella and Mumps Virus Vaccine Live.	10 °C or colder.
Rubella Virus Vaccine Live ...	Do.
Smallpox Vaccine (Liquid Product).	0 °C or colder.
Source Plasma	-5 °C or colder.
Source Plasma Liquid	10 °C or colder.
Whole Blood	Blood that is transported from the collecting facility to the processing facility shall be transported in an environment capable of continuously cooling the blood toward a temperature range of 1 to 10 °C, or at a temperature as close as possible to 20 to 24 °C for a period not to exceed 6 hours. Blood transported from the storage facility shall be placed in an appropriate environment to maintain a temperature range between 1 to 10 °C during shipment.
Yellow Fever Vaccine	0 °C or colder.

Subpart C—Establishment Inspection

§ 600.20 Inspectors.

Inspections shall be made by an officer of the Food and Drug Administration having special knowledge of the methods used in the manufacture and control of products and designated for such purposes by the Commissioner of Food and Drugs, or by any officer, agent, or employee of the Department of Health and Human Services specifically designated for such purpose by the Secretary.

[38 FR 32048, Nov. 20, 1973]

§ 600.21 Time of inspection.

The inspection of an establishment for which a biologics license application is pending need not be made until the establishment is in operation and is manufacturing the complete product for which a biologics license is desired. In case the license is denied following inspection for the original license, no reinspection need be made until assurance has been received that the faulty conditions which were the basis of the denial have been corrected. An inspection of each licensed establishment and its additional location(s) shall be made at least once every 2 years. Inspections may be made with or without notice, and shall be made during regular business hours unless otherwise directed.

[38 FR 32048, Nov. 20, 1973, as amended at 48 FR 26314, June 7, 1983; 64 FR 56449, Oct. 20, 1999]

§ 600.22 Duties of inspector.

The inspector shall:

(a) Call upon the active head of the establishment, stating the object of his visit,

(b) Interrogate the proprietor or other personnel of the establishment as he may deem necessary,

(c) Examine the details of location, construction, equipment and maintenance, including stables, barns, warehouses, manufacturing laboratories, bleeding clinics maintained for the collection of human blood, shipping rooms, record rooms, and any other structure or appliance used in any part of the manufacture of a product,

(b) *Exemptions.* Exemptions or modifications shall be made only upon written approval, in the form of a supplement to the biologics license application, approved by the Director, Center for Biologics Evaluation and Research.

[39 FR 39872, Nov. 12, 1974, as amended at 49 FR 23833, June 8, 1984; 50 FR 4133, Jan. 29, 1985; 50 FR 9000, Mar. 6, 1985; 55 FR 11013, Mar. 26, 1990; 59 FR 49351, Sept. 28, 1994; 64 FR 56449, Oct. 20, 1999]