

§ 35.2123

meet the requirements of this part and are being enforced.

(Approved by the Office of Management and Budget under control number 2040-0027)

§ 35.2123 Reserve capacity.

EPA will limit grant assistance for reserve capacity as follows:

(a) If EPA awarded a grant for a Step 3 interceptor segment before December 29, 1981, EPA may award grants for remaining interceptor segments included in the facilities plan with reserve capacity as planned, up to 40 years.

(b) Except as provided in paragraph (a) of this section, if EPA awards a grant for a Step 3 or Step 3 segment of a primary, secondary, or advanced treatment facility or its interceptors included in the facilities plan before October 1, 1984, the grant for that Step 3 or Step 3 segment, and any remaining segments, may include 20 years reserve capacity.

(c) Except as provided in paragraph (b) of this section, after September 30, 1984, no grant shall be made to provide reserve capacity for a project for secondary treatment or more stringent treatment or new interceptors and appurtenances. Grants for such projects shall be based on capacity necessary to serve existing needs (including existing needs of residential, commercial, industrial, and other users) as determined on the date of the approval of the Step 3 grant. Grant assistance awarded after September 30, 1990 shall be limited to the needs existing on September 30, 1990.

(d) For any application with capacity in excess of that provided by this section:

(1) All incremental costs shall be paid by the applicant. Incremental costs include all costs which would not have been incurred but for the additional excess capacity, i.e., any cost in addition to the most cost-effective alternative with eligible reserve capacity described under paragraphs (a) and (b) of this section.

(2) It must be determined that the actual treatment works to be built meets the requirements of the National Environmental Policy Act and all applicable laws and regulations.

(3) The Regional Administrator shall approve the plans, specifications and

40 CFR Ch. I (7-1-07 Edition)

estimates for the actual treatment works.

(4) The grantee shall assure the Regional Administrator satisfactorily that it has assessed the costs and financial impacts of the actual treatment works and has the capability to finance and manage their construction and operation.

(5) The grantee must implement a user charge system which applies to the entire service area of the grantee.

(6) The grantee shall execute appropriate grant conditions or releases protecting the Federal Government from any claim for any of the costs of construction due to the additional capacity.

§ 35.2125 Treatment of wastewater from industrial users.

(a) Grant assistance shall not be provided for a project unless the project is included in a complete waste treatment system and the principal purpose of both the project and the system is for the treatment of domestic wastewater of the entire community, area, region or district concerned.

(b) Allowable project costs do not include:

(1) Costs of interceptor or collector sewers constructed exclusively, or almost exclusively, to serve industrial users; or

(2) Costs for control or removal of pollutants in wastewater introduced into the treatment works by industrial users, unless the applicant is required to remove such pollutants introduced from nonindustrial users.

§ 35.2127 Federal facilities.

Grant assistance shall not be provided for costs to transport or treat wastewater produced by a facility that is owned and operated by the Federal Government which contributes more than 250,000 gallons per day or 5 percent of the design flow of the complete waste treatment system, whichever is less.

(Approved by the Office of Management and Budget under control number 2040-0027)

§ 35.2130 Sewer use ordinance.

The sewer use ordinance (see also §§ 35.2122 and 35.2208) or other legally binding document shall prohibit any

Environmental Protection Agency

§ 35.2140

new connections from inflow sources into the treatment works and require that new sewers and connections to the treatment works are properly designed and constructed. The ordinance or other legally binding document shall also require that all wastewater introduced into the treatment works not contain toxics or other pollutants in amounts or concentrations that endanger public safety and physical integrity of the treatment works; cause violation of effluent or water quality limitations; or preclude the selection of the most cost-effective alternative for wastewater treatment and sludge disposal.

(Approved by the Office of Management and Budget under control number 2040-0027)

§ 35.2140 User charge system.

The user charge system (see §§ 35.2122 and 35.2208) must be designed to produce adequate revenues required for operation and maintenance (including replacement). It shall provide that each user which discharges pollutants that cause an increase in the cost of managing the effluent or sludge from the treatment works shall pay for such increased cost. The user charge system shall be based on either actual use under paragraph (a) of this section, ad valorem taxes under paragraph (b) of this section, or a combination of the two.

(a) *User charge system based on actual use.* A grantee's user charge system based on actual use (or estimated use) of wastewater treatment services shall provide that each user (or user class) pays its proportionate share of operation and maintenance (including replacement) costs of treatment works within the grantee's service area, based on the user's proportionate contribution to the total wastewater loading from all users (or user classes).

(b) *User charge system based on ad valorem taxes.* A grantee's user charge system which is based on ad valorem taxes may be approved if:

(1) On December 27, 1977, the grantee had in existence a system of dedicated ad valorem taxes which collected revenues to pay the cost of operation and maintenance of wastewater treatment works within the grantee's service area

and the grantee has continued to use that system;

(2) The ad valorem user charge system distributes the operation and maintenance (including replacement) costs for all treatment works in the grantee's jurisdiction to the residential and small non-residential user class (including at the grantee's option non-residential, commercial and industrial users that introduce no more than the equivalent of 25,000 gallons per day of domestic sanitary wastes to the treatment works), in proportion to the use of the treatment works by this class; and

(3) Each member of the industrial user and commercial user class which discharges more than 25,000 gallons per day of sanitary waste pays its share of the costs of operation and maintenance (including replacement) of the treatment works based upon charges for actual use.

(c) *Notification.* Each user charge system must provide that each user be notified, at least annually, in conjunction with a regular bill (or other means acceptable to the Regional Administrator), of the rate and that portion of the user charges or ad valorem taxes which are attributable to wastewater treatment services.

(d) *Financial management system.* Each user charge system must include an adequate financial management system that will accurately account for revenues generated by the system and expenditures for operation and maintenance (including replacement) of the treatment system, based on an adequate budget identifying the basis for determining the annual operation and maintenance costs and the costs of personnel, material, energy and administration.

(e) *Charges for operation and maintenance for extraneous flows.* The user charge system shall provide that the costs of operation and maintenance for all flow not directly attributable to users (i.e., infiltration/inflow) be distributed among all users based upon either of the following:

(1) In the same manner that it distributes the costs for their actual use, or