

852.211-71

shall also contain a complete list of all replaceable parts showing part number, name, and quantity required.

(End of clause)

(d) When the bid or proposal will result in the initial purchase (including each make and model) of a centrally procured item, the following clause will be used:

SERVICE DATA MANUAL (NOV 1984)

The contractor agrees, when requested by the contracting officer, to furnish not more than three copies of the technical documentation required by paragraph 852.211-70(a) to the Service and Reclamation Division, Hines, Ill. In addition, the contractor agrees to furnish two additional copies of the technical documentation required by 852.211-70(a) above with each piece of equipment sold as a result of the invitation for bid or request for proposal.

(End of clause)

[50 FR 795, Jan. 7, 1985; 54 FR 40065, Sept. 29, 1989; 61 FR 11587, Mar. 21, 1996. Redesignated at 63 FR 17338, Apr. 9, 1998, and amended at 63 FR 69223, Dec. 16, 1998]

852.211-71 Guarantee clause.

(a) When the bid or proposal will result in any purchase of equipment, the following clause will be used:

GUARANTEE (NOV 1984)

The contractor guarantees the equipment against defective material, workmanship and performance for a period of _____,¹ said guarantee to run from date of acceptance of the equipment by the Government. The contractor agrees to furnish, without cost to the Government, replacement of all parts and material which are found to be defective during the guarantee period. Replacement of material and parts will be furnished to the Government at the point of installation, if installation is within the continental United States, or f.o.b. the continental U.S. port to be designated by the contracting officer if installation is outside of the continental United States. Cost of installation of replacement material and parts shall be borne by the contractor.²

¹Normally, insert one year. If industry policy covers a shorter or longer period, i.e., 90 days or for the life of the equipment, insert such period.

²The above clause will be modified to conform to standards of the industry involved.

48 CFR Ch. 8 (10-1-07 Edition)

(End of clause)

(b) Where it is industry policy to furnish, but not install, replacement material and parts at the contractor's expense, the last sentence will be changed to indicate that cost of installation shall be borne by the Government. Where it is industry policy to: (1) Guarantee components for the life of the equipment (i.e., crystals in transmitters and receivers in radio communications systems); or (2) require that highly technical equipment be returned to the factory (at contractor's or Government's expense) for replacement of defective materials or parts, the clause used will be compatible with such policy.

[49 FR 12629, Mar. 29, 1984, as amended at 50 FR 794, 796, Jan. 7, 1985. Redesignated at 63 FR 17338, Apr. 9, 1998]

852.211-72 Inspection.

(a) Contracts for property, other than packing house and dairy products and fresh and frozen fruits and vegetables will contain the following clause:

REJECTED GOODS (NOV 1984)

Rejected goods will be held subject to contractor's order for not more than 15 days, after which the rejected merchandise will be returned to the contractor's address at his/her risk and expense. Expenses incident to the examination and testing of materials or supplies which have been rejected will be charged to the contractor's account.

(End of clause)

(b) Contracts for packinghouse and dairy products, bread and bakery products and for fresh and frozen fruits and vegetables will contain the following clause:

REJECTED GOODS

The contractor shall remove rejected supplies within 48 hours after notice of rejection. Supplies determined to be unfit for human consumption will not be removed without permission of the local health authorities. Supplies not removed within the allowed time may be destroyed. The Department of Veterans Affairs will not be responsible for nor pay for products rejected. The contractor will be liable for costs incident to examination of rejected products.

Department of Veterans Affairs

852.211-75

(End of clause)

[49 FR 12629, Mar. 29, 1984, as amended at 50 FR 794, Jan. 7, 1985. Redesignated at 63 FR 17338, Apr. 9, 1998]

852.211-73 Frozen processed foods.

The following clause will be included in all solicitations for the purchase of frozen processed foods, issued by a field facility:

FROZEN PROCESSED FOODS (NOV 1984)

The products delivered under this contract shall be in excellent condition, shall not show evidence of defrosting, refreezing, or freezer burn and shall be transported and delivered to the consignee at a temperature of 0 degrees Fahrenheit or lower.

(End of clause)

[49 FR 12629, Mar. 29, 1984, as amended at 50 FR 794, 796, Jan. 7, 1985; 54 FR 40065, Sept. 29, 1989. Redesignated at 63 FR 17338, Apr. 9, 1998]

852.211-74 Telecommunications equipment.

(a) When a detailed purchase description of formal specification is the basis for solicitations for telecommunications equipment as defined in VA Manual MP-6, Part VIII, (available at any Department of Veterans Affairs facility), solicitations, including those for construction, will include the following provision:

SPECIAL NOTICE (APR 1984)

Descriptive literature. The submission of descriptive literature with offers is not required and voluntarily submitted descriptive literature which qualifies the offer will require rejection of the offer.

However, within 5 days after award of contract, the contractor will submit to the contracting officer literature describing the equipment he/she intends to furnish and indicating strict compliance with the specification requirements.

The contracting officer will, by written notice to the contractor within 20 calendar days after receipt of the literature, approve, conditionally approve, or disapprove the equipment proposed to be furnished. The notice of approval or conditional approval will not relieve the contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval will state any further action required of the

contractor. A notice of disapproval will cite reasons therefor.

If the equipment is disapproved by the Government, the contractor will be subject to action under the Default provision of this contract. However, prior to default action the contractor will be permitted a period (at least 10 days) under that clause to submit additional descriptive literature on equipment originally offered or descriptive literature on other equipment.

The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule necessitated by additional descriptive literature evaluations.

(End of provision)

(b) The descriptive literature to be furnished by the contractor after award in accordance with paragraph (a) of this section is subject to the controls established in 870.112(b).

(c) The time of delivery or performance to be specified in the solicitation will include the time required for submission, receipt, the evaluation and approval required by 870.112(b) of this chapter, and return to the contractor of the descriptive literature.

[49 FR 12629, Mar. 29, 1984, as amended at 50 FR 794, 796, Jan. 7, 1985. Redesignated at 63 FR 17338, Apr. 9, 1998]

852.211-75 Technical industry standards.

When items are required to conform to technical industry standards, such as those adopted by Underwriter's Laboratories, Incorporated; Factory Mutual Laboratories; American Gas Association; American Society Mechanical Engineers; National Electrical Manufacturers' Association; American Society Heating, Refrigeration and Air Conditioning Engineers; or similar organizations where such standards are generally recognized and accepted in the industry involved, the invitation for bids, request for proposals or request for quotations will so state. In no instance, where there is a multiple choice of laboratories, shall the invitation for bid, request for proposal or request for quotation indicate that the label or certificate of only one such laboratory is acceptable. The following provision will be used unless comparable provisions are contained in the item specification: