

§ 358.701

their eggs [bullet] disinfect clothing by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes [bullet] do not seal clothing in a plastic bag because nits can remain dormant for up to 30 days''.

[68 FR 75417, Dec. 31, 2003]

Subpart H—Drug Products for the Control of Dandruff, Seborrheic Dermatitis, and Psoriasis

SOURCE: 56 FR 63568, Dec. 4, 1991, unless otherwise noted.

§ 358.701 Scope.

(a) An over-the-counter dandruff, seborrheic dermatitis, or psoriasis drug product in a form suitable for topical application is generally recognized as safe and effective and is not misbranded if it meets each of the conditions in this subpart and each general condition established in § 330.1 of this chapter.

(b) References in this subpart to regulatory sections of the Code of Federal Regulations are to chapter I of title 21 unless otherwise noted.

§ 358.703 Definitions.

As used in this subpart:

(a) *Coal tar*. The tar used for medicinal purposes that is obtained as a by-product during the destructive distillation of bituminous coal at temperatures in the range of 900 °C to 1,100 °C. It may be further processed using either extraction with alcohol and suitable dispersing agents and maceration times or fractional distillation with or without the use of suitable organic solvents.

(b) *Dandruff*. A condition involving an increased rate of shedding of dead epidermal cells of the scalp.

(c) *Psoriasis*. A condition of the scalp or body characterized by irritation, itching, redness, and extreme excess shedding of dead epidermal cells.

(d) *Seborrheic dermatitis*. A condition of the scalp or body characterized by irritation, itching, redness, and excess shedding of dead epidermal cells.

(e) Selenium sulfide, micronized. Selenium sulfide that has been finely

21 CFR Ch. I (4–1–08 Edition)

ground and that has a median particle size of approximately 5 micrometers (µm), with not more than 0.1 percent of the particles greater than 15 µm and not more than 0.1 percent of the particles less than 0.5 µm.

[56 FR 63568, Dec. 4, 1991, as amended at 59 FR 4001, Jan. 28, 1994]

§ 358.710 Active ingredients for the control of dandruff, seborrheic dermatitis, or psoriasis.

The active ingredient of the product consists of any of the following within the specified concentration established for each ingredient:

(a) *Active ingredients for the control of dandruff*. (1) Coal tar, 0.5 to 5 percent. When a coal tar solution, derivative, or fraction is used as the source of the coal tar, the labeling shall specify the identity and concentration of the coal tar source used and the concentration of the coal tar present in the final product.

(2) Pyrithione zinc, 0.3 to 2 percent when formulated to be applied and then washed off after brief exposure.

(3) Pyrithione zinc, 0.1 to 0.25 percent when formulated to be applied and left on the skin or scalp.

(4) Salicylic acid, 1.8 to 3 percent.

(5) Selenium sulfide, 1 percent.

(6) Selenium sulfide, micronized, 0.6 percent.

(7) Sulfur, 2 to 5 percent.

(b) *Active ingredients for the control of seborrheic dermatitis*. (1) Coal tar, 0.5 to 5 percent. When a coal tar solution, derivative, or fraction is used as the source of the coal tar, the labeling shall specify the identity and concentration of the coal tar source used and the concentration of the coal tar present in the final product.

(2) Pyrithione zinc, 0.95 to 2 percent when formulated to be applied and then washed off after brief exposure.

(3) Pyrithione zinc, 0.1 to 0.25 percent when formulated to be applied and left on the skin or scalp.

(4) Salicylic acid, 1.8 to 3 percent.

(5) Selenium sulfide, 1 percent.

(c) *Active ingredients for the control of psoriasis*. (1) Coal tar, 0.5 to 5 percent. When a coal tar solution, derivative, or fraction is used as the source of the coal tar, the labeling shall specify the identity and concentration of the coal