

## § 600.10

(z) *Process* refers to a manufacturing step that is performed on the product itself which may affect its safety, purity or potency, in contrast to such manufacturing steps which do not affect intrinsically the safety, purity or potency of the product.

(aa) *Selling agent* or *distributor* means any person engaged in the unrestricted distribution, other than by sale at retail, of products subject to license.

(bb) *Container* (referred to also as “final container”) is the immediate unit, bottle, vial, ampule, tube, or other receptacle containing the product as distributed for sale, barter, or exchange.

(cc) *Package* means the immediate carton, receptacle, or wrapper, including all labeling matter therein and thereon, and the contents of the one or more enclosed containers. If no package, as defined in the preceding sentence, is used, the container shall be deemed to be the package.

(dd) *Label* means any written, printed, or graphic matter on the container or package or any such matter clearly visible through the immediate carton, receptacle, or wrapper.

(ee) *Radioactive biological product* means a biological product which is labeled with a radionuclide or intended solely to be labeled with a radionuclide.

(ff) *Amendment* is the submission of information to a pending license application or supplement, to revise or modify the application as originally submitted.

(gg) *Supplement* is a request to approve a change in an approved license application.

(hh) *Distributed* means the biological product has left the control of the licensed manufacturer.

(ii) *Control* means having responsibility for maintaining the continued safety, purity, and potency of the product and for compliance with applicable product and establishment standards, and for compliance with current good manufacturing practices.

(jj) *Assess the effects of the change*, as used in § 601.12 of this chapter, means to evaluate the effects of a manufacturing change on the identity, strength, quality, purity, and potency of a product as these factors may re-

## 21 CFR Ch. I (4–1–08 Edition)

late to the safety or effectiveness of the product.

(kk) *Specification*, as used in § 601.12 of this chapter, means the quality standard (i.e., tests, analytical procedures, and acceptance criteria) provided in an approved application to confirm the quality of products, intermediates, raw materials, reagents, components, in-process materials, container closure systems, and other materials used in the production of a product. For the purpose of this definition, *acceptance criteria* means numerical limits, ranges, or other criteria for the tests described.

[38 FR 32048, Nov. 20, 1973, as amended at 40 FR 31313, July 25, 1975; 55 FR 11014, Mar. 26, 1990; 61 FR 24232, May 14, 1996; 62 FR 39901, July 24, 1997; 64 FR 56449, Oct. 20, 1999; 65 FR 66634, Nov. 7, 2000; 69 FR 18766, Apr. 8, 2004; 70 FR 14982, Mar. 24, 2005]

### Subpart B—Establishment Standards

#### § 600.10 Personnel.

(a) [Reserved]

(b) *Personnel*. Personnel shall have capabilities commensurate with their assigned functions, a thorough understanding of the manufacturing operations which they perform, the necessary training and experience relating to individual products, and adequate information concerning the application of the pertinent provisions of this subchapter to their respective functions. Personnel shall include such professionally trained persons as are necessary to insure the competent performance of all manufacturing processes.

(c) *Restrictions on personnel*—(1) *Specific duties*. Persons whose presence can affect adversely the safety and purity of a product shall be excluded from the room where the manufacture of a product is in progress.

(2) *Sterile operations*. Personnel performing sterile operations shall wear clean or sterilized protective clothing and devices to the extent necessary to protect the product from contamination.

(3) *Pathogenic viruses and spore-forming organisms*. Persons working with viruses pathogenic for man or with spore-forming microorganisms, and

persons engaged in the care of animals or animal quarters, shall be excluded from areas where other products are manufactured, or such persons shall change outer clothing, including shoes, or wear protective covering prior to entering such areas.

(4) *Live vaccine work areas.* Persons may not enter a live vaccine processing area after having worked with other infectious agents in any other laboratory during the same working day. Only persons actually concerned with propagation of the culture, production of the vaccine, and unit maintenance, shall be allowed in live vaccine processing areas when active work is in progress. Casual visitors shall be excluded from such units at all times and all others having business in such areas shall be admitted only under supervision. Street clothing, including shoes, shall be replaced or covered by suitable laboratory clothing before entering a live vaccine processing unit. Persons caring for animals used in the manufacture of live vaccines shall be excluded from other animal quarters and from contact with other animals during the same working day.

[38 FR 32048, Nov. 20, 1973, as amended at 49 FR 23833, June 8, 1984; 55 FR 11014, Mar. 26, 1990; 62 FR 53538, Oct. 15, 1997; 68 FR 75119, Dec. 30, 2003]

**§ 600.11 Physical establishment, equipment, animals, and care.**

(a) *Work areas.* All rooms and work areas where products are manufactured or stored shall be kept orderly, clean, and free of dirt, dust, vermin and objects not required for manufacturing. Precautions shall be taken to avoid clogging and back-siphonage of drainage systems. Precautions shall be taken to exclude extraneous infectious agents from manufacturing areas. Work rooms shall be well lighted and ventilated. The ventilation system shall be arranged so as to prevent the dissemination of microorganisms from one manufacturing area to another and to avoid other conditions unfavorable to the safety of the product. Filling rooms, and other rooms where open, sterile operations are conducted, shall be adequate to meet manufacturing needs and such rooms shall be constructed and equipped to permit thor-

ough cleaning and to keep air-borne contaminants at a minimum. If such rooms are used for other purposes, they shall be cleaned and prepared prior to use for sterile operations. Refrigerators, incubators and warm rooms shall be maintained at temperatures within applicable ranges and shall be free of extraneous material which might affect the safety of the product.

(b) *Equipment.* Apparatus for sterilizing equipment and the method of operation shall be such as to insure the destruction of contaminating microorganisms. The effectiveness of the sterilization procedure shall be no less than that achieved by an attained temperature of 121.5° C maintained for 20 minutes by saturated steam or by an attained temperature of 170° C maintained for 2 hours with dry heat. Processing and storage containers, filters, filling apparatus, and other pieces of apparatus and accessory equipment, including pipes and tubing, shall be designed and constructed to permit thorough cleaning and, where possible, inspection for cleanliness. All surfaces that come in contact with products shall be clean and free of surface solids, leachable contaminants, and other materials that will hasten the deterioration of the product or otherwise render it less suitable for the intended use. For products for which sterility is a factor, equipment shall be sterile, unless sterility of the product is assured by subsequent procedures.

(c) *Laboratory and bleeding rooms.* Rooms used for the processing of products, including bleeding rooms, shall be effectively fly-proofed and kept free of flies and vermin. Such rooms shall be so constructed as to insure freedom from dust, smoke and other deleterious substances and to permit thorough cleaning and disinfection. Rooms for animal injection and bleeding, and rooms for smallpox vaccine animals, shall be disinfected and be provided with the necessary water, electrical and other services.

(d) *Animal quarters and stables.* Animal quarters, stables and food storage areas shall be of appropriate construction, fly-proofed, adequately lighted and ventilated, and maintained in a clean, vermin-free and sanitary condition. No manure or refuse shall be