

cells for transfusion are not acts requiring such transfusion services to register.

[40 FR 52788, Nov. 12, 1975, as amended at 43 FR 37997, Aug. 25, 1978; 45 FR 85729, Dec. 30, 1980; 49 FR 34449, Aug. 31, 1984; 66 FR 31162, June 11, 2001; 66 FR 59159, Nov. 27, 2001; 72 FR 45886, August 16, 2007]

## PART 610—GENERAL BIOLOGICAL PRODUCTS STANDARDS

### Subpart A—Release Requirements

Sec.

- 610.1 Tests prior to release required for each lot.  
610.2 Requests for samples and protocols; official release.

### Subpart B—General Provisions

- 610.9 Equivalent methods and processes.  
610.10 Potency.  
610.11 General safety.  
610.11a Inactivated influenza vaccine, general safety test.  
610.12 Sterility.  
610.13 Purity.  
610.14 Identity.  
610.15 Constituent materials.  
610.16 Total solids in serums.  
610.17 Permissible combinations.  
610.18 Cultures.

### Subpart C—Standard Preparations and Limits of Potency

- 610.20 Standard preparations.  
610.21 Limits of potency.

### Subpart D—Mycoplasma

- 610.30 Test for *Mycoplasma*.

### Subpart E—Testing Requirements for Communicable Disease Agents

- 610.40 Test requirements.  
610.41 Donor deferral.  
610.42 Restrictions on use for further manufacture of medical devices.  
610.44 Use of reference panels by manufacturers of test kits.  
610.46 Human immunodeficiency virus (HIV) “lookback” requirements.  
610.47 Hepatitis C virus (HCV) “lookback” requirements.  
610.48 Hepatitis C virus (HCV) “lookback” requirements based on review of historical testing records.

### Subpart F—Dating Period Limitations

- 610.50 Date of manufacture.

- 610.53 Dating periods for licensed biological products.

### Subpart G—Labeling Standards

- 610.60 Container label.  
610.61 Package label.  
610.62 Proper name; package label; legible type.  
610.63 Divided manufacturing responsibility to be shown.  
610.64 Name and address of distributor.  
610.65 Products for export.  
610.67 Bar code label requirements.  
610.68 Exceptions or alternatives to labeling requirements for biological products held by the Strategic National Stockpile.

AUTHORITY: 21 U.S.C. 321, 331, 351, 352, 353, 355, 360, 360c, 360d, 360h, 360i, 371, 372, 374, 381; 42 U.S.C. 216, 262, 263, 263a, 264.

SOURCE: 38 FR 32056, Nov. 20, 1973, unless otherwise noted.

CROSS REFERENCES: For U.S. Customs Service regulations relating to viruses, serums, and toxins, see 19 CFR 12.21–12.23. For U.S. Postal Service regulations relating to the admissibility to the United States mails see parts 124 and 125 of the Domestic Mail Manual, that is incorporated by reference in 39 CFR part 111.

### Subpart A—Release Requirements

#### § 610.1 Tests prior to release required for each lot.

No lot of any licensed product shall be released by the manufacturer prior to the completion of tests for conformity with standards applicable to such product. Each applicable test shall be made on each lot after completion of all processes of manufacture which may affect compliance with the standard to which the test applies. The results of all tests performed shall be considered in determining whether or not the test results meet the test objective, except that a test result may be disregarded when it is established that the test is invalid due to causes unrelated to the product.

#### § 610.2 Requests for samples and protocols; official release.

(a) *Licensed biological products regulated by CBER.* Samples of any lot of any licensed product together with the protocols showing results of applicable tests, may at any time be required to be sent to the Director, Center for Biologics Evaluation and Research (see