

§ 640.15

in § 610.40 of this chapter and § 640.5 (a), (b), and (c).

[53 FR 117, Jan. 5, 1988, as amended at 66 FR 31165, June 11, 2001]

§ 640.15 Segments for testing.

Segments collected in integral tubing shall meet the following standards:

(a) One or more segments shall be provided with each unit of Whole Blood or Red Blood Cells when issued or re-issued.

(b) Before they are filled, all segments shall be marked or identified so as to relate them to the donor of that unit of red cells.

(c) All segments accompanying a unit of Red Blood Cells shall be filled at the time the blood is collected or at the time the final product is prepared.

[66 FR 40890, Aug. 6, 2001]

§ 640.16 Processing.

(a) *Separation.* Within the timeframe specified in the directions for use for the blood collecting, processing, and storage system used, Red Blood Cells may be prepared either by centrifugation, done in a manner that will not tend to increase the temperature of the blood, or by normal undisturbed sedimentation. A portion of the plasma sufficient to insure optimal cell preservation shall be left with the red cells except when a cryoprotective substance or additive solution is added for prolonged storage.

(b) *Sterile system.* All surfaces that come in contact with the red cells shall be sterile and pyrogen-free.

(c) *Final containers.* Final containers used for Red Blood Cells shall be the original blood containers unless the method of processing requires a different container. The final container shall meet the requirements for blood containers prescribed in § 640.2(c). At the time of filing, if a different container is used, it shall be marked or identified by number or other symbol so as to relate it to the donor of that unit of red cells.

[38 FR 32089, Nov. 20, 1973, as amended at 43 FR 34460, Aug. 4, 1978; 50 FR 4139, Jan. 29, 1985; 64 FR 45372, Aug. 19, 1999; 66 FR 1836, Jan. 10, 2001; 66 FR 40890, Aug. 6, 2001]

21 CFR Ch. I (4–1–08 Edition)

§ 640.17 Modifications for specific products.

Red Blood Cells Frozen: A cryophylactic substance may be added to the Red Blood Cells for extended manufacturers' storage at -65° C or colder, provided the manufacturer submits data considered by the Director, Center for Biologics Evaluation and Research, as adequately demonstrating through in vivo cell survival and other appropriate tests that the addition of the substance, the materials used and the processing methods results in a final product that meets the required standards of safety, purity, and potency for Red Blood Cells, and that the frozen product will maintain those properties for the prescribed dating period. Section 640.11 (a) and (b) do not apply while a cryophylactic substance is present.

[38 FR 32089, Nov. 20, 1973, as amended at 41 FR 18292, May 3, 1976; 49 FR 23834, June 8, 1984; 50 FR 4139, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 63 FR 16685, Apr. 6, 1998]

Subpart C—Platelets

§ 640.20 Platelets.

(a) *Proper name and definition.* The proper name of this product shall be Platelets. The product is defined as platelets collected from one unit of blood and resuspended in an appropriate volume of original plasma, as prescribed in § 640.24(d).

(b) *Source.* The source material for Platelets is plasma which may be obtained by whole blood collection or by plateletpheresis.

[40 FR 4304, Jan. 29, 1975, as amended at 47 FR 49021, Oct. 29, 1982; 50 FR 4139, Jan. 29, 1985; 72 FR 45887, Aug. 16, 2007]

§ 640.21 Suitability of donors.

(a) Whole blood donors shall meet the criteria for suitability prescribed in § 640.3.

(b) [Reserved]

(c) Plateletpheresis donors must meet the criteria for suitability as prescribed in §§ 640.3 and 640.63(c)(6) or as described in an approved biologics license application (BLA) or an approved