

(e) *Materials standards.* (1) Materials standards.

(f) *Construction components.* (1) Steel;
(2) Masonry;
(3) Concrete;
(4) Lumber;
(5) Roof construction and covering;
(6) Chimneys and fireplaces.

(g) *Glass.* (1) Thickness/area requirements;

(2) Safety glazing.

(h) *Mechanical.* (1) Heating, cooling and ventilation systems;

(2) Gas, liquid and solid fuel piping and equipment;

(3) Chimneys and vents;

(4) Ventilation (air changes).

(i) *Plumbing.* (1) Materials standards;

(2) Sizing and installing drainage systems;

(3) Vents and venting;

(4) Traps;

(5) Cleanouts;

(6) Plumbing fixtures;

(7) Water supply and distribution;

(8) Sewage disposal systems.

(j) *Electrical.* (1) Branch circuits;

(2) Services;

(3) Grounding;

(4) Wiring methods;

(5) Cable;

(6) Conduit;

(7) Outlets, switches and junction boxes;

(8) Panelboards.

[50 FR 39594, Sept. 27, 1985, as amended at 59 FR 36695, July 19, 1994]

§ 200.926b Model codes.

(a) *Incorporation by reference.* The following model code publications are incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. The incorporation by reference of these publications has been approved by the Director of the Federal Register. The locations where copies of these publications are available are set forth below.

(1) *CABO One and Two Family Dwelling Code*, 1992 Edition, including the 1993 amendments, but excluding Chapter I—Administrative, and the phrase “or approved fire retardant wood” contained in the exception of paragraph R-218.2.2(2), but including the Appendices A, B, D, and E of the Code. (Available from the Council of American Building Officials, Suite 708, 5203 Leesburg Pike, Falls Church, VA 22041.)

(2) *Electrical Code for One and Two Family Dwellings*, NFPA 70A, 1990 Edition, including Tables and Examples. Available from the National Fire Protection Association, Batterymarch Park, Quincy, MA 02269.

(b) *Model code compliance requirements.* (1) When a one or two family dwelling is to comply with the model codes set forth in §200.926b(a), the following requirements of those model codes shall not apply to those properties:

(i) Those provisions of the model codes that establish energy requirements for one and two family dwellings; and

(ii) Those provisions of the model codes that require or allow the issuance of permits of any sort.

(2) Where the model codes set forth in paragraph (a) of this section designate a building, fire, mechanical, plumbing or other official, the Secretary’s designee in the HUD Field Office serving the jurisdiction in which the dwelling is to be constructed shall act as such official.

(c) *Designation of Model Codes.* When a one or two family dwelling or townhouse is to comply with portions of the model code or the entire model code, the dwelling shall comply with the CABO One and Two Family Dwelling Code 1992 Edition, including the 1993 amendments, or portion thereof as modified by §200.926e of this part and designated by the HUD Field Office serving a jurisdiction in which a property is located. In addition, the property shall comply with all of the standards which are referenced for any designated portions of the model code, and with the Electrical Code for One and Two Family Dwellings, NFPA 70A/1990.

[50 FR 39594, Sept. 27, 1985, as amended at 58 FR 60249, Nov. 15, 1993]

§ 200.926c Model code provisions for use in partially accepted code jurisdictions.

If a lender or other interested party is notified that a State or local building code has been partially accepted, then the properties eligible for HUD benefits in that jurisdiction shall be constructed in accordance with the applicable State or local building code, plus those additional requirements

§ 200.926d

24 CFR Ch. II (4-1-08 Edition)

identified below. Depending upon the major area identified in §200.926a which is not adequately regulated by the State or local code, the HUD Field Office will designate, in accordance with the schedule below, those portions of one of the model codes with which the property must comply.

SCHEDULE FOR MODEL CODE SUPPLEMENTS TO LOCAL OR STATE CODES

Deficient major items from §200.926a as determined by field office review	Portions of the CABO One and Two Family Dwelling Code, 1992 Edition, including the 1993 amendments, with which a property must comply
(a) Fire safety	Chapters 2, 9; Section R-402.
(b) Light and ventilation	Chapter 2; Section R-309.
(c) Structural loads and seismic design.	Chapter 2.
(d) Foundation systems	Chapter 3.
(e) Materials standards	Chapter 26.
(f) Construction components	Part III.
(g) Glass	Chapter 2.
(h) Mechanical	Part IV.
(i) Plumbing	Part V.
(j) Electrical	Electrical code for 1- and 2-family dwellings (NFPA 70A-1990).

[50 FR 39594, Sept. 27, 1985, as amended at 58 FR 60249, Nov. 15, 1993; 59 FR 36695, July 19, 1994]

§ 200.926d Construction requirements.

(a) *Application*—(1) *General*. These standards cover the agency requirements for accessibility to physically handicapped people, variations to standards, real estate entity, trespass and utilities, site conditions, access, site design, streets, dedication of utilities, drainage and flood hazard exposure, special construction and product acceptance, thermal requirements, and water supply systems.

(2) *Requirements for accessibility to physically handicapped people*. The HUD Field Office will advise project sponsors as to the extent accessibility will be required for new construction of one- and two-family dwellings on a project-by-project basis.

(i) *Technical standards*. See HUD Handbook, 4910.1, Sections 100-1.3b and 100-1.3c.

(3) *Variations to standards*—(i) *New materials and technologies*. See paragraph (d) of this section. Alternatives, nonconventional or innovative methods and materials shall be equivalent

to these standards in the areas of structural soundness, durability, economy of maintenance or operation and usability.

(ii) *Variation procedures*. Variations from the requirements of any standard with which the Department requires compliance shall be made in the following ways:

(A) For a particular design or construction method to be used on a single case or project, the decision is the responsibility of the Field Office. Headquarters concurrence is not required.

(B) Where a variation is intended to be on a repetitive basis, a recommendation for a Local Acceptable Standard, substantiating data, and background information shall be submitted by the Field Office to the Director, Office of Manufactured Housing and Regulatory Functions.

(iii) Variances which require individual analysis and decision in each instance are not considered as repetitive variances even though one particular standard is repeatedly the subject of variation. Such variances are covered by paragraph (a)(3)(ii)(A) of this section.

(b) *General acceptability criteria*—(1) *Real estate entity*. The property shall comprise a single plot except that a primary plot with a secondary plot for an appurtenant garage or for other use contributing to the marketability of the property will be acceptable provided the two plots are in such proximity as to comprise a readily marketable real estate entity.

(2) *Service and facilities*—(i) *Trespass*. Each living unit shall be one that can be used and maintained individually without trespass upon adjoining properties, except when the windowless wall of a detached dwelling is located on a side lot line. A detached dwelling may be located on a side lot line if:

(A) legal provision is made for permanent access for the maintenance of the exterior portion of the lot line wall, and

(B) the minimum distances from the dwelling to the dwellings on the abutting properties are not less than the sum of the side yard distances computed as appropriate for the type of opposing walls. (minimum distance 10 ft).