

§ 151.43

33 CFR Ch. I (7-1-08 Edition)

§ 151.43 Control of discharge of NLS residues.

(a) Unless the ship is a fixed or floating drilling rig or other platform operating under an National Pollution Discharge Elimination System (NPDES) permit, the master or person in charge of an oceangoing ship that cannot discharge NLS residue into the sea in accordance with 46 CFR 153.1126 or 153.1128 shall ensure that the NLS residue is—

- (1) Retained on board; or
- (2) Discharged to a reception facility.

(b) If Category A, B, or C NLS cargo or NLS residue is to be transferred at a port or terminal in the United States, the master or person in charge of each oceangoing ship carrying NLS cargo or NLS residue shall notify the port or terminal at least 24 hours before entering the port or terminal of—

- (1) The name of the ship;
- (2) The name, category and volume of NLS cargo to be unloaded;

(3) If the cargo is a Category B or C high viscosity NLS cargo or solidifying NLS cargo listed in Table 1 of 46 CFR Part 153 with a reference to “§153.908(a)” or “§153.908(b)” in the “Special Requirements” column of that table, the time of day the ship is estimated to be ready to discharge NLS residue to a reception facility;

(4) If the cargo is any Category B or C NLS cargo not under paragraph (b)(3) of this section, whether or not the ship meets the stripping requirements under 46 CFR 153.480, 153.481, or 153.482;

(5) The name and the estimated volume of NLS in the NLS residue to be discharged;

(6) The total volume of NLS residue to be discharged; and

(7) The name and amount of any cleaning agents to be used during the prewash required by 46 CFR 153.1120.

(c) The master or person in charge of a U.S. ship in a special area shall operate the ship in accordance with 46 CFR 153.903.

NOTE: The master or person in charge of a ship carrying Category A NLS that is required to prewash tanks under the procedures in 46 CFR Part 153.1120 is required under 46 CFR 153.1101 to notify the COTP at least 24 hours before a prewash surveyor is needed.

§ 151.47 Category D NLSs other than oil-like Category D NLSs that may be carried under this part.

The following is a list of Category D NLSs other than Oil-like Category D NLSs that the Coast Guard allows to be carried:

Acetophenone  
Acrylonitrile-Styrene copolymer dispersion in Polyether polyol  
iso- & cyclo-Alkane (C10-C11)  
Alkenyl(C11+)amine  
Alkyl(C8+)amine, Alkenyl (C12+) acid ester mixture  
Alkyl dithiothiadiazole (C6-C24)  
Alkyl ester copolymer (C4-C20)  
Alkyl(C8-C40) phenol sulfide  
Aluminum sulfate solution  
Ammonium hydrogen phosphate solution  
Ammonium nitrate solution (45% or less)  
Ammonium nitrate, Urea solution (2% or less NH<sub>3</sub>)  
Ammonium phosphate, Urea solution  
Ammonium polyphosphate solution  
Ammonium sulfate solution (20% or less)  
Amyl alcohol (iso-, n-, sec-, primary)  
Animal and Fish oils, n.o.s. (*see also Oil, edible*)  
Animal and Fish acid oils and distillates, n.o.s.  
Aryl polyolefin (C11-C50)  
Brake fluid base mixtures  
Butylene glycol  
iso-Butyl formate  
n-Butyl formate  
gamma-Butyrolactone  
Calcium hydroxide slurry  
Calcium long chain alkyl sulfonate (C11-C50)  
Calcium long chain alkyl(C11-C40) phenate  
Calcium long chain alkyl phenate sulfide (C8-C40)  
Caprolactam solutions  
Chlorine chloride solution  
Citric acid (70% or less)  
Coconut oil fatty acid methyl ester  
Copper salt of long chain (C17+) alkanolic acid  
Cyclohexanol  
Decahydronaphthalene  
Diacetone alcohol  
Dialkyl(C8-C9) diphenylamines  
Dialkyl(C7-C13) phthalates  
Diethylene glycol  
Diethylene glycol butyl ether acetate, *see* Poly(2-8) alkylene glycol monoalkyl(C1-C6) ether acetate  
Diethylene glycol dibutyl ether  
Diethylene glycol ethyl ether, *see* Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether  
Diethylene glycol ethyl ether acetate, *see* Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate  
Diethylene glycol methyl ether acetate, *see* Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate