

§ 180.101

40 CFR Ch. I (7-1-08 Edition)

(22) *Crop Group 21*. Edible fungi Group.

(i) *Representative commodities*. White button mushroom and any one oyster mushroom or any Shiitake mushroom.

(ii) *Table*. The following is a list of all the commodities in Crop Group 21. There are no related subgroups.

CROP GROUP 21—EDIBLE FUNGI GROUP—
COMMODITIES

- Blewitt (*Lepista nuda*)
- Bunashimeji (*Hypsizygus marmoratus*)
- Chinese mushroom (*Volvariella volvacea*) (Bull.) Singer
- Enoki (*Flammulina velutipes*) (Curt.) Singer
- Hime-Matsutake (*Agaricus blazei*) Murill
- Hirameola (*Auricularia auricular*)
- Maitake (*Grifola frondosa*)
- Morel (*Morchella* spp.)
- Nameko (*Pholiota nameko*)
- Net Bearing (*Dictyophora*)
- Oyster mushroom (*Pleurotus* spp.)
- Pom Pom (*Heriction erinaceus*)
- Reishi mushroom (*Ganoderma lucidum* (Leyss. Fr.) Karst.)
- Rodman's agaricus (*Agaricus bitorquis*) (Quel.) Saccardo
- Shiitake mushroom (*Lentinula edodes* (Berk.) Pegl.)
- Shimeji (*Tricholoma conglobatum*)
- Stropharia (*Stropharia* spp.)
- Truffle (*Tuber* spp.)
- White button mushroom (*Agaricus bisporus* (Lange) Imbach)
- White Jelly Fungi (*Tremella fuciformis*)

[60 FR 26635, May 17, 1995, as amended at 72 FR 69156, 69157, Dec. 7, 2007; 73 FR 52, Jan. 2, 2008]

Subpart C—Specific Tolerances

EDITORIAL NOTE: Nomenclature changes to subpart C appear at 67 FR 41803-41808, June 19, 2002; 67 FR 42393-42397, June 21, 2002; 68 FR 39430-39435, July 1, 2003; 71 FR 74804-74812, Dec. 13, 2006; 72 FR 53137-53151, Sept. 18, 2007; and 72 FR 61536, Oct. 31, 2007.

§ 180.101 Specific tolerances; general provisions.

(a) The tolerances established for pesticide chemicals in this subpart C apply to residues resulting from their application prior to harvest or slaughter, unless otherwise stated. Tolerances are expressed in terms of parts by weight of the pesticide chemical per one million parts by weight of the raw agricultural commodity.

(b) The poisonous and deleterious substances for which tolerances are established by the regulations in this subpart C are named by their common names wherever practicable, otherwise by their chemical names.

(c) The analytical methods to be used for determining whether pesticide resi-

dues, including negligible residues, in or on raw agricultural commodities are in compliance with the tolerances established in this part 180 are identified among the methods contained or referenced in the Food and Drug Administration's "Pesticide Analytical Manual" which is available from the Food and Drug Administration, Department of Health, Education, and Welfare, 200 C Street SW., Washington, DC 20204.

§ 180.103 Captan; tolerances for residues.

(a)(1) *General*. Tolerances are established for residues of the fungicide, captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide) in or on the following commodities:

Commodity	Parts per million
Almond	0.25
Almond, hulls	75.0
Animal feed, nongrass, group 18	0.05
Apple	25.0
Apricot	10.0
Blueberry	20.0
Caneberry, subgroup 13A	25.0
Cherry, sweet	50.0
Cherry, tart	50.0
Cotton, undelinted seed	0.05
Dill, seed	0.05
Flax, seed	0.05
Grape	25.0
Grain, cereal, forage, fodder and straw, group 16	0.05
Grain, cereal, group 15	0.05
Grass, forage	0.05
Grass, hay	0.05
Nectarine	25.0
Okra	0.05
Peach	15.0
Peanut	0.05
Peanut, hay	0.05
Pear	25.0
Plum, prune, fresh	10.0
Rapeseed, forage	0.05
Rapeseed, seed	0.05
Safflower, seed	0.05
Sesame, seed	0.05
Strawberry	20.0
Sunflower, seed	0.05
Vegetable, brassica leafy, group 5	0.05
Vegetable, bulb, group 3	0.05
Vegetable, cucurbit, group 9	0.05
Vegetable, foliage of legume, group 7	0.05
Vegetable, fruiting, group 8	0.05
Vegetable, leafy, except brassica, group 4	0.05
Vegetable, leaves of root and tuber, group 2	0.05
Vegetable, legume, group 6	0.05
Vegetable, root and tuber, group 1	0.05

(2) Tolerances are established for the combined residues of the fungicide, captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide) and its metabolite 1,2,3,6-