

(ii) It is used or intended for use in combination with pyrethrins and N-octylbicycloheptene dicarboximide for insect control in accordance with 21 CFR 178.3730.

(iii) A tolerance of 10 parts per million is established for residues of piperonyl butoxide in or on:

(A) Grain, cereal, milled fractions when present therein as a result of its use in cereal grain mills and in storage areas for milled cereal grain products.

(B) Food, dried when present as a result of migration from its use on the outer ply of multiwall paper bags of 50 pounds or more capacity.

(C) Food treated in accordance with 21 CFR 178.3730.

(D) Food, dried that contain 4 percent fat, or less, when present as a result of migration from its use on the cloth of cotton bags of 50 pounds or more capacity constructed with waxed paper liners.

(E) Food treated in accordance with paragraph (a)(2)(i)(D) and (E) of this section.

(iv) To assure safe use of the pesticide, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

(v) Where tolerances are established on both raw agricultural commodities and processed food made therefrom, the total residues of piperonyl butoxide in or on the processed food shall not be greater than that permitted by the larger of the two tolerances.

(3) Piperonyl butoxide may be safely used in accordance with the following prescribed conditions:

(i) It is used or intended for use in combination with pyrethrins for control of insects:

(A) On the outer ply of multiwall paper bags of 50 pounds or more capacity in amounts not exceeding 60 milligrams per square foot.

(B) On cotton bags of 50 pounds or more capacity in amounts not exceeding 55 milligrams per square foot of cloth. Such treated bags are constructed with waxed paper liners and are to be used only for feed, dried that contain 4 percent fat or less.

(ii) It is used in combination with pyrethrins, whereby the amount of

piperonyl butoxide is equal to 10 times the amount of pyrethrins in the formulation. Such treated bags are to be used only for feed, dried.

(iii) A tolerance of 10 parts per million is established for residues of piperonyl butoxide when present as the result of migration:

(A) In or on feed, dried from its use on the outer ply of multiwall paper bags of 50 pounds or more capacity.

(B) In or on feed, dried that contain 4 percent fat, or less, from its use on cotton bags of 50 pounds or more capacity constructed with waxed paper liners.

(iv) To assure safe use of the pesticide, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency.

(v) Where tolerances are established on both the raw agricultural commodities and food, processed made therefrom, the total residues of piperonyl butoxide in or on the processed food shall not be greater than that permitted by the larger of the two tolerances.

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[71 FR 74813, Dec. 13, 2006]

§ 180.128 Pyrethrins; tolerances for residues.

(a) *General.* (1) Tolerances for residues of the insecticide pyrethrins ((1S)-2-methyl-4-oxo-3-(2Z)-2,4-pentadienylcyclopenten-1-yl (1R,3R)-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate (pyrethrin 1), (1S)-2-methyl-4-oxo-3-(2Z)-2,4-pentadienyl-2-cyclopenten-1-yl (1R,3R)-3-[(1E)-3-methoxy-2-methyl-3-oxo-1-propenyl]-2,2-dimethylcyclopropanecarboxylate (pyrethrin 2), (1S)-3-(2Z)-2-butenyl-2-methyl-4-oxo-2-cyclopenten-1-yl (1R,3R)-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate (cinerin 1), (1S)-3-(2Z)-2-butenyl-2-methyl-4-oxo-2-cyclopenten-1-yl (1R,3R)-3-[(1E)-3-methoxy-2-methyl-3-oxo-1-propenyl]-2,2-dimethylcyclopropanecarboxylate (cinerin 2), (1S)-2-methyl-4-oxo-3-(2Z)-2-pentenyl-2-cyclopenten-1-yl (1R, 3R)-

Environmental Protection Agency

§ 180.129

2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate (jasmolin 1), and (1S)-2-methyl-4-oxo-3-(2Z)-pentenyl-2-cyclopenten-1-yl (1R,3R)-3-[(1E)-3-methoxy-2-methyl-3-oxo-1-propenyl]-2,2-dimethylcyclopropanecarboxylate (jasmolin 2)), the insecticidally active principles of *Chrysanthemum cinerariaefolium*, which are measured as cumulative residues of pyrethrin 1, cinerin 1, and jasmolin 1 are not to exceed the following:

Commodity	Parts per million
Almond, postharvest	1.0
Apple, postharvest	1.0
Barley, grain, postharvest	3.0
Bean, succulent, postharvest	1.0
Birdseed, mixtures, postharvest	3.0
Blackberry, postharvest	1.0
Blueberry, postharvest	1.0
Boysenberry, postharvest	1.0
Buckwheat, grain, postharvest	3.0
Cacao bean, roasted bean, postharvest	1.0
Cattle, fat	1.0
Cattle, meat	0.05
Cattle, meat byproducts	0.05
Cherry, sweet, postharvest	1.0
Cherry, tart, postharvest	1.0
Coconut, copra, postharvest	1.0
Corn, field, grain, postharvest	3.0
Corn, pop, grain, postharvest	3.0
Cotton, undelinted seed, postharvest	1.0
Crabapple, postharvest	1.0
Currant, postharvest	1.0
Dewberry, postharvest	1.0
Fig, postharvest	1.0
Flax, seed, postharvest	1.0
Goat, fat	1.0
Goat, meat	0.05
Goat, meat byproducts	0.05
Gooseberry, postharvest	1.0
Grape, postharvest	1.0
Guava, postharvest	1.0
Hog, fat	1.0
Hog, meat	0.05
Hog, meat byproducts	0.05
Horse, fat	1.0
Horse, meat	0.05
Horse, meat byproducts	0.05
Loganberry, postharvest	1.0
Mango, postharvest	1.0
Milk, fat (reflecting negligible residues in milk)	0.05
Muskmelon, postharvest	1.0
Oat, grain, postharvest	1.0
Orange, postharvest	1.0
Pea, dry, seed, postharvest	1.0
Peach, postharvest	1.0
Peanut, postharvest	1.0
Pear, postharvest	1.0
Pineapple, postharvest	1.0
Plum, prune, fresh, postharvest	1.0
Potato, postharvest	0.05
Raspberry, postharvest	1.0
Rice, grain, postharvest	3.0
Rye, grain, postharvest	3.0
Sheep, fat	1.0
Sheep, meat	0.05
Sheep, meat byproducts	0.05
Sorghum, grain, grain, postharvest	1.0

Commodity	Parts per million
Sweet potato, postharvest	0.05
Tomato, postharvest	1.0
Walnut, postharvest	1.0
Wheat, grain, postharvest	3.0

(2) A tolerance of 1.0 ppm is established for residues of the insecticide pyrethrins in or on milled fractions derived from grain, cereal when present as a result of its use in cereal grain mills and in storage areas for milled cereal grain products.

(3) A tolerance of 1.0 ppm is established for residues of the insecticide pyrethrins in or on all food items in food handling establishments where food and food products are held, processed, prepared and/or served. Food must be removed or covered prior to use.

(4) Where tolerances are established on both the raw agricultural commodities and processed foods made therefrom, the total residues of pyrethrins in or on the processed food shall not be greater than that permitted by the larger of the two tolerances.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[71 FR 74814, Dec. 13, 2006, as amended at 73 FR 5108, Jan. 29, 2008]

§ 180.129 o-Phenylphenol and its sodium salt; tolerances for residue.

Tolerances are established for combined residues of the fungicide o-phenylphenol and sodium o-phenylphenate, each expressed as o-phenylphenol, from postharvest application of either in or on the following raw agricultural commodities:

Commodity	Parts per million
Apple	25
Cantaloupe (NMT 10 ppm in edible portion)	125
Carrot, roots	20
Cherry	5
Citrus	10
Citron	10
Cucumber	10
Grapefruit	10
Kiwifruit	20
Kumquat	10
Lemon	10
Lime	10