

§ 420.137 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best control technology for conventional pollutants (BCT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best control technology for conventional pollutants (BCT): The limitations shall be the same as those specified for conventional pollutants (which are defined in 40 CFR 401.16) in § 420.132 for the best practicable control technology currently available (BPT).

PART 421—NONFERROUS METALS MANUFACTURING SOURCE CATEGORY POINT

GENERAL PROVISIONS

Sec.

- 421.1 Applicability.
- 421.2 [Reserved]
- 421.3 Monitoring and reporting requirements.
- 421.4 Compliance date for pretreatment standards for existing sources (PSES).
- 421.5 Removal allowances for pretreatment standards.

Subpart A—Bauxite Refining Subcategory

- 421.10 Applicability; description of the bauxite refining subcategory.
- 421.11 Specialized definitions.
- 421.12 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.
- 421.13 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.
- 421.14 [Reserved]
- 421.15 Standards of performance for new sources.
- 421.16 Pretreatment standards for new sources.

Subpart B—Primary Aluminum Smelting Subcategory

- 421.20 Applicability; description of the primary aluminum smelting subcategory.
- 421.21 Specialized definitions.

- 421.22 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.
- 421.23 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.
- 421.24 Standards of performance for new sources.
- 421.25 [Reserved]
- 421.26 Pretreatment standards for new sources.
- 421.27 [Reserved]

Subpart C—Secondary Aluminum Smelting Subcategory

- 421.30 Applicability; Description of the secondary aluminum smelting subcategory.
- 421.31 Specialized definitions.
- 421.32 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.
- 421.33 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.
- 421.34 Standards of performance for new sources.
- 421.35 Pretreatment standards for existing sources.
- 421.36 Pretreatment standards for new sources.
- 421.37 [Reserved]

Subpart D—Primary Copper Smelting Subcategory

- 421.40 Applicability; Description of the primary copper smelting subcategory.
- 421.41 Specialized definitions.
- 421.42 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.
- 421.43 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.
- 421.44 Standards of performance for new sources.
- 421.45 [Reserved]
- 421.46 Pretreatment standards for new sources.
- 421.47 [Reserved]