

issued in a timely manner under section 112(d) or (h) of the Act. The permitting authority must establish these emissions limitations consistent with the following requirements and principles:

(1) Emission limitations must be established for the equipment and activities within the affected sources within a source category or subcategory for which the section 112(j) deadline has passed.

(2) Each emission limitation for an existing affected source must reflect the maximum degree of reduction in emissions of hazardous air pollutants (including a prohibition on such emissions, where achievable) that the permitting authority, taking into consideration the cost of achieving such emission reduction and any non-air quality health and environmental impacts and energy requirements, determines is achievable by affected sources in the category or subcategory for which the section 112(j) deadline has passed. This limitation must not be less stringent than the MACT floor which must be established by the permitting authority according to the requirements of section 112(d)(3)(A) and (B) and must be based upon available information.

(3) Each emission limitation for a new affected source must reflect the maximum degree of reduction in emissions of hazardous air pollutants (including a prohibition on such emissions, where achievable) that the permitting authority, taking into consideration the cost of achieving such emission reduction and any non-air quality health and environmental impacts and energy requirements, determines is achievable. This limitation must not be less stringent than the emission limitation achieved in practice by the best controlled similar source which must be established by the permitting authority according to the requirements of section 112(d)(3). This limitation must be based upon available information.

(4) The permitting authority must select a specific design, equipment, work practice, or operational standard, or combination thereof, when it is not feasible to prescribe or enforce an equivalent emission limitation due to

the nature of the process or pollutant. It is not feasible to prescribe or enforce a limitation when the Administrator determines that hazardous air pollutants cannot be emitted through a conveyance designed and constructed to capture such pollutant, or that any requirement for, or use of, such a conveyance would be inconsistent with any Federal, State, or local law, or the application of measurement methodology to a particular class of sources is not practicable due to technological and economic limitations.

(5) Nothing in this subpart shall prevent a State or local permitting authority from establishing an emission limitation more stringent than required by Federal regulations.

(b) *Reporting to EPA.* The owner or operator must submit additional copies of its Part 1 and Part 2 MACT application for a title V permit, permit revision, or Notice of MACT Approval, whichever is applicable, to the EPA at the same time the material is submitted to the permitting authority.

[67 FR 16610, Apr. 5, 2002]

**§ 63.56 Requirements for case-by-case determination of equivalent emission limitations after promulgation of subsequent MACT standard.**

(a) If the Administrator promulgates a relevant emission standard that is applicable to one or more affected sources within a major source before the date a permit application under this paragraph (a) is approved, the title V permit must contain the promulgated standard rather than the emission limitation determined under § 63.52, and the owner or operator must comply with the promulgated standard by the compliance date in the promulgated standard.

(b) If the Administrator promulgates a relevant emission standard under section 112(d) or (h) of the Act that is applicable to a source after the date a permit is issued pursuant to § 63.52 or § 63.54, the permitting authority must incorporate requirements of that standard in the title V permit upon its next renewal. The permitting authority must establish a compliance date in the revised permit that assures that the owner or operator must comply with the promulgated standard within

**Environmental Protection Agency**

**Pt. 63, Subpt. B, Table 2**

a reasonable time, but not longer than 8 years after such standard is promulgated or 8 years after the date by which the owner or operator was first required to comply with the emission limitation established by the permit, whichever is earlier. However, in no event shall the period for compliance for existing sources be shorter than that provided for existing sources in the promulgated standard.

(c) Notwithstanding the requirements of paragraph (a) or (b) of this section, the requirements of paragraphs (c)(1) and (2) of this section shall apply.

(1) If the Administrator promulgates an emission standard under section 112(d) or (h) that is applicable to an affected source after the date a permit application under this paragraph is approved under §63.52 or §63.54, the permitting authority is not required to change the emission limitation in the permit to reflect the promulgated standard if the permitting authority determines that the level of control required by the emission limitation in the permit is substantially as effective as that required by the promulgated standard pursuant to §63.1(e).

(2) If the Administrator promulgates an emission standard under section 112(d) or (h) of the Act that is applicable to an affected source after the date a permit application is approved under §63.52 or §63.54, and the level of control required by the promulgated standard is less stringent than the level of control required by any emission limitation in the prior MACT determination, the permitting authority is not required to incorporate any less stringent emission limitation of the promulgated standard in the title V permit and may in its discretion consider any more stringent provisions of the MACT determination to be applicable legal requirements when issuing or revising such a title V permit.

**TABLE 1 TO SUBPART B OF PART 63—SECTION 112(j) PART 2 APPLICATION DUE DATES**

Due date	MACT standard
10/30/03 .....	Combustion Turbines. Lime Manufacturing. Site Remediation. Iron and Steel Foundries. Taconite Iron Ore Processing. Miscellaneous Organic Chemical Manufacturing (MON). <sup>1</sup> Organic Liquids Distribution. Primary Magnesium Refining. Metal Can (Surface Coating). Plastic Parts and Products (Surface Coating). Chlorine Production. Miscellaneous Metal Parts and Products (Surface Coating) (and Asphalt/Coal Tar Application—Metal Pipes). <sup>2</sup>
4/28/04 .....	Industrial Boilers, Institutional/Commercial Boilers and Process Heaters. <sup>3</sup> Plywood and Composite Wood Products. Reciprocating Internal Combustion Engines. <sup>4</sup> Auto and Light-Duty Truck (Surface Coating).
8/13/05 .....	Industrial Boilers, Institutional/ Commercial Boilers, and Process Heaters. <sup>5</sup> Hydrochloric Acid Production. <sup>6</sup>

<sup>1</sup> Covers 23 source categories, see Table 2 to this subpart.  
<sup>2</sup> Two source categories.  
<sup>3</sup> Includes all sources in the three categories, Industrial Boilers, Institutional/Commercial Boilers, and Process Heaters that burn no hazardous waste.  
<sup>4</sup> Includes engines greater than 500 brake horsepower.  
<sup>5</sup> Includes all sources in the three categories, Industrial Boilers, Institutional/Commercial Boilers, and Process Heaters that burn hazardous waste.  
<sup>6</sup> Includes furnaces that produce acid from hazardous waste at sources in the category Hydrochloric Acid Production.

[68 FR 32603, May 30, 2003]

**TABLE 2 TO SUBPART B OF PART 63—MON SOURCE CATEGORIES**

Manufacture of Paints, Coatings, and Adhesives.  
 Alkyd Resins Production.  
 Maleic Anhydride Copolymers Production.  
 Polyester Resins Production.  
 Polymerized Vinylidene Chloride Production.  
 Polymethyl Methacrylate Resins Production.  
 Polyvinyl Acetate Emulsions Production.  
 Polyvinyl Alcohol Production.  
 Polyvinyl Butyral Production.  
 Ammonium Sulfate Production-Caprolactam By-Product Plants.  
 Quaternary Ammonium Compounds Production.

§ 63.60

Benzyltrimethylammonium Chloride Production.  
 Carbonyl Sulfide Production.  
 Chelating Agents Production.  
 Chlorinated Paraffins Production.  
 Ethylidene Norbornene Production.  
 Explosives Production.  
 Hydrazine Production.  
 OBPA/1,3-Diisocyanate Production.  
 Photographic Chemicals Production.  
 Phthalate Plasticizers Production.  
 Rubber Chemicals Manufacturing.  
 Symmetrical Tetrachloropyridine Production.

[68 FR 32603, May 30, 2003]

**Subpart C—List of Hazardous Air Pollutants, Petitions Process, Lesser Quantity Designations, Source Category List**

**§ 63.60 Deletion of caprolactam from the list of hazardous air pollutants.**

The substance caprolactam (CAS number 105602) is deleted from the list of hazardous air pollutants established by 42 U.S.C. 7412(b)(1).

[61 FR 30823, June 18, 1996]

**§ 63.61 [Reserved]**

**§ 63.62 Redefinition of glycol ethers listed as hazardous air pollutants.**

The following definition of the glycol ethers category of hazardous air pollutants applies instead of the definition set forth in 42 U.S.C. 7412(b)(1), footnote 2: Glycol ethers include mono- and di-ethers of ethylene glycol, diethylene glycol, and triethylene glycol R-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>n</sub>-OR'.

Where:

- n = 1, 2, or 3;
- R = alkyl C7 or less; or
- R = phenyl or alkyl substituted phenyl;
- R' = H or alkyl C7 or less; or
- OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate.

[65 FR 47348, Aug. 2, 2000]

40 CFR Ch. I (7–1–03 Edition)

§§ 63.63–63.69 [Reserved]

**Subpart D—Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants**

**§ 63.70 Applicability.**

The provisions of this subpart apply to an owner or operator of an existing source who wishes to obtain a compliance extension from a standard issued under section 112(d) of the Act. The provisions of this subpart also apply to a State or local agency acting pursuant to a permit program approved under title V of the Act. The Administrator will carry out the provisions of this subpart for any State that does not have an approved permit program.

**§ 63.71 Definitions.**

All terms used in this subpart not defined in this section are given the same meaning as in the Act.

*Act* means the Clean Air Act as amended.

*Actual emissions* means the actual rate of emissions of a pollutant, but does not include excess emissions from a malfunction, or startups and shutdowns associated with a malfunction. Actual emissions shall be calculated using the source's actual operating rates, and types of materials processed, stored, or combusted during the selected time period.

*Artificially or substantially greater emissions* means abnormally high emissions such as could be caused by equipment malfunctions, accidents, unusually high production or operating rates compared to historical rates, or other unusual circumstances.

*EPA conditional method* means any method of sampling and analyzing for air pollutants that has been validated by the Administrator but that has not been published as an EPA Reference Method.

*EPA reference method* means any method of sampling and analyzing for